

**UNDECYLENIC ACID- anti-fungal liquid liquid**  
**Walgreen Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Walgreens Anti-Fungal Nail Solution**

***Active ingredient***

Undecylenic acid 25%w/w

***Purpose***

Antifungal

***Uses***

For cure of most tinea pedis (athlete's foot) and tinea corporis (ringworm).

**For relief of :**

- itching
- burning
- redness
- irritation
- scaling
- soreness
- discomfort which may accompany these conditions

***Warnings***

**For external use only**

**If pregnant or breastfeeding**

consult a healthcare professional before use.

**Do not use**

on children under 2 years of age unless directed by a doctor

**When using this product**

avoid contact with eyes.

**Use only as directed**

by a doctor on persons with highly sensitive skin.

**Stop use and consult a doctor if**

- there is no improvement within 4 weeks
- irritation occurs

**Keep out of reach of children.**

If accidental ingestion occurs, get medical help or contact a Poison Control Center right away.

***Directions*****Read all warnings and directions. Use only as directed.**

- clean the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between toes wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks. If conditions persists longer, consult a doctor
- this product is not effective on the scalp or nails

***Other information***

store at room temperature 15°-30°C (59° - 86°F)

***Inactive ingredient***

isopropyl palmitate

***Questions?***

Call 1-866-964-0939

**Principal Display Panel****Walgreens**

Antifungal Liquid

UNDECYLENIC ACID 25%

MAXIMUM STRENGTH

MEDICATED

ANTIFUNGAL

- Eliminates fungus on fingers, toes & around nails
- Non-oily, clear liquid
- Dries quickly

NET WT 1 FL OZ (30mL)

Walgreens

# Antifungal Liquid

Walgreens

Compare to Fungi-Nail®††

NDC 0363-7731-30

# Antifungal Liquid

UNDECYLENIC ACID 25%

**MAXIMUM STRENGTH  
MEDICATED  
ANTIFUNGAL**

- Eliminates fungus on fingers, toes & around nails
- Non-oily, clear liquid
- Dries quickly



NET WT 1 FL OZ (30 mL) BRUSH APPLICATION NOT ACTUAL SIZE



## Antifungal Liquid

UNDECYLENIC ACID 25%

- Maximum strength
- Eliminates fungus on fingers, toes & around nails

NET WT 1 FL OZ (30 mL)

ACTUAL SIZE

**DO NOT USE IF NECKBAND IS BROKEN**

### Drug Facts

**Active ingredient Purpose**  
Undecylenic acid 25% w/w.....Antifungal

**Uses** For cure of most tinea pedis (athlete's foot) and tinea corporis (ringworm)  
**For relief of** ■ discomforts which may accompany these conditions ■ itching ■ burning ■ redness ■ irritation ■ scaling ■ soreness

### Warnings

**For external use only.**

If pregnant or breastfeeding consult a healthcare professional before use.

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with eyes.

Use only as directed by a doctor on persons with highly sensitive skin.

Stop use and consult a doctor if  
■ there is no improvement within 4 weeks  
■ irritation occurs

Keep out of reach of children. If accidental ingestion occurs, get medical help or contact a Poison Control Center right away.

**Directions** Read all warnings and directions. Use only as directed.

- clean the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes
- wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor.
- this product is not effective on the scalp or nails

### Other information

- store at room temperature 15-30°C (59-86°F)
- protect from freezing. If freezing occurs warm to room temperature
- keep tightly closed when not in use

### Inactive ingredient

Isopropyl palmitate

**Questions? Call 1-866-964-0939**

- Eliminates and helps stop the spread of fungal infections on cuticles, around nail edges and under nail tips where reachable with applicator brush

- Topical antifungal treatment will not penetrate hard nail surfaces

PHARMACIST



Health expertise you rely on, quality you trust.

†Walgreens Pharmacist Survey  
†† This product is not manufactured or distributed by Kramer Laboratories, Inc., owner of the registered trademark Fungi-Nail®.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens  
**100% SATISFACTION GUARANTEED**

walgreens.com ©2017 Walgreen Co.  
MADE IN USA WITH U.S. AND IMPORTED PARTS

ITEM 167731 W00000-0000-0



3 11917 14789 5

53-091WG-02

ORG0917-F



## UNDECYLENIC ACID

anti-fungal liquid liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-7731
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
UNDECYLENIC ACID (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	0.25 g in 1 g

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-7731-30	30 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	08/16/2012	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333C	08/16/2012	

**Labeler** - Walgreen Company (008965063)

Revised: 7/2021

Walgreen Company