

**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION
SPF 20 FM CLAIRE 2- octinoxate, titanium dioxide emulsion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION
SPF 20 FM MEDIUM 5- octinoxate, titanium dioxide emulsion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION
SPF 20 FM MEDIUM 6- octinoxate, titanium dioxide emulsion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION
SPF 20 FM CLAIRE 4- octinoxate, titanium dioxide emulsion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION
SPF 20 FM CLAIRE 3- octinoxate, titanium dioxide emulsion
Ventura Corporation LTD**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**L'BEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION
SPF 20 FM**

Active Ingredients Purpose

Octinoxate 7.00% Sunscreen

Titanium Dioxide 2.44% Sunscreen

Uses

- Helps prevent sunburn

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if rash occurs.

Warnings

Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. this product has shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

when using this product keep out of eyes. Rinse with water to remove.

Directions

- Apply Liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor
- Reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients:

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL Silylate, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7. **MAY CONTAIN** : TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

EFFET PARFAIT foundation CLAIRE 2

L'BEL



EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 ^{FM}

1.01 fl. oz. (30 ml)

TONE CLAIRE 2

REPUJADO



L'BEL

EFFET
PARFAIT

Signs of age
appearance
minimizer
foundation
SPF 20^{FM}

1.01 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00%sunscreen
Titanium Dioxide 2.44%.....sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, ▶

Drug Facts
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL Silylate, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.lbel.com

TONE: CLAIRE 2

L'BEL


EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 FM

1.01 fl. oz. (30 ml)

CLAIRE 3

REPUJADO



L'BEL

EFFET
PARFAIT

Signs of age
appearance
minimizer
foundation
SPF 20^{FM}

1.01 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00%sunscreen
Titanium Dioxide 2.44%.....sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, ▶

Drug Facts
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL Silylate, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.
MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.lbel.com

TONE: CLAIRE 3

L'BEL


EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 FM

1.01 fl. oz. (30 ml)

CLAIRE 4

REPUJADO



L'BEL

EFFET
PARFAIT

Signs of age
appearance
minimizer
foundation
SPF 20^{FM}

1.01 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00%sunscreen
Titanium Dioxide 2.44%.....sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, ▶

Drug Facts
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL Silylate, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.lbel.com

TONE: CLAIRE 4


L'BEL

EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 FM

1.01 fl. oz. (30 ml)

REPUJADO



L'BEL

EFFET
PARFAIT

Signs of age
appearance
minimizer
foundation
SPF 20^{FM}

1.01 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00%sunscreen
Titanium Dioxide 2.44%.....sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE, ▶

Drug Facts
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL Silylate, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.lbel.com

tone: MEDIUM 5

EFFET PARFAIT foundation MEDIUM 6

L'BEL


EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20 FM

1.01 fl. oz. (30 ml)

MEDIUM 6

REPUJADO



Drug Facts

Active Ingredients Purpose
Octinoxate 7.00%sunscreen
Titanium Dioxide 2.44%.....sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, PEG-10 DIMETHICONE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-18/18 DIMETHICONE, HYDROXYACETOPHENONE,

Drug Facts
(continued)

PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, SILICA DIMETHYL SILYLATE, ALUMINA, HEXYL LAURATE, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, HYDROGEN DIMETHICONE, BHT, CARBOMER, POLYSORBATE 20, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.
MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
www.lbel.com

TONE: MEDIUM 6

L'BEL

EFFET PARFAIT

Signs of age appearance minimizer foundation SPF 20^{FM}

1.01 fl.oz. e (30 ml)

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 2

octinoxate, titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0891
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
WATER (UNII: 059QF0K00R)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:43596-0891-1	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021
---	------------------	---	------------

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 5

octinoxate, titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0892
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0892-1	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 6
 octinoxate, titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0893
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	

POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
ALUMINUM OXIDE (UNII: LMI26O6933)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
GLYCERIN (UNII: PDC6A3C0OX)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CHLORPHENESIN (UNII: I670DAL4SZ)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0893-1	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 4

octinoxate, titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0894
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2Y0I)	
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0894-1	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER

FOUNDATION SPF 20 FM CLAIRE 3

octinoxate, titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0895
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43596-0895-1	30 mL in 1 BOX; Type 0: Not a Combination Product	07/30/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/30/2021	

Labeler - Ventura Corporation LTD (602751344)

Registrant - Bel Star S.A. (Colombia) (880160197)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	manufacture(43596-0891, 43596-0892, 43596-0893, 43596-0894, 43596-0895)

Revised: 7/2021

Ventura Corporation LTD