

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin, polymyxin b ointment
Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid Corporation Triple Antibiotic Ointment Drug Facts

Active ingredients (in each gram)

Bacitracin zinc equivalent to 400 units bacitracin

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 5,000 units as polymyxin B sulfate

Purpose

First aid antibiotic

Use

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, tocopheryl acetate, white petrolatum

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredients of Neosporin®

first aid

triple antibiotic ointment

bacitracin zinc – neomycin sulfate – polymyxin B sulfate

first aid antibiotic ointment

helps skin heal to look healthy – long lasting infection protection helps prevent infection in minor cuts, scrapes and burns

NET WT 1 OZ (28 g)

first aid

triple antibiotic ointment

bacitracin zinc – neomycin sulfate – polymyxin B sulfate

first aid antibiotic ointment

helps prevent infection in minor cuts, scrapes and burns

NET WT 1 OZ (28 g)



*Compare to the active ingredients of Neosporin®

first aid triple antibiotic ointment

bacitracin zinc • neomycin sulfate • polymyxin B sulfate

helps skin heal to look healthy • long lasting infection protection
helps prevent infection in minor cuts, scrapes and burns

first aid antibiotic ointment

NET WT 1 OZ (28 g)



first aid triple antibiotic ointment

bacitracin zinc • neomycin sulfate • polymyxin B sulfate

helps prevent infection in minor cuts, scrapes and burns

first aid antibiotic ointment



first aid triple antibiotic ointment

bacitracin zinc • neomycin sulfate • polymyxin B sulfate

helps prevent infection in minor cuts, scrapes and burns

first aid antibiotic ointment

NET WT 1 OZ (28 g)

*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

DISTRIBUTED BY: RITE AID
30 HUNTER LANE
CAMP HILL, PA 17011



IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.



CODE AREA



first aid triple antibiotic ointment

bacitracin zinc • neomycin sulfate • polymyxin B sulfate

first aid antibiotic ointment

Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin zinc equivalent to 400 units bacitracin.....	First aid antibiotic
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....	First aid antibiotic
Polymyxin B 5,000 units as polymyxin B sulfate.....	First aid antibiotic

Use first aid to help prevent infection in minor:
■ cuts ■ scrapes ■ burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Drug Facts (continued)

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients cocoa butter, cottonseed oil, olive oil, sodium pyruvate, tocopheryl acetate, white petrolatum

► **Questions or comments?** 1-800-719-9260

CODE AREA

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin, polymyxin b ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0073
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
COCOA BUTTER (UNII: 512OYT1CRR)	
COTTONSEED OIL (UNII: H3E878020N)	
OLIVE OIL (UNII: 6UYK2W1W1E)	
SODIUM PYRUVATE (UNII: POD38AIF08)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Product Characteristics

Color	WHITE (Translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0073-1	1 in 1 CARTON	06/25/2014	
1		56 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11822-0073-3	1 in 1 CARTON	05/24/2016	
2		14 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:11822-0073-2	1 in 1 CARTON	05/24/2016	
3		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	06/25/2014	

