

**INSTAMIX IODINE CONCENTRATE IC- iodine, glycerine concentrate
DeLaval Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

**InstaMix™
Iodine Concentrate IC**

An iodine concentrate designed for use with InstaMix™ G Emollient Concentrate using a DeLaval recommended on-site blending unit.

ACTIVE INGREDIENTS:

Iodine..... 5.2%

Emollient[‡] 8.5%

[‡]from Glycerin

I₂

PART A

NPE

FREE

Formula

KEEP OUT OF REACH OF CHILDREN

! CAUTION

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

Not For Human Use

Additional Information on Safety Data Sheet

CHEMTREC EMERGENCY NUMBER 1-800-424-9300

InstaMix™ Iodine Concentrate IC (Part A) is an iodine concentrate exclusively designed for use in combination with **InstaMix™ G Emollient Concentrate (Part B)** for on-site blending / production of teat dips. To be blended with a DeLaval recommended on-site blending unit.

STORAGE AND DISPOSAL

- THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN.
- Avoid contact with food or feed. Avoid storing near heat or open flame.
- Keep from freezing.
- If product is frozen, thaw in warm room and mix well before using.
- Keep container tightly closed when not in use.
- Do not reuse empty container.
- Rinse empty container before disposing in a safe manner.

GENERAL INSTRUCTIONS

- Do not use full strength.
- Consult veterinarian before starting or continuing to use teat dip if cow's teats are sore or chapped.
- Do not use teat dip for cleaning and/or sanitizing of dairy equipment.
- Discard any teat sanitizing solution that becomes dirty or contaminated for any reason.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.
- To be mixed with **InstaMix™ G Emollient Concentrate (Part B)** using a DeLaval recommended on-site blending unit. Can be diluted to create 18 formula options.

USE DIRECTIONS

Pre-Dipping

- Remove excess organic debris and forestrip.
- Dip or spray cow's teats with properly diluted teat dip prepared with the DeLaval recommended on-site blending unit.
- Allow a 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel.
- Attach milker unit.

Post-Dipping

- Immediately after removing the milker unit, dip or spray each teat with properly

diluted teat dip prepared with a DeLaval recommended on-site blending unit.

- Before exposing cow's teats to below freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

DILUTION CHART

%	0.25%	0.25%	0.25 %	0.5%	0.5%	0.5%	0.75%	0.75 %	0.75%	1.0%	1.0%	1.0%
Emollient Iodine	Iodine	Iodine	Iodine	Iodine	Iodine	Iodine	Iodine	Iodine	Iodine	Iodine	Iodine	Iodine
	InstaMix (PART A)	InstaMix (PART B)	Water/Gal.	InstaMix (PART A)	InstaMix (PART B)	Water/Gal.	InstaMix (PART A)	InstaMix (PART B)	Water/Gal.	InstaMix (PART A)	InstaMix (PART B)	Water/Gal.
	Iodine Conc./Gal.	Emollient Conc./Gal		Iodine Conc./Gal.	Emollient Conc./Gal		Iodine Conc./Gal.	Emollient Conc./Gal		Iodine Conc./Gal.	Emollient Conc./Gal	
2	4.58	2.78	92.65	9.16	2.01	88.83	13.74	1.25	85.02	18.32	0.48	81.20
3.5							13.74	3.90	82.36			
5	4.58	8.08	87.34	9.16	7.32	83.52	13.74	6.56	79.71	18.32	5.79	75.89
10	4.58	16.93	78.49	9.16	16.17	74.67	13.74	15.41	70.86	18.32	14.64	67.04
12							13.74	18.95	67.32	18.32	18.18	63.50
14										18.32	21.72	59.96
15										18.32	23.50	58.20
20										18.32	32.30	49.40

IMPORTANT!

- 0.25% teat dip must be mixed on demand.
- 0.5% - 1.0% teat dip must be used within two weeks after mixing.
- **Discard unused mixtures after above noted times.**

FIRST AID

- Contact with product can cause irritation to eyes. Avoid contact with eyes.
- Eye Contact: Flush with water.
- If swallowed: Do not induce vomiting. Call a physician or poison control center immediately.

Manufactured for: **DeLaval, Inc.**

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

Manufactured by: WestAgro, Inc.

© 2022, Made in USA

NET CONTENTS:

LOT NO.:

EXP. DATE:



DeLaval

InstaMix™
Iodine Concentrate IC

An iodine concentrate designed for use with InstaMix™ G Emollient Concentrate using a DeLaval recommended on-site blending unit.

Un concentrado de yodo diseñado para su uso con InstaMix™ G Emollient Concentrate utilizando una unidad de mezcla in situ recomendada por DeLaval.

ACTIVE INGREDIENTS:
Iodine 5.2%
Emollient* 8.5%
*from Glycerin

KEEP OUT OF REACH OF CHILDREN
CAUTION
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
CUIDADO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

1351
NDC 55756-351

Not For Human Use
Additional Information on Safety Data Sheet
CHEMTREC EMERGENCY NUMBER 1-800-424-9300

STORAGE AND DISPOSAL
• THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN.
• Avoid contact with food or feed. Avoid staining near heat or open flame.
• Keep from freezing.
• If product is frozen, thaw in warm room and mix well before using.
• Keep container tightly closed when not in use.
• Do not reuse empty container.
• Rinse empty container before disposing in a safe manner.

GENERAL INSTRUCTIONS
• Do not use full strength.
• Consult veterinarian before starting or continuing to use test dip if cow's teats are sore or chapped.
• Do not use test dip for cleaning and/or sanitizing of dairy equipment.
• Discard any test sanitizing solution that becomes dirty or contaminated for any reason.
• Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.
• To be mixed with InstaMix™ G Emollient Concentrate (Part B) using a DeLaval recommended on-site blending unit. Can be diluted to create 18 formula options.

FIRST AID
• Contact with product can cause irritation to eyes. Avoid contact with eyes.
• Eye contact: Flush with water.
• If swallowed: Do not induce vomiting. Call a physician or poison control center immediately.

USE DIRECTIONS
Pre-Dipping
• Remove excess organic debris and forage.
• Dip or spray cow's teats with properly diluted test dip prepared with a DeLaval recommended on-site blending unit.
• Allow a 30 second contact time.
• Dry teats thoroughly with a clean, single-service paper towel.
Attach milker unit.
Post-Dipping
• Immediately after removing the milker unit, dip or spray each teat with properly diluted test dip prepared with a DeLaval recommended on-site blending unit.
• Before exposing cow's teats to below freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

DILUTION CHART

% Emollient	0.25% Iodine			0.5% Iodine			0.75% Iodine			1.0% Iodine		
	InstaMix (PART A) Iodine Conc'd / Gal.	InstaMix (PART B) Emollient Conc'd / Gal.	Water / Gal.	InstaMix (PART A) Iodine Conc'd / Gal.	InstaMix (PART B) Emollient Conc'd / Gal.	Water / Gal.	InstaMix (PART A) Iodine Conc'd / Gal.	InstaMix (PART B) Emollient Conc'd / Gal.	Water / Gal.	InstaMix (PART A) Iodine Conc'd / Gal.	InstaMix (PART B) Emollient Conc'd / Gal.	Water / Gal.
2	4.58	2.73	92.65	9.16	5.47	85.33	13.74	8.20	81.02	18.32	12.88	81.20
3.3	4.58	4.10	87.32	9.16	8.15	82.69	13.74	12.30	74.96	18.32	16.64	67.04
5	4.58	6.03	87.32	9.16	12.32	78.52	13.74	18.32	68.94	18.32	24.70	57.00
10	4.58	10.20	79.69	9.16	18.32	72.07	13.74	36.64	49.66	18.32	36.64	45.04
12							13.74	45.04	41.22	18.32	45.04	36.64
14										18.32	54.46	27.22
15										18.32	63.88	17.80
20										18.32	92.30	9.40

REMARKS:
• 0.25% test dip must be mixed on demand.
• 0.5% - 1.0% test dip must be used within two weeks after mixing.
• Discard unused mixtures after above noted times.

Manufactured for: DeLaval, Inc. NET CONTENTS: 55 US GAL. (208.2L)
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
LOT NO.:
Manufactured by: WestAgro, Inc., EXP. DATE:
© 2022, Made in USA



7 4320466 013011 >

INSTAMIX IODINE CONCENTRATE IC

iodine, glycerine concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-351
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	52 g in 1 L
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	85 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC321)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
POLOXAMER 335 (UNII: G6DQL26D50)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-351-01	208.4 L in 1 DRUM		
2	NDC:55756-351-27	1042.2 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/17/2019	

Labeler - DeLaval Inc. (173704867)

Registrant - West Agro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations

West Agro, Inc.		147528723	manufacture, api manufacture, analysis, label, pack
-----------------	--	-----------	---

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba West Agro, Inc.		002222368	manufacture, api manufacture, analysis, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		095906480	manufacture, api manufacture, analysis, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
Alliance Dairy Service & Supplies Inc.		117084685	repack

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		069288728	api manufacture, manufacture, pack, label

Revised: 4/2022

DeLaval Inc.