

**VAMOUSSE LICE DEFENSE- eucalyptus globulus, natrum muriaticum shampoo**  
**Alliance Pharma Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**VAMOUSSE® LICE DEFENSE DAILY SHAMPOO**

**Drug Facts**

***Active Ingredients***

Eucalyptus globulus 2X (HPUS)

Natrum muriaticum 2X (HPUS)

**Purpose**

Pediculicide

***Uses***

For daily defense against head lice infestations.

***Warnings***

**For external use only.**

**Do not use** • near eyes • inside nose or mouth • on eyebrows or eyelashes. See a doctor if lice are present in these areas. Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**When using this product:**

- Do not use in or near the eyes. Close eyes while applying.
- Do not permit contact with mucous membranes, such as inside the nose, as irritation or stinging may occur.

**Stop use and ask a doctor** • if eye irritation occurs • skin or scalp irritation or infection occurs.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions:***

## Adults and children 2 years and older:

- Apply a generous amount of shampoo to wet hair, work into a lather and massage into scalp. Leave shampoo in hair for at least 3 minutes. Rinse.
- For defense against a head lice infestation, use daily for at least 10 to 14 days to kill any lice that may have hatched.
- For an active head lice infestation, use Vamousse<sup>®</sup> Lice Treatment before using this shampoo.

**Children under 2 years: ask a doctor.**

**Product may be used as often as needed.**

## Inactive Ingredients

Water, Sodium C14-16 Olefin Sulfonate, Cocamidopropyl Betaine, Sodium Cocoyl Isethionate, Cocamide DIPA, Benzyl Alcohol, Butyl Lactate, Citric Acid Anhydrous, Polyquaternium-10, Tetrasodium EDTA, Propylene Glycol, Diazolidinyl Urea, Iodopropynyl Butylcarbamate, PEG-150 Pentaerythrityl Tetrastearate, PEG-6 Caprylic/Capric Glycerides, Tea Tree Oil, Eucalyptus Oil, Geraniol, Isopropyl myristate, Fragrance

## Questions?

1.855.373.7210 or [www.VamousseLice.com](http://www.VamousseLice.com)

Call to report serious side effects

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Eucalyptus globulus 2X (HPUS) . . . . .	Pediculicide
Natrum muriaticum 2X (HPUS) . . . . .	Pediculicide
<b>Uses</b> For daily defense against head lice infestations.	
<b>Warnings</b>	
<b>For external use only.</b>	
<b>Do not use</b> • near eyes • inside nose or mouth • on eyebrows or eyelashes. See a doctor if lice are present in these areas. Do not use if you have ever had an allergic	

these areas. Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**When using this product:**

- Do not use in or near the eyes. Close eyes while applying.
- Do not permit contact with mucous membranes, such as inside the nose, as irritation or stinging may occur.

**Stop use and ask a doctor** • if eye irritation occurs  
• skin or scalp irritation or infection occurs.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

**Adults and children 2 years and older:**

- Apply a generous amount of shampoo to wet hair, work into a lather and massage into scalp. Leave shampoo in hair for at least 3 minutes. Rinse.
- For defense against a head lice infestation, use daily for at least 10 to 14 days to kill any lice that may have hatched.
- For an active head lice infestation, use Vamousse® Lice Treatment before using this shampoo.

**Children under 2 years: ask a doctor.**  
Product may be used as often as needed.

**Inactive Ingredients** Water, Sodium C14-16 Olefin Sulfonate, Cocamidopropyl Betaine, Sodium Cocoyl Isethionate, Cocamide DIPA, Benzyl Alcohol, Butyl Lactate, Citric Acid Anhydrous, Polyquaternium-10, Tetrasodium EDTA, Propylene Glycol, Diazolidinyl Urea, Iodopropynyl Butylcarbamate, PEG-150 Pentaerythrityl Tetrastearate, PEG-6 Caprylic/Capric Glycerides, Tea Tree Oil, Eucalyptus Oil, Geraniol, Isopropyl myristate, Fragrance

**Questions?** 1.855.373.7210 or [www.Vamousse.com](http://www.Vamousse.com)  
Call to report serious side effects

**Manufactured For:**  
Alliance Pharma Inc., Cary, NC 27518  
Made in the U.S.A. Vamousse, Alliance and associated devices are trademarks of Alliance Pharmaceuticals Limited

**RINSE AND RECYCLE BOTTLE**  
  
**HDPE**  
**CAP**  
  
**PP**



19168BCKA

**NEW**

PESTICIDE - FREE

**Kill Stray Super Lice\***

**Before Detected**

**with Tea Tree Oil**

## **Defends Family Against Lice Infestation**

CLINICALLY PROVEN

**Use After Exposure or Treatment**

**Follow-up with Favorite Conditioner**

**No Parabens, Sulfates or Dyes**

**HOMEOPATHIC**

\*As shown in lab studies

**Manufactured for: ALLIANCE**

Alliance Pharma Inc., Cary, NC 27518

Made in the U.S.A Vamousse, Alliance and associated devices are trade marks of Alliance Pharmaceuticals Limited

**Packaging**




NDC 7258-004-03  
HOMEOPATHIC

**VAMOUSSE.**

**LICE DEFENSE  
DAILY SHAMPOO**

***Kills Stray Super Lice\*  
Before Detected***



made with  
**TEA TREE OIL**

Free From  
Parabens, Dyes,  
& Sulfates



**DEFEND**  
Daily Control Against  
Lice Infestation  
for Families

181708787A

13.5 FL OZ (400 ML)

\*As shown in  
lab studies

NDC 72238-004-05

HOMEOPATHIC

**VAMOUSSE**

**LICE DEFENSE  
DAILY SHAMPOO**

***Kills Stray Super Lice\*  
Before Detected***



made with  
**TEA TREE OIL**

Free From  
Parabens, Dyes,  
& Sulfates

SCIENTIFICALLY  
PROVEN

PESTICIDE  
FREE

**DEFEND**

Daily Control Against  
Lice Infestation  
for Families

19168FRTA

8 FL OZ (250 ML)

\*As shown in  
lab studies

NDC 72238-004-05  
HOMEOPATHIC

**VAMOUSSE**

**LICE DEFENSE  
DAILY SHAMPOO**

***Kills Stray Super Lice\*  
Before Detected***







made with  
**TEA TREE OIL**

Free From  
Parabens, Dyes,  
& Sulfates

SCIENTIFICALLY  
PROVEN  
PESTICIDE  
FREE

**DEFEND**  
Daily Control Against  
Lice Infestation  
for Families

19168FFRTA

8 FL OZ (250 ML)

\*As shown in  
lab studies

**PACKAGE - 295 mL**


NDC 7228-004-01  
HOMEOPATHIC


# VAMOUSSE

## LICE DEFENSE DAILY SHAMPOO

**Kills Stray Super Lice Before Detected**

Defends Family Against Lice Infestation



made with  **TEA TREE OIL**

Free From Parabens, Dyes, & Sulfates

CLINICALLY PROVEN  
PESTICIDE FREE

10 FL OZ (295 ml)

191628CA

### Drug Facts

Active Ingredients	Purpose
Eucalyptus globulus 2X (HPUS)	Pediculicide
Natrum muriaticum 2X (HPUS)	Pediculicide

**Uses** For daily defense against head lice infestations.

**Warnings**  
**For external use only.**

**Do not use** • near eyes • inside nose or mouth  
• on eyebrows or eyelashes. See a doctor if lice are present in these areas. Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**When using this product:**  
• Do not use in or near the eyes. Close eyes while applying.  
• Do not permit contact with mucous membranes, such as inside the nose, as irritation or stinging may occur.

**Stop use and ask a doctor** • if eye irritation occurs  
• skin or scalp irritation or infection occurs.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**  
**Adults and children 2 years and older:**

- Apply a generous amount of shampoo to wet hair, work into a lather and massage into scalp. Leave shampoo in hair for at least 3 minutes. Rinse.
- For defense against a head lice infestation, use daily for at least 10 to 14 days to kill any lice that may have hatched.
- For an active head lice infestation, use Vamousse<sup>®</sup> Lice Treatment before using this shampoo.

**Children under 2 years:** ask a doctor.  
**Product may be used as often as needed.**

**Inactive Ingredients** Water, Sodium C14-15 Olefin Sulfonate, Cocamidopropyl Betaine, Sodium Cocoyl Isethionate, Cocamide OPM, Benzyl Alcohol, Butyl Lactate, Citric Acid Anhydrous, Polyacrylamide-10, Tetrasodium EDTA, Polyethylene Glycol, Dimethylsiloxane, Polypropylene Glycol, PEG-150 Pentaerythrityl Estersebacate, PEG-6 Caprylic/Sebacic Glycolides, Tea Tree Oil, Eucalyptus Oil, Hexanediol, Isopropyl Myristate, Fragrance.

**Questions?** 1.855.373.7210 or [www.VamousseLice.com](http://www.VamousseLice.com)  
Call to report serious side effects.

**Manufactured For:**  **ALLIANCE**  
Alliance Pharma Inc., Cary, NC 27511  
Made in the U.S.A. Vamousse, Alliance and associated devices are trade marks of Alliance Pharmaceuticals Limited.



191628CA

BOTTLE CAP  
 RINSE AND RECYCLE  
 HDPE PP

Manufactured For: Alliance Pharma, Inc., Cary, NC 27518  
 Made in the U.S.A. Vamousse, Alliance and associated devices are trademarks of Alliance Pharmaceuticals Limited  
 1916-MFUD

**Drug Facts**

Active Ingredients	Purpose
Eucalyptus globulus 2X (HPUS)	Pediculicide
Natrum muriaticum 2X (HPUS)	Pediculicide

**Uses** For daily defense against head lice infestations.

**Warnings**  
For external use only.

**Do not use** • near eyes • inside nose or mouth  
• on eyebrows or eyelashes. See a doctor if lice are present in these areas. Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**When using this product:**  
• Do not use in or near the eyes. Close eyes while applying.  
• Do not permit contact with mucous membranes, such as inside the nose, as irritation or stinging may occur.

**Stop use and ask a doctor** • if eye irritation occurs  
• skin or scalp irritation or infection occurs.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**  
**Adults and children 2 years and older:**  
• Apply a generous amount of Shampoo to wet hair, work into a lather and massage into scalp. Leave shampoo in hair for at least 3 minutes. Rinse.  
• For defense against a head lice infestation, use daily for at least 10 to 14 days to kill any lice that may have hatched.  
• For an active head lice infestation, use Vamousse®Lice Treatment before using this shampoo.  
**Children under 2 years: ask a doctor.**  
Product may be used as often as needed.

**Inactive Ingredients** Water, Sodium (11-16) Olefin Sulfonate, Cocamidopropyl Betaine, Sodium Cocoyl Isethionate, Cocamide DIPA, Benzyl Alcohol, Butyl Lactate, Citric Acid Anhydrous, Polyquaternium-10, Tetrasodium EDTA, Propylene Glycol, Diacetyl/ Urea, Hydroxyethyl Butylcarbamate, PEG-100 Pentaoxyethylene Tetradecylate, PEG-4-Carboxy Capric Glycolides, Tea Tree Oil, Eucalyptus Oil, Geraniol, Isopropyl Myristate, Fragrance


**Questions?** 1.855.373.7210 or www.Vamousse.com  
Call to report serious side effects

NDC 72238-004-02  
HOMEOPATHIC

# VAMOUSSE

## LICE DEFENSE DAILY SHAMPOO

Kills Stray Super Lice\*  
Before Detected



made with  
**TEA TREE OIL**

Free From  
Parabens, Dyes,  
& Sulfates

SCIENTIFICALLY  
PROVEN  
PESTICIDE  
FREE

\*As shown in lab studies

4 FL OZ (118 ml)

## VAMOUSSE LICE DEFENSE

eucalyptus globulus, natrum muriaticum shampoo

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:72238-004

**Route of Administration**

TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>EUCALYPTUS GLOBULUS LEAF</b> (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	2 [hp_X] in 1 mL
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	2 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM C14-16 OLEFIN SULFONATE</b> (UNII: O9W3D3YF5U)	
<b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)	
<b>SODIUM COCOYL ISETHIONATE</b> (UNII: 518XTE8493)	
<b>PEG-150 PENTAERYTHRITYL TETRASTEARATE</b> (UNII: 8L4OOQ76AM)	
<b>CAPRYLOCAPROYL POLYOXYLGLYCERIDES 6</b> (UNII: GO50W2HW08)	
<b>COCO DIISOPROPANOLAMIDE</b> (UNII: S485AM948Q)	
<b>TEA TREE OIL</b> (UNII: VIF565UC2G)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>BUTYL LACTATE</b> (UNII: 0UI63W814U)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>POLYQUATERNIUM-10 (125 MPA.S AT 2%)</b> (UNII: L45WU8S981)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72238-004-01	295 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2021	
2	NDC:72238-004-03	400 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2021	
3	NDC:72238-004-05	250 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2021	
4	NDC:72238-004-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/01/2021	

---

**Labeler** - Alliance Pharma Inc. (081138954)

Revised: 7/2023

Alliance Pharma Inc.