

**SANI-STAR TEATSTAR PLUS NPE FREE- iodine teat dip liquid**  
**Knapp Manufacturing**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Sani-Star TeatStar Plus NPE Free**

CAUTION

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician.

Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.

PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed. STORAGE: Store closed container in a cool, dry location away from sources of heat. If product becomes frozen, thaw and mix well before use.

SEE MATERIAL SAFETY DATA SHEET

Iodine Teat Dip or Spray

Helps reduce the spread of organisms which may cause Mastitis

USE DIRECTIONS NOT FOR HUMAN USE

FOR EXTERNAL USE ONLY USE AT FULL STRENGTH

PRE-DIPPING:

Before milking, dip, foam or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING:

After milking, dip, foam or spray entire teat with this product. Allow to air dry.

Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.

Active Ingredient (Iodine 0.5%)

Emollients 5%



**Iodine Teat Dip or Spray**

Helps reduce the spread of organisms which may cause Mastitis  
**USE DIRECTIONS NOT FOR HUMAN USE**  
**FOR EXTERNAL USE ONLY USE AT FULL STRENGTH**

**PRE-DIPPING:** Dip, foam or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.  
**POST-DIPPING:** After milking, dip, foam or spray entire teat with this product. Allow to air dry.  
 Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to original container.  
 Emollient 5% (Glyme 0.5%)

**Sellador De Yodo O Spray**

Reduce la propagación de organismos que puedan causar la Mastitis  
**DIRECCIONES DE USO NO PARA USO HUMANO**  
**PARA USO EXTERNO SOLAMENTE UTILICELO SIN DILUIR**

**PRE-SELLADO:** Dip, foam or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of the teat.  
**POST-SELLADO:** After milking, dip, foam or spray entire teat with this product. Allow to air dry.  
 Note: Si la solución en la copa se ve visiblemente sucia, reemplázala con una nueva medida de este producto. No regrese el producto sin usar a los contenedores originales.  
 Emolientes 5%



Lot #:  
 Expires:  
 Net Contents:  
 SKU:

**TeatStar™+**

**CAUTION**  
 KEEP OUT OF REACH OF CHILDREN  
 NOT FOR HUMAN USE

**FIRST AID:**  
 If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present and care of lens and eye is advised. Continue rinsing. If irritation persists, contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician.  
 If inhaled: Remove person to fresh air. If symptoms persist, call a physician. The emergency number listed on this label or MSDS, or a poison control center.  
 If frozen: Thaw before use. Do not use if the product is contaminated with water. If product becomes frozen, thaw and mix well before use.  
**SEE MATERIAL SAFETY DATA SHEET**

**PRECAUCIÓN**  
**NO PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS**  
**NO PARA USO HUMANO**  
**PREMIEROS AUXILIOS:** Si en los ojos: Mantenga el ojo abierto y enjuague lentamente durante 15-20 minutos. Quite las lentes de contacto, después de los primeros 5 minutos si los tiene puestos y continúe a enjuagar sus ojos. Contacte a un médico inmediatamente. Si se ha ingerido: Haga que la persona beba un vaso de agua si es capaz de tragar. No induzca el vómito. Contacte a un médico inmediatamente. Si se inhaló: Lleve a la persona al aire libre. Contacte a un médico inmediatamente. Si se desarrolló y persiste la irritación, contacte a un médico.  
 Si se congeló: Descongele la jarra con agua y jeringa. Si se descongeló, agítela bien antes de usar.  
 Si el producto se congela, descongele antes de usar. Si el producto se congela, descongele y mezcle bien antes de usar.  
**PRECAUCIÓN:** Evite el contacto con los ojos. No ingerir. No mezcle con ningún otro producto.  
**ALMACENAMIENTO:** Almacene en contenedores cerrados lejos de una fuente de calor. Si el producto se congela, descongele antes de usar.  
**VER LA HOJA DE DATOS SOBRE MEDIDAS DE SEGURIDAD PARA EL MANEJO DE MATERIALES**

Distributed by/Distribuido por  
**Knapp Manufacturing**  
 5227 E. Pine Ave. • Fresno, CA 93727 • Made in U.S.A.  
 1-800-255-3924  
 Emergency No. Only / No. de Emergencia 506:  
 (Chem+Tel) 1-800-255-3924

**Always use caution when introducing your cows to a new teat dip.**

Remember these industry guidelines:  
 Replace dip cups and/or clean dip lines when introducing a new dip. Always use a clean dip cup and/or clean dip lines. Do not use the same dip cup and/or clean dip lines for more than one dip. Wash dip cups and/or clean dip lines with hot water to clean out any residues of the old dip.  
 Aggressively remove keratin and exfoliated skin from teats before dipping. Use a brush or scrubber to remove keratin and exfoliated skin. Aggressively clean teats to remove exfoliated skin and clean teat ends to insure that the dead skin is removed.  
 Monitor cows for changes in skin condition. Heavy teat dips are designed with emollients to help soothe the skin. If a cow shows signs of allergic or environmental conditions may occur. Closely monitor teat skin whenever a new dip is introduced. If unusual skin conditions are found, monitor closely and, if persistent, replace dip with one containing a different pesticide and/or emollient formula.

**Siempre sea cauteloso al usar un nuevo sellador de pezones en una vaca.**

Tomar en cuenta las siguientes recomendaciones de la industria:  
 Usar tazas del sellador limpias y/o limpiar los tubos del rocador del sellador cuando se introduce un nuevo sellador. Siempre use una taza limpia y/o un tubo limpio. No use la misma taza del sellador y/o tubo del rocador para más de un sellador. Lave las tazas del sellador y los tubos del rocador con agua caliente para eliminar cualquier residuo del sellador anterior.  
 Limpiar ferretamientos los pezones para retirar la keratina y las escamas.  
 Monitorear las vacas y observar los cambios de condición de la piel.  
 Cuando se usa un nuevo sellador en las vacas, es necesario la vigilancia de las escamas que se eliminan al usar el sellador. Si se encuentran signos de condiciones alérgicas o ambientales, monitorear de cerca la piel de las pezones cuando se usa un nuevo sellador. Si se encuentran condiciones inusuales, monitorear de cerca y, si persisten, reemplazar el sellador con otro que contenga una fórmula con diferente pesticida o emoliente.

Uterine infections and other conditions may be caused by bacteria that enter the uterus through the cervix. The bacteria that cause these infections are often found in the teat ends. The bacteria that cause these infections are often found in the teat ends. The bacteria that cause these infections are often found in the teat ends.



**SANI-STAR TEATSTAR PLUS NPE FREE**  
 iodine teat dip liquid

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:43104-2009
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	Iodine	5 g in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43104-2009-1	56.8 L in 1 DRUM		
2	NDC:43104-2009-2	208 L in 1 DRUM		
3	NDC:43104-2009-3	1041 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2015	

**Labeler** - Knapp Manufacturing (063012827)

**Registrant** - BouMatic, LLC (124727400)

## Establishment

Name	Address	ID/FEI	Business Operations
Knapp Manufacturing		063012827	manufacture, api manufacture

## Establishment

Name	Address	ID/FEI	Business Operations
Boumatic		124727400	manufacture, api manufacture

Revised: 6/2024

Knapp Manufacturing