SHEER DEFENSE TINTED MOISTURIZER SPF 15 L10 MERLE NORMAN- octinoxate, titanium dioxide liquid

Merle Norman Cosmetics, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sheer Defense Tinted Moisturizer Broad Spectrum SPF 15 L10

Active Ingredients Purpose

Octinoxate 7.5% Sunscreen

Dioxide 5.12% Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if rash occurs

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Directions

For sunscreen use:

apply liberally and evenly 15 minutes before sun exposure

use a water resistant sunscreen if swimming or sweating

reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:


limit time in the sun, especially from 10 a.m. - 2 p.m.

wear long-sleeve shirts, pants, hats, and sunglasses

Children under 6 months: Ask a doctor

Water (Aqua), Dimethicone, Butylene Glycol, Glyceryl Stearate SE, Mica, Talc, Iron Oxides, Glyceryl Dilaurate, Glyceryl Behenate, Ceramide 3, Saccharide Isomerate, Allantoin, Tocopheryl Acetate, Tetrahexyldecyl Ascorbate, Glycine Soja (Soybean) Germ Extract, Echinacea Purpurea Extract, Foeniculum Vulgare (Fennel) Fruit Extract, Equisetum Arvense Extract, Chamomilla Recutita (Matricaria) Flower Extract, Cucumis Sativus (Cucumber) Fruit Extract, Camellia Oleifera Leaf Extract, Lecithin, Petrolatum, Palmitic Acid, Polyglyceryl-10 Decaoleate, Polyacrylamide, PEG-12 Dimethicone, octyldodecyl Stearoyl Stearate, Steareth-20, C13-14 Isoparaffin, Isocetyl Alcohol, Propylene Glycol, Laureth-7, Silica, Cyclodextrin, Disodium EDTA, Phenoxyethanol, Tetrasodium

L10 MERLE NORMAN WWW.MERLENORMAN.COM DERMATOLOGIST **Drug Facts Drug Facts** (continued) TESTED. OIL-FREE. Inactive ingredients: Active NON-ACNEGENIC. Water (Agua), Dimethicone, ingredients **Purpose** NON-COMEDOGENIC. Butylene Glycol, Glyceryl Octinoxate 7.5% Sunscreen Titanium Stearate SE, Mica, Talc, Iron APPLY WITH BRUSH. SHEER DEFENSE Dioxide 5.12% Sunscreen Oxides, Glyceryl Dilaurate, SPONGE OR TINTED MOISTURIZER Glyceryl Behenate, Ceramide Uses BROAD SPECTRUM FINGERTIPS. 3, Saccharide Isomerate, helps prevent sunburn SPF 15 · if used as directed with other Allantoin, Tocopheryl Acetate, sun protection measures (see Tetrahexyldecyl Ascorbate, L10 Directions), decreases the Glycine Soja (Soybean) Germ risk of skin cancer and early Extract, Echinacea Purpurea skin aging caused by the sun Extract, Foeniculum Vulgare Warnings (Fennel) Fruit Extract, For external use only Equisetum Arvense Extract, Do not use on damaged or Chamomilla Recutita broken skin (Matricaria) Flower Extract, When using this product keep Cucumis Sativus (Cucumber) out of eyes. Rinse with water to Fruit Extract, Camellia Oleifera remove. Leaf Extract, Lecithin. Stop use and ask a doctor if Petrolatum, Palmitic Acid, rash occurs Polyglyceryl-10 Decaoleate, Keep out of reach of children. Polyacrylamide, PEG-12 If swallowed, get medical help or Dimethicone, octyldodecyl MERLE NORMAN contact a Poison Control Center Stearoyl Stearate, ESTABLISHED IN LOS ANGELES SINCE 1931 right away. Steareth-20, C13-14 **Directions** Isoparaffin, Isocetyl Alcohol, · For sunscreen use: Propylene Glycol, Laureth-7, • apply liberally and evenly 15 Silica, Cyclodextrin, Disodium minutes before sun exposure EDTA, Phenoxyethanol, use a water resistant Tetrasodium EDTA, BHT, sunscreen if swimming or Diazolidinyl Urea, Fragrance sweating (Parfum) 101608. · reapply at least every 2 hours Sun Protection Measures. Other information Spending time in the sun protect this product from increases your risk of skin excessive heat and direct sun cancer and early skin aging. To decrease this risk, regularly Questions or comments? use a sunscreen with a Broad 1-800-421-2060 9:00 a.m. -Spectrum SPF value of 15 or 5:00 p.m. PST higher and other sun protection 35 g C measures including: • limit time in the sun, NET WT. 1.25 OZ. especially from 10 a.m. -2 p.m. · wear long-sleeved shirts, pants, hats, and sunglasses children under 6 months: Ask MERLE NORMAN COSMETICS a doctor LOS ANGELES, CA 90045 MADE IN USA PRINTED 007-57-42 IN U.S.A.



Sheer Defense Tinted Moisturizer Broad Spectrum SPF 15

L10

Merle Norman

Established in Los Angeles since 1931

35 g Net Wt. 1.25 oz

SHEER DEFENSE TINTED MOISTURIZER SPF 15 L10 MERLE NORMAN

octinoxate, titanium dioxide liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57627-151	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 g	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	5.12 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)
DIMETHICO NE (UNII: 92RU3N3Y1O)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)
MICA (UNII: V8A1AW0880)
TALC (UNII: 7SEV7J4R1U)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSOFERRIC OXIDE (UNII: XM0 M8 7F357)
GLYCERYL DILAURATE (UNII: MFL3ZIE8SK)
GLYCERYL MONOBEHENATE (UNII: A626UU0W2A)
CERAMIDE 3 (UNII: 4370 DF0 50 B)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
ALLANTO IN (UNII: 344S277G0Z)
.ALPHATO COPHEROL ACETATE (UNII: 9E8X80D2L0)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
SO YBEAN GERM (UNII: JBW2VHD14M)
ECHINACEA PURPUREA (UNII: QI7G114Y98)
FENNEL SEED (UNII: G3QC02NIE6)
EQ UISETUM ARVENSE BRANCH (UNII: 1L0 VKZ185E)
CHAMO MILE (UNII: FGL3685T2X)
CUCUMBER (UNII: YY7C30 VXJT)
CAMELLIA OLEIFERA LEAF (UNII: 5077EL0C60)
LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)
PETROLATUM (UNII: 4T6H12BN9U)
PALMITIC ACID (UNII: 2V16EO95H1)
POLYACRYLAMIDE (1500 MW) (UNII: 5D6TC4BRWV)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)
STEARETH-20 (UNII: L0Q8IK9E08)
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)
ISOCETYL ALCOHOL (UNII: 1800H64066)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
LAURETH-7 (UNII: Z95S6G8201)
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)
PHENO XYETHANOL (UNII: HIE492ZZ3T)
EDETATE SO DIUM (UNII: MP1J8420 LU)
BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)
DIAZO LIDINYL UREA (UNII: H5RIZ3MPW4)

Ш	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:57627-151-02	1 in 1 CARTON	12/06/2012	
	1 NDC:57627-151-01	35 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/06/2012	

Labeler - Merle Norman Cosmetics, Inc. (008479388)

Registrant - Merle Norman Cosmetics, Inc. (008479388)

Establishment				
Name	Address	ID/FEI	Business Operations	
Merle Norman Cosmetics, Inc.		008479388	manufacture(57627-151)	

Revised: 1/2020 Merle Norman Cosmetics, Inc.