

FAMILY DOLLAR TROPIC SUN KIDS SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene spray
Family Dollar Services Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

FAMILY DOLLAR TROPIC SUN KIDS SPF 50 SUNSCREEN SPRAY

Active ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early aging caused by the sun

Warnings

For external use only.

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
 - Hold can 4-6 inches away from the skin to apply
 - Do not spray directly into face. Spray into hands then apply to face
 - Do not apply in windy conditions
 - Use in a well-ventilated area
- reapply:
after 80 minutes of swimming or sweating
immediately after towel drying
at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., isododecane, diisopropyl adipate, acrylates/octylacrylamide copolymer, VA/butyl maleate/isobornyl acrylate copolymer, PEG-12 dimethicone, caprylyl glycol, hydrogenated methyl abietate, ascorbyl palmitate, tocopheryl acetate, mineral oil, panthenol, water, aloe barbadensis leaf extract, fragrance

Tropic Sun KIDS Sunscreen Spray SPF 50 provides broad spectrum protection against the sun's harmful UVA/UVB rays. This gentle, hypoallergenic formula sprays on at any angle and absorbs quickly. Perfect for on-the-go kids.



Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 5.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

SKU 2097918



Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients
Alcohol Denat., Isododecane, Diisopropyl Adipate, Acrylates/octylacrylamide Copolymer, Va/butyl Maleate/isobornyl Acrylate Copolymer, Peg-12 Dimethicone, Caprylyl Glycol, Hydrogenated Methyl Abietate, Ascorbyl Palmitate, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadosensis Leaf Extract, Fragrance



T3300720 10/0908

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Kids®.

Not 100% satisfied? Return package and unused product within 30 days to any Family Dollar for a refund with receipt or exchange.

DISTRIBUTED BY:
MIDWOOD BRANDS, LLC
500 VOLVO PARKWAY
CHESAPEAKE, VA 23320 USA



Water-Resistant
(80 Minutes)
Sunscreen
Spray

COMPARE TO
ACTIVE INGREDIENTS IN
COPPERTONE® KIDS
SUNSCREEN*



Pediatrician
Tested
Hypoallergenic
Broad Spectrum
SPF 50*

NET WT. 5.5 OZ (156 G)

KIDS

FAMILY DOLLAR TROPIC SUN KIDS SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MINERAL OIL (UNII: T5L8T28FGP)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PANTHENOL (UNII: WW9CM0067Z)	
ISODODECANE (UNII: A8289P68Y2)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-002-37	156 g in 1 CAN; Type 0: Not a Combination Product	10/11/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/11/2019	

Labeler - Family Dollar Services Inc. (024472631)

Revised: 8/2021

Family Dollar Services Inc.