

**ACADEMY SPORT SMART CARE KIDS SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene spray  
ACADEMY, LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**ACADEMY SPORT SMART CARE KIDS SPF 50 SUNSCREEN SPRAY**

***Active ingredients***

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 5.0%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early aging caused by the sun

***Warnings***

**For external use only.**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

***Do not use***

- on damaged or broken skin.

***When using this product***

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

***Stop use and ask a doctor if***

- rash occurs

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### ***Directions***

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
  - Hold can 4-6 inches away from the skin to apply
  - Do not spray directly into face. Spray into hands then apply to face
  - Do not apply in windy conditions
  - Use in a well-ventilated area
- reapply:  
after 80 minutes of swimming or sweating  
immediately after towel drying  
at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats, and sunglasses

### ***Other information***

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### ***Inactive ingredients***

alcohol denat., isododecane, diisopropyl adipate, acrylates/octylacrylamide copolymer, VA/butyl maleate/isobornyl acrylate copolymer, PEG-12 dimethicone, caprylyl glycol, hydrogenated methyl abietate, ascorbyl palmitate, tocopheryl acetate, mineral oil, panthenol, water, aloe barbadensis leaf extract, fragrance

OXYBENZONE &  
PARABEN FREE\*

OXYBENZONE &  
PARABEN FREE\*

DUPE  
DUPE

# KIDS SUNSCREEN SPRAY



### Drug Facts

Active Ingredients	Purpose
Azobenzene 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 5.0%	

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

#### FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions


- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### Inactive ingredients

alcohol denat., isododecane, disopropyl adipate, acrylates / octylacrylamide copolymer, VM/butyl maleate / isobornyl acrylate copolymer, PEG-12 dimethicone, caprylyl glycol, hydrogenated methyl abietate, ascorbyl palmitate, tocopheryl acetate, mineral oil, panthenol, water, aloe barbadensis leaf extract, fragrance



ITEM# 95140-12



Smart Care®



A CONCAST COMPANY  
WWW.JURASSICWORLD.COM

Jurassic Park, Jurassic World and all related marks and logos are trademarks and copyrights of Universal Studios and Amblin Entertainment, Inc. Licensed by Universal Studios. All Rights Reserved.



Made in USA with U.S. and Foreign Parts

Smart Care®  
SMARTCAREUS.COM ONTARIO, CA 91761  
QUESTIONS OR COMMENTS?  
1-877-274-8358 Toll Free in USA  
1-909-434-0911 International  
COPYRIGHTS AND TRADEMARKS  
GRANTED OR PENDING WORLDWIDE



DOT-SP 14786

**SPF KIDS SUNSCREEN SPRAY**  
**50** BROAD SPECTRUM SPF 50  
UVA/UVB PROTECTION  
DERMATOLOGIST & PEDIATRICIAN TESTED  
WATER RESISTANT (80 MIN)  
FOR SENSITIVE SKIN • IDEAL FOR BODY  
NET WT 5.5 OZ (156 g)

OXYBENZONE & PARABEN FREE\*

OXYBENZONE & PARABEN FREE\*

nickelodeon

KIDS SUNSCREEN SPRAY

THOMAS & FRIENDS



Drug Facts

Active Ingredients	Purpose
Azobenzene 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 5.0%	

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
  - children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., isododecane, diisopropyl adipate, acrylates / octylacrylamide copolymer, VA / butyl maleate / isobornyl acrylate copolymer, PEG-12 dimethicone, caprylyl glycol, hydrogenated methylabietate, ascorbyl palmitate, tocopheryl acetate, mineral oil, panthenol, water, aloe barbadensis leaf extract, fragrance



ITEM# 95141-12

\*No parabens separately added to preserve this product



© 2019 Gullane (Thomas) Limited. Nickelodeon is a trademark of Viacom International Inc.



© 2019 HIT Entertainment Limited. HIT and the HIT logo are trademarks of HIT Entertainment Limited.

Made in USA with U.S. and Foreign Parts

SmartCare®

SMARTCAREUS.COM ONTARIO, CA 91761

QUESTIONS OR COMMENTS? 1-877-274-8398 Toll Free in USA 1-909-434-0911 International

COPYRIGHTS AND TRADEMARKS GRANTED OR PENDING WORLDWIDE



DOT-SP 14786

SmartCare®

SPF KIDS SUNSCREEN SPRAY 50 BROAD SPECTRUM SPF 50 UVA/UVB PROTECTION

DERMATOLOGIST & PEDIATRICIAN TESTED WATER RESISTANT (80 MIN)

FOR SENSITIVE SKIN • IDEAL FOR BODY

NET WT 5.5 OZ (156 g)

OXYBENZONE & PARABEN FREE\*

OXYBENZONE & PARABEN FREE\*



### KIDS SUNSCREEN SPRAY

#### Drug Facts

Active ingredients	Purpose
Azobenzene 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 5.0%	

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**FLAMMABLE:**  
• do not use near heat, flame or while smoking  
• avoid long term storage above 104°F (40°C)  
**Do not use** • on damaged or broken skin.


**When using this product** • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

**Stop use and ask a doctor if** • rash occurs.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• Spray liberally and spread evenly by hand 15 minutes before sun exposure  
• Hold can 4-6 inches away from the skin to apply  
• Do not spray directly into face. Spray into hands then apply to face  
• Do not apply in windy conditions  
• Use in a well-ventilated area  
• reapply:  
• after 80 minutes of swimming or sweating  
• immediately after towel drying  
• at least every 2 hours  
• children under 6 months of age: ask a doctor  
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. - 2 p.m.  
• wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**  
• protect this product from excessive heat and direct sun  
• may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**  
alcohol denat., isododecane, diisopropyl adipate, acrylates / octylacrylamide copolymer, VA, butyl methacrylate / isobornyl acrylate copolymer, PEG-12 dimethicone, caprylyl glycol, hydrogenated methyl methacrylate, ascorbyl palmitate, tocopheryl acetate, mineral oil, panthenol, water, aloe barbadensis leaf extract, fragrance



ITEM# 95142-12

\*No parabens separately added to preserve this product



Smart Care®



DREAMWORKS  
DreamWorks Trolls © 2018  
DreamWorks Animation LLC.  
All Rights Reserved.

Made in USA with U.S. and Foreign Parts

Smart Care®  
SMARTCAREUS.COM ONTARIO, CA 91761  
QUESTIONS OR COMMENTS?  
1-877-274-8358 Toll Free in USA  
1-909-434-0911 International  
COPYRIGHTS AND TRADEMARKS  
GRANTED OR PENDING WORLDWIDE



DOT-SP 14786

**SPF KIDS SUNSCREEN SPRAY**  
**50** BROAD SPECTRUM SPF 50  
UVA/UVB PROTECTION  
DERMATOLOGIST & PEDIATRICIAN TESTED  
WATER RESISTANT (80 MIN)  
FOR SENSITIVE SKIN • IDEAL FOR BODY  
NET WT 5.5 OZ (156 g)

OXYBENZONE & PARABEN FREE\*

OXYBENZONE & PARABEN FREE\*

Barbie

KIDS SUNSCREEN SPRAY

Barbie



**Drug Facts**

Active Ingredients	Purpose
Avoberzone 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 5.0%	

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**FLAMMABLE:**  
• do not use near heat, flame or while smoking  
• avoid long term storage above 104°F (40°C)


**Do not use** • on damaged or broken skin.  
**When using this product** • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

**Stop use and ask a doctor if** • rash occurs.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• Spray liberally and spread evenly by hand 15 minutes before sun exposure  
• Hold can 4-6 inches away from the skin to apply  
• Do not spray directly into face. Spray into hands then apply to face  
• Do not apply in windy conditions  
• Use in a well-ventilated area  
• reapply:  
• after 80 minutes of swimming or sweating  
• immediately after towel drying  
• at least every 2 hours  
• children under 6 months of age: ask a doctor  
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. - 2 p.m.  
• wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**  
• protect this product from excessive heat and direct sun  
• may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**  
alcohol denat., isododecane, diisopropyl adipate, acrylates/octylacrylamide copolymer, VA-butyl maleate/isobornyl acrylate copolymer, PEG-12 dimethicone, caprylyl glycol, hydrogenated methylabietate, ascorbyl palmitate, tocopheryl acetate, mineral oil, panthenol, water, aloe barbadensis leaf extract, fragrance



ITEM# 95145-12



SUNSCREEN

BFF

Smart Care®

\*No parabens separately added to preserve this product

©2018 Mattel.  
All Rights Reserved.  
BARBIE and associated trademarks and trade dress are owned by, and used under license from, Mattel.  
BARBIE.COM

Made in USA with U.S. and Foreign Parts  
Smart Care®  
SMARTCAREUS.COM ONTARIO, CA 91761  
QUESTIONS OR COMMENTS?  
1-877-274-8358 Toll Free in USA  
1-909-434-0911 International  
COPYRIGHTS AND TRADEMARKS GRANTED OR PENDING WORLDWIDE



DOT-SP 14786


SPF KIDS SUNSCREEN SPRAY  
**50** BROAD SPECTRUM SPF 50  
UVA/UVB PROTECTION  
DERMATOLOGIST & PEDIATRICIAN TESTED  
WATER RESISTANT (80 MIN)  
FOR SENSITIVE SKIN • IDEAL FOR BODY  
NET WT 5.5 OZ (156 g)

OXYBENZONE & PARABEN FREE\*

**CC**  
**Kampai!**

**KIDS SUNSCREEN SPRAY**

<b>Drug Facts</b>	
<b>Active ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 5.0%	<b>Purpose</b> Sunscreen
<b>Uses</b> • helps prevent sunburn • If used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat., isododecane, diisopropyl adipate, acrylates / octylacrylamide copolymer, VA/butyl malate / isobornyl acrylate copolymer, PEG-12 dimethicone, caprylyl glycol, hydrogenated methylabietate, acrylyl palmitate, tocopheryl acetate, mineral oil, parthenol, water, aloe barbadensis leaf extract, fragrance	



ITEM# 95144-12

\*No parabens separately added to preserve this product

OXYBENZONE & PARABEN FREE\*

ILLUMINATION presents  
**DESPICABLE ME**  
MINION MADE



Smart Care®

**SPF KIDS SUNSCREEN SPRAY**  
**50** BROAD SPECTRUM SPF 50  
UVA/UVB PROTECTION  
DERMATOLOGIST & PEDIATRICIAN TESTED  
WATER RESISTANT (80 MIN)  
FOR SENSITIVE SKIN • IDEAL FOR BODY  
NET WT 5.5 OZ (156 g)



**#DespicableMe**  
Despicable Me, Minion Made and all related marks and characters are trademarks and copyrights of Universal Studios. Licensed by Universal Studios. All Rights Reserved.

Made in USA with U.S. and Foreign Parts

**Smart Care®**  
SMARTCAREUS.COM ONTARIO, CA 91761  
QUESTIONS OR COMMENTS?  
1-877-274-8358 Toll Free in USA  
1-809-434-0913 International  
COPYRIGHTS AND TRADEMARKS  
GRANTED OR PENDING WORLDWIDE



DOT-SP 14786

**ACADEMY SPORT SMART CARE KIDS SPF 50 SUNSCREEN**

avobenzone, homosalate, octisalate, octocrylene spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59054-002
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>METHYL HYDROGENATED ROSINATE</b> (UNII: 13DHA19W9N)	
<b>PEG-12 DIMETHICONE</b> (UNII: ZEL54N6W95)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59054-002-37	156 g in 1 CAN; Type 0: Not a Combination Product	01/17/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/17/2019	

**Labeler** - ACADEMY, LTD (065092538)

Revised: 8/2021

ACADEMY, LTD