## UNICHEM- isopropyl alcohol 70% safe on skin spray Universal Chemical Products, Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Isopropyl Alcohol 70% Safe on Skin Products

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Isopropyl Alcohol (75%, v/v) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

## **Active Ingredient(s)**

Isopropyl Alcohol 70% v/v. Purpose: Antiseptic

## **Purpose**

Antiseptic, Hand Sanitizer

#### Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

## **Warnings**

For external use only. Flammable. Keep away from heat or flame

#### Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

## **Inactive ingredients**

glycerin, glutaraldehyde, purified water USP

## Package Label - Principal Display Panel

118.8 ml NDC: 82150-170-04



## DRUG FACTS **ACTIVE INGREDIENT**

Isopropyl Alcohol 70%......Antiseptic

Purpose

Do not use in children less than 2 months - on open skin wounds. contact a Poison Control. Keep out of reach of children. If swallowed, get medical help or USE(S) - Helps prevent the risk of infection in minor cuts, scrapes and burns.

Stop use and ask a doctor if irritation or rash occurs. These may be In case of contact, rinse with plenty of water. signs of a serious condition. When using this product keep out of eyes, ears and mouth For external use only. (Flammable, keep away from heat or flame)

WARNINGS

DIRECTIONS - Clean the affected area. - Apply 1 to 3 times daily freezing and excessive heat above 40°C. OTHER INFORMATION - Store between 15-30°C (59-86°F), avoid

NACTIVE INGREDIENTS - Purified Water, Glutaraldehyde, Glycerine

UNIVERSAL CHEMICALS PRODUCTS, CORP.

Packed by:

PO BOX 540 LOIZA, PR 00772

787.876.1717







# Isopropyl Alcoho

## DRUG FACTS Isopropyl Alcohol 70%......Antiseptic **ACTIVE INGREDIENT**

Purpose

Do not use in children less than 2 months - on open skin wounds. USE(S) - Helps prevent the risk of infection in minor cuts, scrapes and burns. contact a Poison Control. Keep out of reach of children. If swallowed, get medical help or

## WARNINGS

For external use only. (Flammable, keep away from heat or flame)

In case of contact, rinse with plenty of water. When using this product keep out of eyes, ears and mouth.

signs of a serious condition. Stop use and ask a doctor if irritation or rash occurs. These may be

OTHER INFORMATION - Store between 15-30°C (59-86°F), avoid DIRECTIONS - Clean the affected area. - Apply 1 to 3 times daily freezing and excessive heat above 40°C.

INACTIVE INGREDIENTS - Purified Water, Glutaraldehyde, Glycerine

Packed by:

UNIVERSAL CHEMICALS PRODUCTS, CORP.
PO BOX 540 LOIZA, PR 00772 787.876.1717



# soprop Alcoho

Antiseptic —

32 FL OZ (946.4mL)

Net.Content:

## Uses:

- Sanitize surfaces
- Hygienic purposes
- First aid antiseptic
- Safe on skin
- Evaporates away leaving no residues









### UNICHEM

isopropyl alcohol 70% safe on skin spray

Droduct	Information	1
FIUUULL	HIII OHIHALIOH	

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82150-170
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

## Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302) ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL in 100 mL

Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6A3C0OX)	0.25 mL in 100 mL			
GLUTARALDEHYDE (UNII: T3C89M417N)	0.03 mL in 100 mL			
WATER (UNII: 059QF0KO0R)	30 mL in 100 mL			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82150- 170-04	118.2 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	06/19/2020	
	NDC:82150- 170-32	946.4 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	06/19/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/19/2020	

## **Labeler -** Universal Chemical Products, Corp. (963557095)

## Registrant - Universal Chemical Products, Corp. (963557095)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Universal Chemical Products, Corp.		963557095	manufacture(82150-170)		

Revised: 8/2021 Universal Chemical Products, Corp.