

BASIC CARE BERRY ANTACID HBG- calcium carbonate tablet, chewable
Amazon.com

Calcium carbonate 750 mg
Simethicone 80mg

Active ingredients (in each chewable tablet)

Calcium carbonate 750 mg

Simethicone 80 mg

Purpose

Antacid

Anti-gas

Uses: Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach associated to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24-hours. Children under 12 years consult a doctor.

Other information

- **Each chewable tablet contains:** calcium 300mg
- Store between 20° to 25°C (68° to 77°F) in a dry place
- Close cap tightly after use.

Inactive ingredients: Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate,

sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

Questions? Call 1-800-245-2898, Monday - Friday, 9AM - 4PM EST

Drug Facts (continued)

Other information

- Each chewable tablet contains: Calcium 300 mg
- Contains soy
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, dextrin, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, maltodextrin, modified corn starch, natural & artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

Questions? Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

*This product is not manufactured or distributed by the owner of the registered trademark Tums®.

†SuperChews® and Chewy not Chalky® are registered trademarks of BestCo, LLC.



1 95515 01174 7

Gluten-Free
PN-60001928



basic care

EXTRA STRENGTH

NDC 71288-235-82

Compare to Tums® Chewy Bites® active ingredient*

Heartburn & Gas SuperChews®†

750 mg Calcium Carbonate/Antacid
80 mg Simethicone/Anti-Gas

Relieves:
Heartburn
Sour Stomach
Gas, Pressure & Bloating



Mixed Berry Flavor

82 CHEWABLE TABLETS CHEWY NOT CHALKY®

Drug Facts

Active ingredient (in each chewable tablet) Purpose

Calcium carbonate 750 mg..... Antacid

Simethicone 80 mg..... Anti-gas

Uses: Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach associated to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24-hours. Children under 12 years consult a doctor.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Distributed by:
Amazon.com Services LLC
410 Terry Avenue N.,
Seattle, WA 98109

Made in U.S.A. of U.S. and imported ingredients

7.875"

Drug Facts (continued)

Other information

- Each chewable tablet contains: calcium 300mg
- Store between 20° to 25°C (68° to 77°F) in a dry place.
- Close cap tightly after use.

Inactive ingredients: Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural & artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

Questions? Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

*This product is not manufactured or distributed by Bayer, owner of the registered trademark Alka-Seltzer® or any of its affiliates.

Heart Chews® and Chewy not Chalky® are registered trademarks of BestCo Inc.

Compare to the active ingredient as Alka-Seltzer® Heartburn-Gas ReliefChew®

Extra Strength HEARTBURN & GAS CHEWS

750 mg CALCIUM CARBONATE/ANTACID
80 mg SIMETHICONE/ANTI-GAS

Chewy not Chalky®

Digestive Relief of:

- Heartburn
- Sour stomach
- Gas, pressure and bloating

82 Chews Mixed Berry

Gluten Free

Drug Facts

Active ingredient (in each chewable tablet) Purpose

Calcium carbonate 750mg..... Antacid

Simethicone 80mg..... Anti-gas

Uses: Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach associated to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients


Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24-hours. Children under 12 years consult a doctor.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.



0 00000 00000 0

PN-000000

3"

NO INK OR VARNISH

CUSTOMER: TBD


DATE: 7-3-17

PROJECT #:

FILE NAME: TBD_75ct_HBG_MixedBerry.ai

SrGRAPHIC DESIGNER: Mark Scarboro


SOFTWARE: ILLUSTRATOR, CSS



288 Mazeppa Road
Mooresville, NC 28115
704-664-4300

mscarboro@bestco.com

Substrate: TBD



Die Color

Dimensions

Annotations

BASIC CARE BERRY ANTACID HBG

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-235
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	pink (Mauve)	Score	no score
Shape	ROUND	Size	14mm
Flavor	BERRY	Imprint Code	DR
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-235-82	82 in 1 BOTTLE; Type 0: Not a Combination Product	08/05/2021	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	08/05/2021	

Labeler - Amazon.com (128990418)

Registrant - Bestco LLC (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco LLC		002149136	manufacture(72288-235)