

**DRKIDS CHILDRENS COUGH AND CHEST CONGESTION DM- dextromethorphan hydrobromide, guaifenesin solution**  
**CalmCo LLC**

-----  
**DrKids Children's Cough & Chest Congestion DM**

***Active Ingredient (in each 5mL)***

Dextromethorphan HBr, USP, 5mg

Guaifenesin, USP, 100mg

***Purpose***

Cough suppressant

Expectorant

***Uses***

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive

***Warnings***

***Do not use***

if your child is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

***Ask a doctor before use if your child has***

persistent or chronic cough such as occurs with asthma or if cough is accompanied by excessive phlegm (mucus).

***Stop use and ask a doctor if***

cough lasts for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

***Keep out of reach of children***

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

***Directions***

do not give more than 6 doses in any 24 hour period  
give the recommended number of vials below, following the instructions under How to Open and Use on the side panel  
empty all liquid in each Single-Use Vial when dosing

### **Dosing Chart**

---

<b>Age (Years)</b>	<b>Dose</b>
under 4 years	Consult a doctor
4 – 5 years	1 Single-Use Vial (5 mL) every 4 hours
6 – 11 years	1 – 2 Single-Use Vials (5 mL each) every 4 hours
Adults and children 12 years and over	2 – 4 Single-Use Vials (5 mL each) every 4 hours

---

### ***Inactive Ingredients***

citric acid, glycerin, mixed berry flavor, propylene glycol, purified water, sodium benzoate, sodium saccharin, sorbitol, sucralose, trisodium citrate dihydrate, xanthan gum

### ***Other information***

- each Single-Use vial contains 6mg of sodium
- store at 20-25°C (68-77°F)
- tamper evident: do not use if top flap of carton is open. Do not use if any vials are open or broken

### ***Questions or comments?***

941-202-3270 or visit [www.DrKids.com](http://www.DrKids.com)

### ***Package***

**Drug Facts** (continued)

**Directions**

- do not give more than 6 doses in any 24-hour period
- give the recommended number of vials below following the instructions under "Easy to Use" on the side panel
- empty all liquid in each Single Use Vial when dosing.

**Dosing Chart**

Age (Years)	Dose
Under 4 years	Consult a doctor
4 – 5 years	1 Single-Use Vial (5mL) every 4 hours
6 – 11 years	1-2 Single-Use Vials (5mL each) every 4 hours
Adults & children 12 years & over	2-4 Single-Use Vials (5mL each) every 4 hours

**Other Information**

- each Single-Use vial contains 6mg of sodium
- store at 20-25°C (68-77°F)
- tamper evident: do not use if top flap of carton is open, do not use if any vials are open or broken.

**Inactive Ingredients**

citric acid, glycerin, mixed berry flavor, propylene glycol, purified water, sodium benzoate, sodium saccharin, sorbitol, sucralose, trisodium citrate dihydrate, xanthan gum.

**Questions or Comments?**  
941-202-3270 or visit [www.DrKids.com](http://www.DrKids.com)

**Made in the USA:**  
Distributed by CalmCo LLC  
Sarasota FL 34240

**WARNING**  
CHOKING HAZARD  
Small parts. Keep out of reach of children.

**DrKids®** Ages 4+ years  
Children's  
**Cough & Chest Congestion<sup>DM</sup>**

MIXED BERRY FLAVOR

TRAVEL APPROVED

**DrKids®** Ages 4+ years  
Children's  
**Cough & Chest Congestion<sup>DM</sup>**

Dextromethorphan HBr, 5 mg /  
Cough Suppressant  
Guaifenesin, 100 mg /  
Expectorant

Controls cough  
Breaks up mucus  
Pre-measured dose

Pre-Measured Single-Use Vials  
**20**  
0.17 fl.oz (5 mL) Each  
3.4 fl.oz (100 mL) Total

Free From:  
✓ Alcohol  
✓ Dyes  
✓ Sugar

MIXED BERRY FLAVOR

DrKids.com

@DrKids

**Easy to Use**

- Tap the vial to eliminate air bubbles
- Twist the top of the vial off
- Squeeze the liquid into child's mouth

**Why DrKids:** Free From:

- Alcohol
- Dyes
- Sugar

Meet DrKids, the safe, clean medicine in a single-use dose. We are parents, too, and our revolutionary vials remove the guesswork of over or under dosing. DrKids is hygienic (so no more sticky cups or syringes!) and portable, making it safe and easy to administer wherever you are. DrKids is ready so you can be ready at home or on-the-go. Go forth and conquer!

**INTEGRATED TAMPER EVIDENT**  
Push Below to Open

**Drug Facts** Keep Outer Package for Complete Product Information

**Active Ingredients (in each 5 mL)**

Dextromethorphan HBr, USP, 5mg.....Cough Suppressant  
Guaifenesin, USP 100mg.....Expectorant

**Purposes**

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive

**Warnings**

**Do not use** if your child is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease, or for two weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if your child has**

- persistent or chronic cough such as occurs with asthma or if cough is accompanied by excessive phlegm (mucus).

**Stop use and ask a doctor** if cough lasts for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away, (1-800-222-1222)

**Drug Facts Continued to Side Panel ▶**

## DRKIDS CHILDRENS COUGH AND CHEST CONGESTION DM

dextromethorphan hydrobromide, guaifenesin solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73282-0013
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73282-0013-1	20 in 1 CARTON	12/15/2023	
1		5 mL in 1 VIAL; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/15/2023	10/31/2025

**Labeler -** CalmCo LLC (079308308)