CAREALL PAIN RELIEF PM EXTRA STRENGTH- acetaminophen, diphenhydramine hcl tablet New World Imports, Inc

Drug Facts

Active Ingredients

Acetaminophen 500mg

Diphenhydramine HCl 25mg

Purpose

Pain reliever

Nightime sleep aid

Keep Out of reach of Children

Keep out of reach of children. In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) right away. Prompt Medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Uses

Temporarily relieves occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver Warning: This product contains Acetaminophen. Severe liver damage may occur if you take

- More than 4000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy Alert:Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have even had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have:

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are:

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product:

- drowsiness will occur
- •do not drive a motor vehicle or operate machinery
- avoid alcoholic drinks

Stop use and ask a doctor if:

- •sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness
- pain gets worse or last for more than 10 days.
- •fever gets worse or last for more than 3 days
- redness or swelling are present
- •new symptoms occur. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Directions

Do not take more than directed. (see overdose warning)

Adults and children 12 years of age and older: Take 2 caplets at bedtime. Do not take more than 2 caplets in 24 hours

Children under 12 years: do not use

Inactive Ingredients

croscarmellose sodium, FD and C blue #1 aluminum lake, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, silicon dioxide, stearic acid, titanium dioxide.



Distributed By: CareALL Products, 160 Athens Way, Nashville, TN 37228 Nighttime sleep aid **Drug Facts** (continued on inside) ninor aches and pains with accompanying sleeplessness *This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark Tylenol® PM. **USes** temporary relief of occasional headaches and 00490 Do not use ■ with any other drug containing 8 2 2 Diphenhydramine HCI 25mg

Exp. Date:

0 Lot No.

www.careallproducts.com

bronchitis

trouble urinating due to an enlarged prostate Ask a doctor before use if you have ■ liver disease a breathing problem such as emphysema or chronic gland
glaucoma

acetaminophen (prescription or nonprescription). If you are doctor or pharmacist.

with any other product containing under 12 years of age ■ if you have ever had an allergic not sure whether a drug contains acetaminophen, ask a diphenhydramine, even one used on skin
in children reaction to this product or any of its ingredients

f a skin reaction occurs, stop use and seek medical help right away.

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash.

drugs containing acetaminophen <a> 3 or more alcoholic drinks every day while using this product

Severe liver damage may occur if you take ■ more than 4000 mg of acetaminophen in 24 hours ■ with other Liver warning: This product contains acetaminophen.

Purposes

Active ingredients (in each caplet)

Drug Facts

children under

do not use

(see overdose warning)

take more than 2 caplets of this product in 24 hours. take 2 caplets at bedtime. Do not

children 12 adults and Directions ■ do not take more than directed ears and over:

professional before use **Keep out of reach of children**. Overdose warning: In case of overdose, get
medical help or contact a Poison Control Center occur. These could be signs of a serious condition. 1-800-222-1222) right away. Quick medical attention

■ redness or swelling is present
■ new symptoms

medical illness. ■ pain gets worse or lasts more than

10 days ■ fever gets worse or lasts more than 3 days nsomnia may be a symptom of serious underlying

persists continuously for more than 2 weeks. Stop use and ask a doctor if ■ sleeplessness avoid alcoholic drinks do not drive a motor Ask a doctor or pharmacist before use if you are ■ taking the blood thinning drug warfarin ■ taking

When using this product ■ drowsiness will occur

/ehicle or operate machinery

sedatives or tranquilizers

Drug Facts (continued)

do not notice any signs or symptoms. is critical for adults as well as for children even if you If pregnant or breast-feeding, ask a health

CAREALL PAIN RELIEF PM **EXTRA STRENGTH**

ငိ

microcrystalline cellulose, polyethylene glylcol, povidone, pregelatinized starch, silicon dioxide, stearic acid, titanium dioxide

May contain: carnauba wax, FD&C blue #2 aluminum

Call 1-888-952-0050

Nonday through Friday 9AM — 5PM EST

Questions or Comments?

Inactive ingredients croscarmellos FD&C blue #1 aluminum lake, hypromellose,

croscarmellose sodium

Other information ■ store between 20-25 (68-77° F)

acetaminophen, diphenhydramine hcl tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51824-107
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)	DIPHENHYDRAMINE	25 mg	

Inactive Ingredients		
Ingredient Name	Strength	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)		
HYPROMELLOSES (UNII: 3NXW29V3WO)		
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE (UNII: FZ989GH94E)		
STARCH, CORN (UNII: O8232NY3SJ)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
CARNAUBA WAX (UNII: R12CBM0EIZ)		
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)		
POLYSORBATE 80 (UNII: 60ZP39ZG8H)		

Product Characteristics			
Color	blue	Score	no score
Shape	CAPSULE (Capsual Shaped)	Size	16mm
Flavor		Imprint Code	AZ 267;G651
Contains			

Pa	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:51824-107- 50	50 in 1 BOTTLE; Type 0: Not a Combination Product	01/10/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/10/2024	

Labeler - New World Imports, Inc (075372276)

Revised: 1/2024 New World Imports, Inc