

**LORATADINE AND PSEUDOEPHEDRINE SULFATE- loratadine and pseudoephedrine
sulfate tablet, film coated, extended release
Shopko Stores Operating Co., LLC**

Drug Facts

ACTIVE INGREDIENTS (IN EACH TABLET)

Loratadine, USP 10 mg

Pseudoephedrine sulfate, USP 240 mg

PURPOSE

Antihistamine

Nasal decongestant

USES

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - itchy, watery eyes
 - runny nose
 - itching of the nose or throat
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily restores freer breathing through the nose

WARNINGS

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

- do not divide, crush, chew or dissolve the tablet

| | |
|--|---|
| adults and children 12 years and over | 1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours |
| children under 12 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

OTHER INFORMATION

- **sodium:** contains 10 mg/tablet
- **calcium:** contains 25 mg/tablet
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° C to 25° C (68° F to 77° F).
- protect from light and store in a dry place

INACTIVE INGREDIENTS

Calcium carbonate, colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, iron oxide black, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, sodium alginate, sodium citrate, talc and titanium dioxide

QUESTIONS?

Call 1-800-406-7984

PRINCIPAL DISPLAY PANEL

SHOPKO®

†Compare to the active ingredients of Claritin-D® 24 Hour

Original Prescription Strength

24 Hour Allergy Relief-D

Loratadine, USP 10 mg/Antihistamine

Pseudoephedrine Sulfate, USP 240 mg/Nasal Decongestant

Non-Drowsy*

Indoor & Outdoor Allergies

Relief of:

- **Nasal and Sinus Congestion**
- **Sneezing**
- **Runny Nose**
- **Itchy, Watery Eyes**
- **Itchy Throat or Nose Due to Allergies**

***When taken as directed. See Drug Facts Panel.**

Manufactured by: Ohm Laboratories Inc.

5093688/R0512

5093688

Expiration Date:

Batch No.

Non Varnish Area

Keep the carton. It contains important information.
See end panel for expiration date.

Drug Facts (continued)

■ temporarily relieves nasal congestion and pressure
■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
■ temporarily restores free breathing through the nose

Warnings

Do not use

■ if you have ever had an allergic reaction to this product or any of its ingredients
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

■ heart disease ■ thyroid disease
■ high blood pressure ■ diabetes ■ trouble urinating due to an enlarged prostate gland
■ liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

■ an allergic reaction to this product occurs. Seek medical help right away.
■ symptoms do not improve within 7 days or are accompanied by a fever.
■ nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

■ do not divide, crush, chew or dissolve the tablet
adults and children 12 years and over 1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours
children under 12 years of age ask a doctor
consumers with liver or kidney disease ask a doctor

Other information

■ sodium: contains 10 mg/tablet
■ calcium: contains 25 mg/tablet

■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING. ▲

Drug Facts

Active ingredients (in each tablet)

Loratadine, USP 10 mg.....Antihistamine
Pseudoephedrine sulfate, USP 240 mg.....Nasal decongestant

Purpose

Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ sneezing ■ itchy, watery eyes ■ runny nose ■ itching of the nose or throat

SHOPKO®

†Compare to the active ingredients of Claritin-D® 24 Hour

Original Prescription Strength

24 Hour Allergy Relief-D

Loratadine, USP 10 mg/Antihistamine

Pseudoephedrine Sulfate, USP 240 mg/Nasal Decongestant

Non-Drowsy*

Indoor & Outdoor Allergies

Relief of: • Nasal and Sinus Congestion

• Sneezing

• Runny Nose

• Itchy, Watery Eyes

• Itchy Throat or Nose Due to Allergies

* When taken as directed. See Drug Facts Panel.

10 Extended-Release Tablets

Drug Facts (continued)

■ store between 20° C to 25° C (68° F to 77° F)
■ protect from light and store in a dry place

Inactive ingredients calcium carbonate, colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, iron oxide black, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, sodium alginate, sodium citrate, talc and titanium dioxide

Questions? call 1-800-406-7984

5093688

4 0800 8539 4

Manufactured by:
Omn Laboratories Inc.
1385 Livingston Avenue
North Brunswick, NJ 08902

R0512

†The product is not manufactured or distributed by
Schering-Plough Healthcare Products, Inc.
CLARITIN-D® 24 HOUR is a registered
trademark of Schering Corporation.SHOPKO®
Satisfaction
Guaranteed©2012 Shopko Stores
Operating Co., LLC
www.shopko.com

LORATADINE AND PSEUDOEPHEDRINE SULFATE

loratadine and pseudoephedrine sulfate tablet, film coated, extended release

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:370 12-724 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | |
|--|-------------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN) | LORATADINE | 10 mg |
| PSEUDOEPHEDRINE SULFATE (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F) | PSEUDOEPHEDRINE SULFATE | 240 mg |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| CALCIUM CARBONATE (UNII: H0G9379FGK) | |
| COLLOIDAL SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HYDROXYPROPYL CELLULOSE (UNII: RFW2ET671P) | |
| HYPROMELLOSES (UNII: 3NXW29V3WO) | |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A) | |
| POVIDONE (UNII: FZ989GH94E) | |
| STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SHELLAC (UNII: 46N107B71O) | |
| SODIUM ALGINATE (UNII: C269C4G2ZQ) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

| Product Characteristics | | | |
|-------------------------|----------------------------|--------------|----------|
| Color | white (White to Off-White) | Score | no score |
| Shape | CAPSULE | Size | 17mm |
| Flavor | | Imprint Code | RX724 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|------------------------------|-------------------|---|-----------------------------|---------------------------|
| 1 | NDC:370 12-724-69 | 10 in 1 BLISTER PACK | | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | | ANDA076557 | 11/17/2004 | |
| | | | | |

Labeler - Shopko Stores Operating Co., LLC (023252638)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

| Establishment | | | |
|-----------------------|---------|-----------|-------------------------|
| Name | Address | ID/FEI | Business Operations |
| Ohm Laboratories Inc. | | 051565745 | manufacture(370 12-724) |

Revised: 2/2013

Shopko Stores Operating Co., LLC