

FULL-DINE- iodine solution
Brown Dairy Equipment

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

FULL-DINE

BROWN DAIRY EQUIP.

FULL-DINE

Premium Sanitizing Teat Dip

ACTIVE INGREDIENT: 1% Active Iodine Contains 10% Glycerine

DIRECTIONS FOR USE

DIRECTIONS FOR PRE-DIPPING

1. Remove excessive organic soils from teats prior to the application of teat dip solution.
2. Forestrip milk from each quarter for mastitis detection and to initiate milk “let down”. (This procedure may be implemented after application of pre-dip as outlined in Step 3.)
3. Apply FULLDUAL-DINE with either a dip cup or a sprayer completely covering the entire teat with the teat dip solution. Allow 15-45 seconds of contact time.
4. Wipe each teat with a single service towel removing all dip and soil from teat surface.
5. Attach milking unit.

DIRECTIONS FOR POST DPPING

1. After removal of milking unit, apply FULL-DINE with either a dip cup or sprayer completely covering the entire teat with the teat dip solution.

Do not dilute teat dip – Use at full strength. If teat dip becomes cloudy or dirty, discard and replace with fresh dip. Do not return contaminated dip to original container.

If frozen, thaw completely and mix well before using.

PRECAUTIONARY STATEMENTS

DANGER - KEEP OUT OF REACH OF CHILDREN - CAN CAUSE EYE DAMAGE

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

Internal: If swallowed, promptly rinse mouth with water then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

FOR ASSISTANCE WITH MEDICAL EMERGENCY, CALL 1-800-367-5178.

REFER TO MATERIAL DATA SAFETY SHEET.

PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL

BROWN DAIRY EQUIP. FULL-DINE

TDR-72E-BDE

Premium Sanitizing Teat Dip

ACTIVE INGREDIENT: 1% Active Iodine Contains 10% Glycerine

DIRECTIONS FOR USE



DIRECTIONS FOR PRE-DIPPING

1. Remove excessive organic soils from teats prior to the application of the teat dip solution.
2. Forestrip milk from each quarter for mastitis detection and to initiate milk "let down". (This procedure may be implemented after application of pre-dip as outlined in Step 3.)
3. Apply FULL-DINE with either a dip cup or a sprayer completely covering the entire teat with the teat dip solution. Allow for 15-45 seconds contact time.
4. Wipe each teat with a single service towel removing all dip and soil from teat surface.
5. Attach milking unit.

DIRECTIONS FOR POST DIPPING

1. After removal of milking unit, apply FULL-DINE with either a dip cup or sprayer completely covering the entire teat with the teat dip solution.
- Do not dilute teat dip—Use at full strength. If teat dip becomes cloudy or dirty, discard and replace with fresh dip. Do not return contaminated dip to original container. If frozen, thaw completely and mix well before using.

PRECAUTIONARY STATEMENTS

DANGER -KEEP OUT OF REACH OF CHILDREN - CAN CAUSE EYE DAMAGE

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.


FIRST AID

Eyes: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.
Internal: If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

FOR ASSISTANCE WITH MEDICAL EMERGENCY, CALL: 1-800-367-5178.

REFER TO MATERIAL SAFETY DATA SHEET.

TDR-72E-BDE (11.07)



"Serving Michigan Dairy Producers Since 1962"

DISTRIBUTED BY: BROWN DAIRY EQUIPMENT Co, Inc.
2153 N. Van Dyke Hwy., Bad Axe, Michigan 48413 (800) 373-2153

NET CONTENTS: 55 U.S. GALLONS



FULL-DINE

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:62897-720
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62897-720-01	3.8 L in 1 BOTTLE		
2	NDC:62897-720-05	18.9 L in 1 DRUM		
3	NDC:62897-720-15	56.8 L in 1 DRUM		
4	NDC:62897-720-55	208.2 L in 1 DRUM		

5	NDC:62897-720-75	1041 L in 1 TANK		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/18/2002		

Labeler - Brown Dairy Equipment (017030149)

Revised: 1/2013

Brown Dairy Equipment