JON ARES ACNE CONTROL MILD- resorcinil, sulfur cream DADASHIE ACNE SYSTEM INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

JON ARES (as PLD) - ACNE CONTROL CREAM - MILD (71748-103)

ACTIVE INGREDIENTS

RESORCINOL 2%

SULFUR 6%

PURPOSE

ACNE TREATMENT

USE:

FOR THE TREATMENT OF ACNE

DIRECTIONS:

- CLEANSE THE SKIN THOROUGHLY BEFORE APPLYING THIS PRODUCT.
- PCOVER THE ENTIRE AFFECTED AREA WITH A THIN LAYER ONE TO THREE TIMES DAILY. BECAUSE OF EXCESS DRYING OF THE SKIN MAY OCCUR, START WITH ONE APPLICATION DAILY, THEN GRADUALLY INCREASE TO TWO OR THREE TIMES DAILY IF NEEDED OR AS DIRECTED BY A PHYSICIAN.
- IF BOTHERSOME DRYNESS, REDNESS, ITCHING OR PEELING OCCURS, REDUCE APPLICATION TO ONCE A DAY OR EVERY OTHER DAY. STOP USE AND ASK A PHYSICIAN IF IFFITATION BECOMES SEVERE.
- IF GOING OUTSIDE, APPLY SUNSCREEN AFTER USING THIS PRODUCT. IF IRRITATION OR SENSITIVITY DEVELOPS, STOP USE OF BOTH PRODUCTS AND ASK A PHYSICIAN.

WARNINGS:

- FOR EXTERNAL USE ONLY.
- AVOID CONTACT WITH THE EYES, LIPS AND MOUTH.

DO NOT USE ON CHILDREN UNDER 2 YEARS OF AGE UNLESS DIRECTED BY A DOCTOR.

DO NOT USE IF YOU HAVE VERY SENSITIVE SKIN OR SENSITIVE TO BENZOYL PEROXIDE.

WHEN USING THIS PRODUCT

• SKIN IRRITATION AND DRYNESS IS MORE LIKELY TO OCCUR IF YOU USE ANOTHER

TOPICAL ACNE MEDICATION AT THE SAME TIME. IF IRRITATION OCCURS, ONLY USE ONE TOPICAL ACNE MEDICATION AT A TIME.

- AVOID UNECESSARY SUN EXPOSURE AND USE A SUNSCREEN.
- AVOID CONTACT WITH HAIR AND DYED FABRICS, WHICH MAY BE BLEACHED BY THIS PRODUCT.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

OTHER INFORMATION.

THIS PRODUCT MAY BLEACH HAIR OR DYE FABRICS. AVOID STORING AT EXTREME TEMPERATURES (BELOW 40°F AND ABOVE 100°F).

INACTIVE INGREDIENTS:

WATER, PROPYLENE GLYCOL, POLYACRYLAMIDE, C 13-14 ISOPARAFFIN, LAURETH-7, BENZYL ALCOHOL, CAPRYLHYDROXAMIC ACID, GLYCERIN, ZINC OXIDE.



JON ARES ACNE CONTROL MILD

| esorcinil, sulfur cre | | | | | | |
|---|-------------------------------------|---------------------------------|---------------|-------------------------|-----|----------------------|
| Product Inform | ation | | | | | |
| Product Type | | HUMAN OTC DRUG | Item Code | (Source) | NDC | :71748-103 |
| Route of Administ | ration | TOPICAL | | | | |
| | | | | | | |
| Active Ingredie | nt/Active | Moiety | | | | |
| Ingredient Name Basis of Stree | | | | | | Strength |
| RESORCINOL (UNII: YUL4L094HK) (RESORCINOL - UNII:YUL4L094HK) RESORCINOL | | | | | | 2 g in 100 mL |
| SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70) SULFUR | | | | | | 6 g in 100 mL |
| Inactive Ingredi | ients | | | | | |
| Ingredient Name | | | | | | Strength |
| WATER (UNII: 059QF0KO0R) | | | | | | - |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | | | | |
| POLYACRYLAMIDE (1500 MW) (UNII: 5D6TC4BRWW) | | | | | | |
| C13-14 ISOPARAFFIN (UNII: E4F12ROE70) | | | | | | |
| LAURETH-7 (UNII: Z95S6G8201) | | | | | | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | | | | | | |
| | | UPY805K99W) | | | | |
| GLYCERIN (UNII: PDC) ZINC OXIDE (UNII: SC | | | | | | |
| | //2001/342/ | | | | | |
| Packaging | | | | | | |
| # Item Code | Pa | ckage Description | Ма | rketing Start Date | Ма | rketing End Date |
| | 0 mL in 1 BO ⁻ roduct | TTLE; Type 0: Not a Comb | ination 09/30 |)/2017 | | |
| | _ | | | | | |
| Marketing In | nformat | ion | | | | |
| Marketing Category | Applicat | tion Number or Mono Citation | graph M | larketing Start Date | Ma | arketing End Date |
| | | | | | | |

Labeler - DADASHIE ACNE SYSTEM INC (032214636)

Revised: 8/2023

DADASHIE ACNE SYSTEM INC