

ASSURE- hydrogen peroxide solution IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

ASSURE SANITIZING TEAT DIP A HIGHLY EFFECTIVE PRE-MILKING AND POST-MILKING TEAT DIP WITH GLYCERIN

ACTIVE INGREDIENTS

Active Hydrogen Peroxide.....0.60%
Benzoic Acid.....0.50%
Glycerin.....6.00%
INERT INGREDIENTS (Including Sulfonates).....92.90%
Total.....100%

INDICATIONS AND USAGE

GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes visibly dirty, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash Teat Dip cups after each milking.

RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. PRE-MILKING (PRE-DIPPING)

1. REMOVE VISIBLE SOILS FROM THE TEATS.
2. OBSERVE FOREMILK BY STRIPPING TWO OR THREE STREAMS OF MILK INTO A STRIP CUP.
3. DIP OR SPRAY THE COW'S TEATS FULL LENGTH WITH ASSURE TEAT DIP.
4. WAIT APPROXIMATELY 30 SECONDS.
5. REMOVE ALL TEAT DIP BY THOROUGHLY DRYING THE TEATS AND TEAT ORIFICES AND UDDER (IF SPRAYING), WITH A CLEAN, SINGLE SERVICE PAPER TOWEL(S) TO AVOID CONTAMINATION OF MILK.
6. ATTACH MILKING UNIT.

B. POST-MILKING (POST-DIPPING)

Immediately after milking, dip or spray all teats full length with ASSURE Teat Dip. Ensure good coverage of all sides of the teats and teat orifices.

A PART OF THE COMPLETE IBA SANITATION PROGRAM

WARNING

DO NOT MIX ASSURE TEAT DIP WITH ANY OTHER PRODUCT.
DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.
ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER
CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.
PROTECT THIS PRODUCT FROM FREEZING.

CAUTION: KEEP OUT OF REACH OF CHILDREN.
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID PROCEDURES

EYECONTACT: AVOID CONTACT WITH EYES. IF CONTACT OCCURS, FLUSH EYE WITH
LARGE QUANTITIES OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO
ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUE. TILT HEAD TO THE SIDE AND
IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE. IF
IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

SKIN CONTACT: FOR READY TO USE PRODUCTS, WASH ANY SENSITIVE AREAS.

INGESTION: DRINK TWO GLASSES OF WATER AND CONSULT A PHYSICIAN.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION

FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

ASSURE

NDC 29983-0027-4



ASSURE

SANITIZING TEAT DIP

A Highly Effective Pre-Milking and Post-Milking Teat Dip With Glycerin

ACTIVE INGREDIENTS:

Active Hydrogen Peroxide.....	0.60%
Benzoic Acid.....	0.50%
Glycerin.....	6.00%
INERT INGREDIENTS: (Including Sulfonates)	92.90%
TOTAL!	100.00%

GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes visibly dirty, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

CAUTION

KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY. PROTECT EYES AND MUCOUS MEMBRANES FROM CONTACT WITH THIS PRODUCT.


FIRST AID PROCEDURES

EYE CONTACT: AVOID CONTACT WITH EYES. IF CONTACT OCCURS, FLUSH EYE WITH LARGE QUANTITIES OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUE. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

SKIN CONTACT: FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

INGESTION: DRINK TWO GLASSES OF WATER AND CONSULT A PHYSICIAN.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300**



PATENT
PENDING

RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. PRE-MILKING (PRE-DIPPING)

1. Remove visible soils from the teats.
2. Observe foremilk by stripping two or three streams of milk into a strip cup.
3. Dip or spray the cow's teats full length with ASSURE Teat Dip.
4. Wait approximately 30 seconds.
5. Remove all teat dip by thoroughly drying the teats, teat orifices and udder (if spraying), with a clean, single service paper towel(s) to avoid contamination of milk.
6. Attach milking unit.

B. POST-MILKING (POST-DIPPING)

1. Immediately after milking, dip or spray all teats full length with ASSURE Teat Dip. Ensure good coverage of all sides of the teats and teat orifices.

WARNING

DO NOT MIX ASSURE TEAT DIP WITH ANY OTHER PRODUCT.
DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE: LOT NO.: NET CONTENTS: 5 GALLONS IBA STOCK # 160202 1099E

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 27 PROVIDENCE ROAD, MILLBURY, MA 01527

ASSURE

hydrogen peroxide solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-0027
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	6.0 g in 1 L
BENZOIC ACID (UNII: 8SKN0B0MIM) (BENZOIC ACID - UNII:8SKN0B0MIM)	BENZOIC ACID	.5 g in 1 L

Product Characteristics

Color	orange	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-0027-1	3.78 L in 1 DRUM		
2	NDC:29983-0027-4	18.9 L in 1 DRUM		
3	NDC:29983-0027-6	56.7 L in 1 DRUM		
4	NDC:29983-0027-7	113.4 L in 1 DRUM		
5	NDC:29983-0027-8	207.9 L in 1 DRUM		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/17/2010	

Labeler - IBA (019494160)