

**BIO CYTOTOX PHASE- podophyllum peltatum, ascorbicum acidum, galium aparine, hydrastis canadensis, nicotinamidum, pyridoxinum hydrochloricum, riboflavinum, sarcolacticum acidum, thiaminum hydrochloricum, alpha-lipoicum acidum, colchicum autumnale, conium maculatum, natrum oxalaceticum, sulphur, vaccinium myrtillus, norepinephrine, acetylsalicylicum acidum, adenosinum triphosphoricum dinatrum, anthrachinonum, histaminum hydrochloricum, magnesium gluconicum dihydricum, nadidum, naphthochinonum, pantothenic acid, ubidecarenonum, liquid**  
**Deseret Biologicals, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Drug Facts:**

**ACTIVE INGREDIENTS:**

Podophyllum Peltatum 5X, Ascorbicum Acidum 6X, Galium Aparine 6X, Hydrastis Canadensis 6X, Nicotinamidum 6X, Pyridoxinum Hydrochloricum 6X, alpha-Lipoicum Acidum 8X, Colchicum Autumnale 8X, Conium Maculatum 8X, Natrum Oxalaceticum 8X, Sulphur 8X, Vaccinium Myrtillus 8X, Norepinephrine (Bitartrate) 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Acetylsalicylicum Acidum 10X, Adenosinum Triphosphoricum Dinatrum 10X, Anthrachinonum 10X, Histaminum Hydrochloricum 10X, Magnesium Gluconate 10X, Nadidum 10X, Naphthochinonum 10X, Pantothenic Acid 10X, Ubidecarenonum 10X, Manganum Phosphoricum 15X, Hydrochinonum 3C, Morgan Gaertner 30C.

**HOMEOPATHIC INDICATIONS:**

For the temporary relief of symptoms of fatigue, slowed metabolism, and weakened constitution.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

**WARNINGS:**

**Keep out of reach of children.** In case of overdose, contact physician or a Poison Control Center right away.

**If pregnant or breast-feeding,** seek advice of a health professional before use.

Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, contact physician or a Poison Control Center right away.

**DIRECTIONS:**

1-10 drops under the tongue, 2 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

**HOMEOPATHIC INDICATIONS:**

For the temporary relief of symptoms of fatigue, slowed metabolism, and weakened constitution.\*\*

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

### INACTIVE INGREDIENTS:

Demineralized Water, 25% Ethanol

### QUESTIONS:

Dist. By: Deseret Biologicals, Inc.  
469 W. Parkland Drive  
Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)

### PACKAGE LABEL DISPLAY:

**DESBIO**  
**NDC 43742-1493-1**  
**HOMEOPATHIC**  
**BIO CYTOTOX**  
**PHASE**  
**1 FL OZ (30 ml)**

#### WARNINGS:

**Keep out of reach of children.** In case of overdose, contact a physician or Poison Control Center right away. **If pregnant or breast-feeding**, ask a health professional before use. Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

#### DIRECTIONS:

1-10 drops under the tongue, 2 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

\*\*These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

Dist. By: Deseret Biologicals, Inc.  
469 W. Parkland Drive  
Sandy, UT 84070 [www.desbio.com](http://www.desbio.com)



#### ACTIVE INGREDIENTS:

Podoph Pelt 5X, Ascorbic Ac 6X, Galium 6X, Hydrastis 6X, Nicotinamidum 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Sarcosolacticum Ac 6X, Thiaminum Hydrochloricum 6X, alpha-Lipoic Ac 8X, Colchicum 8X, Conium 8X, Natrum Oxalaceticum 8X, Sulphur 8X, Vaccinium 8X, Norepinephrine 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Acetylsal Ac 10X, Anthrachinonum 10X, ATP 10X, Histaminum Hydrochloricum 10X, Magnesium Gluconate 10X, Nadidum 10X, Naphthochinonum 10X, Pantothenic Acid 10X, Ubidecarenonum 10X, Manganum Phosphoricum 15X, Hydrochinonum 3C, Morgan Gaertner 30C.

#### HOMEOPATHIC INDICATIONS:

For the temporary relief of symptoms of fatigue, slowed metabolism, and weakened constitution.\*\*

LOT:

## BIO CYTOTOX PHASE

podophyllum peltatum, ascorbicum acidum, galium aparine, hydrastis canadensis, nicotinamidum, pyridoxinum hydrochloricum, riboflavinum, sarcosolacticum acidum, thiaminum hydrochloricum, alpha-lipoicum acidum, colchicum autumnale, conium maculatum, natrum oxalaceticum, sulphur, vaccinium myrtillus, norepinephrine, acetylsalicylicum acidum, adenosinum triphosphoricum dinatrum, anthrachinonum, histaminum hydrochloricum, magnesium gluconicum dihydricum, nadidum, naphthochinonum, pantothenic acid, ubidecarenonum, liquid

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:43742-1493

## Route of Administration

ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PODOPHYLLUM</b> (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	5 [hp_X] in 1 mL
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X] in 1 mL
<b>GALIUM APARINE</b> (UNII: Z4B6561488) (GALIUM APARINE - UNII:Z4B6561488)	GALIUM APARINE	6 [hp_X] in 1 mL
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	6 [hp_X] in 1 mL
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	6 [hp_X] in 1 mL
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	6 [hp_X] in 1 mL
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	6 [hp_X] in 1 mL
<b>LACTIC ACID, L-</b> (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	6 [hp_X] in 1 mL
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	6 [hp_X] in 1 mL
<b>THIOCTIC ACID</b> (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	THIOCTIC ACID	8 [hp_X] in 1 mL
<b>COLCHICUM AUTUMNALE BULB</b> (UNII: 993QHL78E6) (COLCHICUM AUTUMNALE BULB - UNII:993QHL78E6)	COLCHICUM AUTUMNALE BULB	8 [hp_X] in 1 mL
<b>CONIUM MACULATUM FLOWERING TOP</b> (UNII: Q28R5GF371) (CONIUM MACULATUM FLOWERING TOP - UNII:Q28R5GF371)	CONIUM MACULATUM FLOWERING TOP	8 [hp_X] in 1 mL
<b>SODIUM DIETHYL OXALACETATE</b> (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	8 [hp_X] in 1 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	8 [hp_X] in 1 mL
<b>BILBERRY</b> (UNII: 9P2U39H18W) (BILBERRY - UNII:9P2U39H18W)	BILBERRY	8 [hp_X] in 1 mL
<b>NOREPINEPHRINE BITARTRATE</b> (UNII: IFY5PE3ZRW) (NOREPINEPHRINE - UNII:X4W3ENH1CV)	NOREPINEPHRINE	10 [hp_X] in 1 mL
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	10 [hp_X] in 1 mL
<b>ADENOSINE TRIPHOSPHATE DISODIUM</b> (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	10 [hp_X] in 1 mL
<b>ANTHRAQUINONE</b> (UNII: 030MS0JBDO) (ANTHRAQUINONE - UNII:030MS0JBDO)	ANTHRAQUINONE	10 [hp_X] in 1 mL
<b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	10 [hp_X] in 1 mL
<b>MAGNESIUM GLUCONATE</b> (UNII: T42NAD2KHC) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM GLUCONATE	10 [hp_X] in 1 mL
<b>NADIDE</b> (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	10 [hp_X] in 1 mL
<b>NAPHTHOQUINE</b> (UNII: TRY8UD4E2H) (NAPHTHOQUINE - UNII:TRY8UD4E2H)	NAPHTHOQUINE	10 [hp_X] in 1 mL
<b>UBIDECARENONE</b> (UNII: EJ27X76M46) (UBIDECARENONE - UNII:EJ27X76M46)	UBIDECARENONE	10 [hp_X] in 1 mL
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	10 [hp_X] in 1 mL
<b>MANGANESE PHOSPHATE, DIBASIC</b> (UNII: VZ3U1H7Q5B) (MANGANESE CATION (2+) - UNII:H6EP7W5457)	MANGANESE PHOSPHATE, DIBASIC	15 [hp_X] in 1 mL
<b>HYDROQUINONE</b> (UNII: XY74C1N1AE) (HYDROQUINONE - UNII:XY74C1N1AE)	HYDROQUINONE	3 [hp_C]

HYDROQUINONE (UNII: X774CEN1AE) (HYDROQUINONE - UNII: X774CEN1AE)	HYDROQUINONE	in 1 mL
SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS (UNII: Y3V16D4PV4) (SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS - UNII: Y3V16D4PV4)	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS	30 [hp_C] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-1493-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	07/09/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/09/2019	

**Labeler** - Deseret Biologicals, Inc. (940741853)

**Registrant** - Apotheca Company (844330915)

### Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-1493) , api manufacture(43742-1493) , label(43742-1493) , pack(43742-1493)

Revised: 7/2019

Deseret Biologicals, Inc.