

**PAIN RELIEVER- acetaminophen tablet**  
**L&R Distributors, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Select Brand 44-104**

***Active ingredient (in each tablet)***

Acetaminophen 325 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - the common cold
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has**

liver disease.

**Ask a doctor or pharmacist before use if the user is**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- new symptoms occur
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed**

adults and children 12 years and over	<ul style="list-style-type: none"><li>▪ take 2 tablets every 4 to 6 hours while symptoms last</li><li>▪ do not take more than 10 tablets in 24 hours</li><li>▪ do not take for more than 10 days unless directed by a doctor</li></ul>
children 6-11 years	<ul style="list-style-type: none"><li>▪ take 1 tablet every 4 to 6 hours while symptoms last</li><li>▪ do not take more than 5 tablets in 24 hours</li><li>▪ do not take for more than 5 days unless directed by a doctor</li></ul>
children under 6 years	ask a doctor

**Other information**

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted 15°-30°C (59°-86°F)

***Inactive ingredients***

corn starch, povidone, sodium starch glycolate, stearic acid

***Questions or comments?***

**1-800-426-9391**

**Principal Display Panel**

**select brand®**

the lower price name brand

NDC 15127-072-24

REGULAR STRENGTH/NON-ASPIRIN

SAFETY SEALED

**PAIN RELIEVER**

**ACETAMINOPHEN**

PAIN RELIEVER/FEVER REDUCER

\*Compare to the Active Ingredient of Regular Strength Tylenol®

325 mg Each

**24 TABLETS**

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Regular Strength Tylenol®.

50844 REV0615D10408

Distributed by:

**SELECT BRAND® DISTRIBUTORS**

Pine Bluff, AR 71603 USA

AC (870) 535-3635

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING**



Select Brand 44-104

<b>PAIN RELIEVER</b>			
acetaminophen tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:15127-072
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
POVIDONE (UNII: FZ989GH94E)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
STARCH, CORN (UNII: O8232NY3SJ)				
<b>Product Characteristics</b>				
Color	WHITE	Score	2 pieces	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	44;104	
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15127-072-08	1 in 1 CARTON	07/13/1990	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:15127-072-24	1 in 1 CARTON	07/13/1990	
2		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part343	07/13/1990		

**Labeler** - L&R Distributors, Inc. (012578514)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(15127-072)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(15127-072)