

**TUSSIN EXPECTORANT- guaifenesin liquid**  
**AptaPharma, Inc.**

-----  
**Drug Facts**

**Active ingredient (in each 5 mL teaspoon)**

Guaifenesin, USP ..... 100 mg

**Purpose**

Expectorant

**Uses**

- Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Warnings**

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product**

- do not use more than directed

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than 6 doses in any 24-hour period.

---

<b>Age</b>	<b>Dose</b>
Adults and children 12 years and over	2-4 teaspoonfuls every 4 hours
Children under 12 years	do not use

---

**Other information**

- each 5 mL contains: sodium 3 mg

- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided
- **Keep carton for full directions for use**

### ***Inactive ingredients***

Caramel, citric acid anhydrous, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

**Questions?** Call weekdays from 9:30AM to 4:30 PM EST at **1-877-798-5944**

### **Package Label**

**AP SAFE**

**NDC 76281-507-24**

**\*COMPARE TO THE ACTIVE  
INGREDIENT IN ROBITUSSIN®  
MUCUS+CHEST CONGESTION.**

**Adult  
Tussin  
Expectorant**

**Guaifenesin  
Oral Solution, USP  
Non-Drowsy**

- **Relieves Chest Congestion**
- **Loosens Mucus**
- **For ages 12 & Over**

4 FL OZ (118 mL)


**DO NOT USE IF PRINTED SEAL UNDER CAP IS  
TORN OR MISSING**

**AP-BX-04**

\*This product is not manufactured or distributed by Pfizer, the distributor of Robitussin® Mucus plus Chest Congestion.

**Manufactured by:  
AplaPharma Inc.,  
1533 Union Ave.  
Pennsauken, NJ 08110**

**Carton**



DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

**Drug Facts**  
**Active ingredient** *Purpose*  
 (in each 5 mL teaspoon) Guaifenesin, USP 100 mg Expectorant

**Uses**  
 ■ Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Warnings**  
 Ask a doctor before use if you have  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product**  
 ■ do not use more than directed

**Stop use and ask a doctor if**  
 ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ do not take more than 6 doses in any 24-hour period.

Age	Dose
Adults and children 12 years and over	2-4 teaspoonfuls every 4 hours
Children under 12 years	do not use

**Other information**  
 ■ each 5 mL contains: sodium 3 mg  
 ■ store between 20-25°C (68-77°F)  
 ■ do not refrigerate  
 ■ dosing cup provided  
 ■ Keep carton for full directions for use

**Drug Facts (continued)**  
**Inactive ingredients**  
 Caramel, citric acid anhydrous, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate  
**Questions?** Call weekdays from 9:30AM to 4:30 PM EST at 1-877-798-5844

\*This product is not manufactured or distributed by Pfizer, the distributor of Robitussin® Mucus plus Chest Congestion.

**Manufactured by:**  
 AptaPharma Inc.,  
 1533 Union Ave.,  
 Pennsauken, NJ 08110



AP-BX-04



DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING.

<b>Drug Facts</b>	
<b>Active ingredient (in each 5 mL tsp)</b>	<b>Purpose</b>
Guaifenesin, USP 100 mg	Expectorant
<b>Uses</b> ■ Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive	
<b>Warnings</b> Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema	
<b>When using this product</b> ■ do not use more than directed	
<b>Stop use and ask a doctor if</b> ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ do not take more than 6 doses in any 24-hour period.	
<b>Age</b>	<b>Dose</b>
Adults and children 12 years and over	2-4 teaspoonfuls every 4 hours
Children under 12 years	do not use
<b>Other information</b> ■ each 5 mL contains: sodium 3 mg ■ store between 20-25°C (68-77°F) ■ do not refrigerate ■ dosing cup provided ■ Keep carton for full directions for use	
<b>Inactive ingredients</b> Caramel, citric acid anhydrous, dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate	
<b>Questions?</b> Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944	

Manufactured by: AptalPharma Inc.,  
 1533 Union Ave. Pennsauken, NJ 08110  
 AP-LR-04

LOT:

EXP:

res

## TUSSIN EXPECTORANT

guaifenesin liquid

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:76281-507

<b>Route of Administration</b>	ORAL
--------------------------------	------

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
<b>CARAMEL</b> (UNII: T9D99G2B1R)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

<b>Product Characteristics</b>			
<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:76281-507-24	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/30/2020	

<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	09/30/2020	

**Labeler** - AptaPharma, Inc. (790523323)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
AptaPharma, Inc.		790523323	manufacture(76281-507)

