

HYDROCORTISONE WITH ALOE- hydrocortisone cream

Taro Pharmaceuticals U.S.A., Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hydrocortisone 1% with Aloe

Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch cream

Uses

- temporary relief of itching associated with minor skin irritations and rashes due to
 - eczema
 - insect bites
 - poison ivy, poison oak, or poison sumac
 - soaps
 - detergents
 - cosmetics
 - jewelry
 - seborrheic dermatitis
 - psoriasis
 - external genital and anal itching
- other uses of this product should be only under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- in the eyes
- by putting this product into the rectum by using fingers or any mechanical device or applicator

Ask a doctor before use if you have

- a vaginal discharge
- rectal bleeding
- diaper rash

When using this product consult a doctor before exceeding recommended dosage

Stop use and ask a doctor if

- condition gets worse
- condition persists for more than 7 days
- condition clears up and occurs again within a few days. Do not begin to use any other

hydrocortisone product unless you have consulted a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older:

- apply to affected area not more than 3 to 4 times daily

Children under 2 years of age: do not use. consult a doctor

For external anal itching:

- Adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product

Children under 12 years of age: consult a doctor

Other information

- To open: unscrew cap, pull tab to remove foil seal, and screw cap back onto tube
- store at room temperature
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

aloe barbadensis, cetearyl alcohol/sodium lauryl sulfate/sodium cetearyl sulfate, citric acid, glycerin, glyceryl stearate, methylparaben, mineral oil, paraffin, propylparaben, purified water, stearyl alcohol

Questions?

Call 1-866-923-4914

Distributed by:

Taro Pharmaceuticals U.S.A., Inc.

Hawthorne, NY 10532

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

Itch and Rash Relief

MAXIMUM STRENGTH

Hydrocortisone 1%

Cream

Antipruritic (Anti-Itch)

With Aloe

NET WT 1 oz (28.4 g)

Compare to the active ingredient in Cortizone-10®*

MAXIMUM STRENGTH

Hydrocortisone 1% Cream

Antipruritic (Anti-Itch)

Itch and Rash Relief



Maximum Strength Relief of Itches and Rashes Due To:

- Eczema • Psoriasis • Seborrheic Dermatitis • Poison Ivy, Oak, and Sumac
- Insect Bites • External Genital and Anal Itching • Soaps • Detergents
- Cosmetics • Jewelry

LPK-3164-4
0708-4
M232

T 28

Itch and Rash Relief

Hydrocortisone 1% Cream

Antipruritic (Anti-Itch)

MAXIMUM STRENGTH



NET WT 1 oz (28.4 g)

Itch and Rash Relief
Hydrocortisone 1% Cream
Antipruritic (Anti-Itch)
NET WT 1 oz (28.4 g)

Drug Facts (continued)

Other information

- To open unscrew cap, pull tab to remove foil seal, and screw cap back onto tube
- Store at room temperature • see carton or tube crimp for lot number and expiration date

Inactive ingredients aloe barbadensis, cetylalcohol, sodium lauryl sulfate, stearyl alcohol, stearate, methylparaben, mineral oil, paraffin, propylparaben, purified water, stearyl alcohol

Questions? Call 1-866-923-4914

Drug Facts

Active ingredient Hydrocortisone 1%
Purpose Antipruritic (Anti-Itch) cream

Uses
Temporary relief of itching associated with minor skin irritations and rashes due to:
• eczema • insect bites • poison ivy, poison oak, or poison sumac • soaps • detergents • cosmetics
• jewelry • seborrheic dermatitis • psoriasis • external genital and anal itching
• other uses of this product should be only under the advice and supervision of a doctor

Warnings
For external use only
Do not use
• in the eyes
• by putting this product into the rectum by using fingers or any mechanical device or applicator
Ask a doctor or pharmacist if you have
• a vaginal discharge • rectal bleeding • diarrhea
When using this product do not use a doctor before exceeding recommended dosage
Stop use and ask a doctor if
• condition gets worse • condition persists for more than 7 days
• condition clears up and occurs again within a few days. Do not begin to use any other hydrocortisone product
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 2 years of age and older:
• apply to affected area not more than 3 to 4 times daily
• Children under 2 years of age: do not use; consult a doctor
For external use only:
• Adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly
• Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product
Children under 12 years of age: consult a doctor

How to use
Apply to affected area not more than 3 to 4 times daily.
Children under 2 years of age: do not use; consult a doctor.

Other information
• To open unscrew cap, pull tab to remove foil seal, and screw cap back onto tube
• Store at room temperature • see carton or tube crimp for lot number and expiration date

Inactive ingredients aloe barbadensis, cetylalcohol, sodium lauryl sulfate, stearyl alcohol, stearate, methylparaben, mineral oil, paraffin, propylparaben, purified water, stearyl alcohol

Questions? Call 1-866-923-4914

MAXIMUM STRENGTH
Antipruritic (Anti-Itch)
Itch and Rash Relief

TARO

Distributed by:
Taro Pharmaceuticals, Inc.
U.S.A., Inc.
Hawthorne, NY 10532

Made in Canada

This product is not mentholated or medicated.

© 2010 Taro Pharmaceuticals, Inc.

HYDROCORTISONE WITH ALOE

hydrocortisone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51672-2013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hydrocortisone (UNII: W14X0X7BPJ) (Hydrocortisone - UNII:W14X0X7BPJ)	Hydrocortisone	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
SODIUM CETOSTEARYL SULFATE (UNII: 7ZBS06BH4B)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
STEARYL ALCOHOL (UNII: 2KR89I4HIY)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51672-2013-1	1 in 1 CARTON	08/23/1995	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:51672-2013-2	1 in 1 CARTON	08/23/1995	
2		28.4 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:51672-2013-3	1 in 1 CARTON	07/17/2020	
3		60 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/23/1995	

Labeler - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(51672-2013)