

UNBLEMISH CONTROL BROAD SPECTRUM SPF 20- titanium dioxide, zinc oxide lotion
Rodan & Fields

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Titanium Dioxide 0.7%

Zinc Oxide 4.75%

Purpose

Sunscreen

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply a generous amount evenly over the entire face every morning
- Apply liberally 15 minutes before sun exposure
- Reapply every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water/Aqua/Eau, Cyclopentasiloxane, Isododecane, Pentylene Glycol, Cetearyl Alcohol, Polysilicone-11, Butylene Glycol, PEG-10 Dimethicone, Dimethicone, Azelaic Acid, Tetrahexyldecyl Ascorbate, Tocopherol, Boerhavia Diffusa Root Extract, Atelocollagen, Nordihydroguaiaretic Acid, Oleanolic Acid, Lecithin, Tropolone, PEG-60 Almond Glycerides, Glycerin, Cholesterol, Squalane, Glyceryl Stearate, PEG-100 Stearate, Stearic Acid, Xanthan Gum, Polysorbate 60, Dimethiconol, Ceteth-10 Phosphate, Dicaprylyl Phosphate, Hexyl Laurate, Polyglyceryl-4 Isostearate, Sorbitan Isostearate, Alumina, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Carbomer, Sodium Metabisulfite, Sodium Chondroitin Sulfate, Citric Acid, Sodium Citrate, Disodium EDTA, Fragrance/Parfum, 1,2-Hexanediol, Caprylyl Glycol, Potassium Sorbate, Sodium Benzoate, Chlorphenesin, Methylisothiazolinone, Phenoxyethanol, Citronellol, Geraniol, Limonene, Linalool.

Principal Display Panel - UNBLEMISH Oil Control Lotion Tube Label


RODAN+FIELDS®

UNBLEMISH

4

Oil Control
Lotion

**BROAD SPECTRUM SPF 20
SUNSCREEN**



Principal Display Panel - UNBLEMISH Oil Control Lotion Carton Label

RODAN+FIELDS®
UNBLEMISH

4

Oil Control
Lotion

BROAD SPECTRUM SPF 20

RODAN+FIELDS®

30 mL/1 Fl. Oz.

USES: Helps prevent sunburn.

DIRECTIONS: Apply a generous dime-sized amount evenly over the entire face every morning, 15 minutes before sun exposure, as the final step in the Regimen. Reapply every 2 hours when exposed to the sun. Avoid the eye area.

ACTIVE INGREDIENTS: Titanium Dioxide 0.7%, Zinc Oxide 4.75% - Sunscreens

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Manufactured for Rodan & Fields, LLC
San Francisco, CA 94105
Made in USA UNSS030 85-07-0015
Please Recycle
visit rodanandfields.com

QUESTIONS OR COMMENTS
1-888-995-5656

30 mL/1 Fl.Oz.

life-changing
SKINCARE™

RODAN+FIELDS
UNBLEMISH
4 Oil Control
Lotion

BROAD SPECTRUM SPF 20

RODAN+FIELDS™

30 mL / 1 Fl. Oz.

Step 4 in the **UNBLEMISH** Regimen for Acne, Blemishes and Breakouts. Oil Control Lotion is a mattifying, non-comedogenic sunscreen designed specifically for acne-prone skin. This lightweight formula reduces the appearance of oily skin as it defends against UVA/UVB rays that intensify the appearance of acne marks and uneven skin tone. Vitamin C brightens skin for a smoother, healthier-looking complexion. For best results, use as part of the complete **UNBLEMISH** Regimen.

Developed by Stanford-trained dermatologists Dr. Katie Rodan and Dr. Katie Fields.

[visit rodanandfields.com](http://visitrodanandfields.com)

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 0.7%	Sunscreen
Zinc Oxide 4.75%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply a generous amount evenly over the entire face every morning
- Apply liberally 15 minutes before sun exposure
- Reapply every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or

Drug Facts (continued)

higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.–2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water/Aqua/Eau, Cyclopentasiloxane, Isododecane, Pentylene Glycol, Cetearyl Alcohol, Polysilicone-11, Butylene Glycol, PEG-10 Dimethicone, Dimethicone, Azelaic Acid, Tetrahexyldecyl Ascorbate, Tocopherol, Boerhavia Diffusa Root Extract, Atelocollagen, Nordihydroguaiaretic Acid, Oleic Acid, Lecithin, Tropolone, PEG-60 Almond Glycerides, Glycerin, Cholesterol, Squalane, Glyceryl Stearate, PEG-100 Stearate, Stearic Acid, Xanthan Gum, Polysorbate 60, Dimethiconol, Ceteth-10 Phosphate, Dicaprylyl Phosphate, Hexyl Laurate, Polyglyceryl-4 Isostearate, Sorbitan Isostearate, Alumina, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Carbomer, Sodium Metabisulfite, Sodium Chondroitin Sulfate, Citric Acid, Sodium Citrate, Disodium EDTA, Fragrance/Parfum, 1,2-Hexanediol, Caprylyl Glycol, Potassium Sorbate, Sodium Benzoate, Chlorophenesin, Methylisothiazolinone, Phenoxyethanol, Citronellol, Geraniol, Limonene, Linalool.

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
UNSS030 8000-07-0015-0A
(6000-07-2097)
Please Recycle

QUESTIONS 1-888-995-5656



1.0

UNBLEMISH CONTROL BROAD SPECTRUM SPF 20

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2060
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.7 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.75 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Cyclomethicone 5 (UNII: 0THT5PCI0R)	
Isododecane (UNII: A8289P68Y2)	
Pentylene Glycol (UNII: 50C1307PZG)	
Cetostearyl Alcohol (UNII: 2DMT128M1S)	
Dimethicone/Vinyl Dimethicone Crosspolymer (Soft Particle) (UNII: 9E4CO0W6C5)	
Butylene Glycol (UNII: 3XUS85K0RA)	
PEG-10 Dimethicone (600 CST) (UNII: 8PR7V1SVM0)	
Dimethicone (UNII: 92RU3N3Y1O)	
Azelaic Acid (UNII: F2VW3D43YT)	
Tetrahexyldecyl Ascorbate (UNII: 9LBV3F07AZ)	
Tocopherol (UNII: R0ZB2556P8)	
Boerhavia Diffusa Root (UNII: KR0SR09KYL)	
Marine Collagen, Soluble (UNII: 8JC99XGU4W)	
Nordihydroguaiaretic Acid, (+/-)- (UNII: 7PZ73W4ZNR)	
Oleanolic Acid (UNII: 6SMK8R7TGJ)	
Lecithin, Soybean (UNII: 1DI56QDM62)	
Tropolone (UNII: 7L6DL16P1T)	
PEG-60 Almond Glycerides (UNII: 4Y0E651N0F)	
Glycerin (UNII: PDC6A3C0OX)	
Cholesterol (UNII: 97C5T2UQ7J)	
Squalane (UNII: GW89575KF9)	
Glyceryl Monostearate (UNII: 230OU9XXE4)	
PEG-100 Stearate (UNII: YD01N1999R)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Xanthan Gum (UNII: TTV12P4NEE)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Dimethiconol (40 CST) (UNII: 343C7U75XW)	
Ceteth-10 Phosphate (UNII: 4E05O5N49G)	
Dihexadecyl Phosphate (UNII: 2V6E5WN99N)	
Hexyl Laurate (UNII: 4CG9F9W01Q)	

Polyglyceryl-4 Isostearate (UNII: 820DPX33S7)
Sorbitan Isostearate (UNII: 01S2G2C1E4)
Aluminum Oxide (UNII: LM26O6933)
Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (100000 MPA.S At 1.5%) (UNII: 86FQE96TZ4)
Carboxypolymethylene (UNII: 0A5MM307FC)
Sodium Metabisulfite (UNII: 4VON5FNS3C)
Sodium Chondroitin Sulfate (Porcine; 5500 MW) (UNII: H5BJH23Z9A)
Citric Acid Monohydrate (UNII: 2968PHW8QP)
Sodium Citrate (UNII: 1Q73Q2JULR)
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)
1,2-Hexanediol (UNII: TR046Y3K1G)
Caprylyl Glycol (UNII: 00YIU5438U)
Potassium Sorbate (UNII: 1VPU26JZZ4)
Sodium Benzoate (UNII: OJ245FE5EU)
Chlorphenesin (UNII: I670DAL4SZ)
Methylisothiazolinone (UNII: 229D0E1QFA)
Phenoxyethanol (UNII: HIE492ZZ3T)
.Beta.-Citronellol, (R)- (UNII: P01OUT964K)
Geraniol (UNII: L837108USY)
Limonene, (+)- (UNII: GFD7C86Q1W)
Linalool, (+/-)- (UNII: D81QY6I88E)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2060-1	1 in 1 BOX	10/06/2017	
1	NDC:14222-2060-0	30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/06/2017	

Labeler - Rodan & Fields (051659584)

Establishment			
Name	Address	ID/FEI	Business Operations
Apex		079110793	MANUFACTURE(14222-2060)

Establishment			
Name	Address	ID/FEI	Business Operations
Bentley Labs		068351753	MANUFACTURE(14222-2060)

Establishment			
Name	Address	ID/FEI	Business Operations
DHL		080516357	MANUFACTURE(14222-2060)

