CAREALL TOLNAFTATE- tolnaftate cream New World Imports, Inc

Drug Facts

Tolnaftate 1%

Antifungal

Keep out of reach of children. If Swallowed, get medical help or contact a Poison Control center right away.

- Proven clinically effective in the treatment of athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis)
- For effective relief of itching, burning and cracking

For external use only

When using this product avoid contact with the eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot or ring worm) or 2 weeks (for jock itch).

Do not use on children under 2 years of age unless directed by a doctor

- Wash affected area and dry thoroughly
- Apply a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- Supervise children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shows and change shoes and socks at least once daily
- For athlete's foot and ringworm use daily for 4 weeks, for jock itch use daily for 2 weeks.
- If condition persists longer consult a doctor
- This product is not effective on scalp or nails

Ceteth 20, Cetyl Alcohol, Methylparaben, Mineral Oil, Propylene Glycol, Propylparaben, Sorbitan Monostearate, Steryl Alcohol, Purified Water



jock itch, and ringworm

Tolnaftate Cream

TOLNAFTATE CREAM USP. 1%

Dye-free Phthalate-free Fragrance-free



TOLNAFTATE CREAM USP, 1%

COMPARE TO ACTIVE INGREDIENT IN TINACTIN®*

NET WT. 0.5 OZ (14g)

Tolnaftate Cream

Tolnaftate Cream USP, 1%



Distributed by: CareAll Products, 160 Athens Way, Nashville, TN 37228 www.careallproducts.com *This product is not manufactured or distributed by Bayer, owner of the registered trademark Tinactin®.

Monostearate, Stearyl Alcohol, Purified Water

Inactive Ingredients Ceteth 20, Cetyl Alcohol, Methylparaben, Mineral Oil, Propylene Glycol, Propylparaben, Sorbitan

Ofher intormation ■ store between 15° to 30°C (59° to 86°F) ■ Lot No. & Exp. Date: See box or crimp of tube.

for jock itch use daily for 2 weeks 🔳 If condition persists longer consult a doctor 🔳 this product is not effective on the scalp or nails. wear well-fitting, ventilated shoes and change shoes and socks at least once daily 🔳 for athlete's foot and ringworm use daily for 4 weeks, directed by a doctor 🔳 supervise children in the use of this product 🔳 for athlete's foot, pay special attention to spaces between the toes, DIRECTIONS - wash affected area and dry thoroughly - apply a thin layer over affected area twice daily (morning and night) or as

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Do not use on children under 2 years of age unless directed by a doctor

weeks (tor jock itch)

Stop use and ask a doctor if Initiation occurs Inhere is no improvement within 4 weeks (for athlete's foot or ringworm) or 2

When using this product avoid contact with eyes

For external use only. **Marnings**

corporis)
for effective relief of itching, burning and cracking

USES

proven clinically effective in the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea

lsgnutitnA Purpose

Tolnaftate 1%

Active Ingredient

Drug Facts

CAREALL TOLNAFTATE

tolnaftate cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51824-001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|--------------------------|----------|
|-----------------|--------------------------|----------|

Tolnaftate (UNII: 06KB629TKV) (Tolnaftate - UNII:06KB629TKV)

Tolnaftate

Tolnaftate

10 mg in 1 g

Inactive Ingredients

| 9 - 1 - 1 | |
|---|----------|
| Ingredient Name | Strength |
| Propylene Glycol (UNII: 6DC9Q167V3) | |
| Mineral Oil (UNII: T5L8T28FGP) | |
| Stearyl Alcohol (UNII: 2KR89I4H1Y) | |
| Cetyl Alcohol (UNII: 936JST6JCN) | |
| Sorbitan Monostearate (UNII: NVZ 4I0H58X) | |
| Ceteth-20 (UNII: I835H2IHHX) | |
| Water (UNII: 059QF0KO0R) | |
| Methylparaben (UNII: A218C7H19T) | |
| Propylparaben (UNII: 78IX2SC10H) | |

Product Characteristics

| Color | white | Score | |
|--------|-------|--------------|--|
| Shape | | Size | |
| Flavor | | Imprint Code | |
| | | | |

Contains

Packaging

| н | | | | | |
|---|---|----------------------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | | | 14 g in 1 TUBE; Type 0: Not a Combination Product | 06/01/2012 | |
| | 2 | NDC:51824-001- 01 | 28 g in 1 TUBE; Type 0: Not a Combination Product | 06/15/2018 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|---|-------------------------|-----------------------|
| OTC Monograph Drug | M005 | 06/01/2012 | |
| | | | |

Labeler - New World Imports, Inc (075372276)

Revised: 1/2024 New World Imports, Inc