# BETR COLD AND FLU DAYTIME RELIEF- acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride tablet, film coated Live Betr LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Live Betr LLC Cold & Flu Daytime Relief Drug Facts

#### Active ingredients (in each caplet)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Guaifenesin 200 mg
Phenylephrine HCl 5 mg

#### **Purpose**

Pain reliever/fever reducer
Cough suppressant
Expectorant
Nasal decongestant

#### Uses

- temporarily relieves common cold/flu symptoms:
- nasal congestion
- sinus congestion and pressure
- cough due to minor throat and bronchial irritation
- minor aches and pains
- headache
- fever
- sore throat
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

#### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

#### Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

### Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product do not use more than directed

#### Stop use and ask a doctor if

• you get nervous, dizzy or sleepless

- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- take only as directed see overdose warning
- do not exceed 8 caplets per 24 hrs

adults & children 12 yrs & over	2 caplets with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

#### Other information

- each caplet contains: sodium 3 mg
- store at 20-25°C (68-77°F)

### **Inactive ingredients**

croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, flavor, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylene glycol, silicon dioxide, stearic acid, sucralose, talc, titanium dioxide

#### Questions or comments?

1-800-719-9260

#### Package/Label Principal Display Panel

Get Betr, Give Back.

Betr™

cold & flu daytime relief

ACETAMINOPHEN, PHENYLEPHRINE HCI,

DEXTROMETHORPHAN HBr, GUAIFENESIN, CAPLETS

Pain Reliever | Fever Reducer | Nasal Decongestant

Cough Suppressant | Expectorant | Non-Drowsy

- Relief Of; Minor Aches & Pains; Fever; Nasal Congestion & Sinus Pressure; Cough; Chest Congestion

**Actual Size** 

24 CAPLETS



#### DO NOTUSE IF BLISTER UNIT IS BROKEN ORTORN

Distributed by Betr Remedies, LLC 730 Arizona Ave Santa Monica, CA 90401 www.betrremedies.com







&etr, Give

## cold & flu aytime relief

ACETAMINOPHEN, PHENYLEPHRINE HCI, DEXTROMETHORPHAN HBr, GUAIFENESIN, CAPLETS

Pain Reliever | Fever Reducer | Nasal Decongestant Cough Suppressant | Expectorant | Non-Drowsy

Relief Of: Minor Aches & Pains; Fever, Nasal Congestion & Sinus Pressure; Cough; Chest Congestion

Actual Size

24 CAPLETS

Drug Facts

Active ingredients (in each caplet) Pur po se Acetaminophen 325 mg ain reliever/fever reducer .Cough suppressant Dextromethorphan HBr 10 mg., Phenylephrine HCl 5 mg. ..Nasal decongestant

Uses ■ temporarity relieves common cold/fillusymptoms: ■ nasal congestion ■ sinus congestion and pressure ■ cough due to minor threat and bronchial initiation ■ minor aches and pains ■ headache ■ fever ■ sore firm of ■ reduces swelling of nasal passages ■ temporarily restores free fire of thing through the nose ■ promotes nasal and/or sinus drainage ■ helps bosen phiegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bother some mucus and make coughs more productive

Uner warming: This product contains ace taminophen. Severe liver damage may occur if you take

more than 4,000 mg of acetaminophen in 24 hours

■ with other drugs containing acetaminophen

■ with offer drugs containing acetominophen

With a more alcoholic drinks every day while using this product

Allergy alert: Acetominophen may cause seveneskin reactions. Symptoms may include:

■ skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.


Do not use \( \begin{align\*} \text{with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. \( \begin{align\*} \begin{alig ever had an allergic reaction to this product or any of its ingredients

You made some on eb day today.

14 B hactive ingredients cosarmellos sodum, crospovidore, FD& Cyslow #6 duminum blos favor, matodestri, microrogst dine celubes, polyethyleneglycol, polyeiny doohol povidore, pregebitine ed starch, propyleneglycol, silcondicate, steric actions, bit, itenium doolde ■exchequetrontais:sodum3mg ■streat2025€

Drug Facts (co min ued Other information

Questi ans or ao mme nts?1-800-719-9260



#### BETR COLD AND FLU DAYTIME RELIEF

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80267-350
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPOVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

SUCRALOSE (UNII: 96K6UQ3ZD4)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics				
Color	ORANGE	Score	no score	
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	L35C	
Contains				

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80267-350- 62	12 in 1 CARTON	10/18/2021	
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/18/2021	

## Labeler - Live Betr LLC (117423281)

Revised: 8/2022 Live Betr LLC