

ALLERGY RELIEF- fexofenadine hydrochloride tablet
TOPCO ASSOCIATES LLC

1191A-TCR-2022-1118

Drug Facts

Active ingredient (in each tablet)

Fexofenadine HCl 60 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children	take one 60 mg tablet with water every 12
---------------------	---

12 years of age and over	hours; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- store between 20-25°C (68-77°F)
- protect from excessive moisture
- retain carton for complete product information and warnings

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, macrogol, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium dioxide

PRINCIPAL DISPLAY PANEL

TopCare® health

NDC 36800-761-02

COMPARE TO ALLEGRA® ALLERGY 12 HOUR ACTIVE INGREDIENT*

NON-DROWSY

Allergy Relief

FEXOFENADINE HYDROCHLORIDE TABLETS,

60 mg (ANTIHISTAMINE)

INDOOR/OUTDOOR ALLERGY RELIEF

12HR

- Sneezing • Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat

12 TABLETS

actual size



NON-DROWSY

Allergy Relief

FEXOFENADINE HYDROCHLORIDE TABLETS,
60 mg (ANTIHISTAMINE)



✓ **QUALITY GUARANTEED**

DO NOT USE IF BLISTER UNITS ARE TORN OR BROKEN

This product is not manufactured or distributed by Chatham, Inc., distributor of Allegra® Allergy 12 Hour.

DISTRIBUTED BY
TOPPO ASSOCIATES LLC,
BK GROVE VILLAGE IL 60007
©TOPPO APP0021
QUESTIONS? 1-888-423-0139
topcare@toppo.com
www.topcarehand.com

Scan here for more information or call 1-888-423-0139

Drug Facts (continued)	
Directions	adults and children take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours
Warnings	Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose. When using this product ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions)
Uses	temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ itchy, watery eyes ■ runny nose ■ sneezing ■ itching of the nose or throat
Active Ingredient (in each tablet)	Fexofenadine HCl 60 mg.....Antihistamine
Other information	■ store between 20-25°C (68-77°F) ■ protect from excessive moisture ■ retain carton for complete product information and warnings
Inactive ingredients	colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium dioxide

Drug Facts


Active Ingredient (in each tablet)
Fexofenadine HCl 60 mg.....Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ itchy, watery eyes
■ runny nose
■ sneezing
■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
When using this product
■ do not take more than directed
■ do not take at the same time as aluminum or magnesium antacids
■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).



FT191A02TGR_R0



NON-DROWSY

Allergy Relief

FEXOFENADINE HYDROCHLORIDE TABLETS,
60 mg (ANTIHISTAMINE)



NDC 36800-761-02



NON-DROWSY

Allergy Relief

FEXOFENADINE HYDROCHLORIDE TABLETS,
60 mg (ANTIHISTAMINE)



INDOOR/OUTDOOR ALLERGY RELIEF

- Sneezing • Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat

COMPARE TO ALLEGRA® ALLERGY 12 HOUR ACTIVE INGREDIENT*

12 TABLETS



actual size

NC

NC

NC

ALLERGY RELIEF

fexofenadine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-761
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	60 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYPROMELLOSE 2910 (15 MPA.S) (UNII: 36SFW2JZ0W)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange ((PEACH))	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	G5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-761-02	1 in 1 PACKAGE	09/30/2021	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
ANDA	ANDA211075	09/30/2021	

Labeler - TOPCO ASSOCIATES LLC (006935977)

Revised: 11/2022

TOPCO ASSOCIATES LLC