STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 14 days

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains:sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

ammonium hydroxide, anhydrous citric, D&C red #33, ethyl alcohol, FD&C blue #1* FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mineral oil, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call **1--888-287-1915**

Principal Display Panel

Compare to Colace® Regular Strength Stool Softener active ingredient†

Stool Softener

Docusate Sodium, 100 mg

Stool Softener Laxative

- Gentle
- Dependable
- Stimulant-free

SOFTGELS


**This product is not manufactured or distributed by Avrio HealthL.P., distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: Walmart Inc.,

Bentonville, AR 72716

Product Label



Questions or comments? Call 1-888-287-1915	Inactive ingredients ammonium hydroxia anhydrous ciric acid, D&C Red #33, ethyl alcohol, FD&C blue #1, FD&C red #40, FD&C yellow # 6, gelatin, glycerin, isopropyl alcohol, lecithin, minera oli, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbita sorbitol, titanium dioxide	Other information ■ each softgel contains: sodium 5 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)	children under 2 years	children 2 to under 12 years of age	adults and children 12 years and over	Directions ■ take only by mouth. Doses may be taken as a single daily dose or in divided doses.	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of o get medical help or contact a Poison Control (1-800-222-1222) right away.	you need to use a laxative for more than	 Stop use and ask a doctor if you have rectal bleeding or fail to have a bowe movement after use of a laxative. These could 	Drug Facts (continued)
ments?	Inactive ingredients ammonium hydroxide, anhydrous citric acid, D&C Red #33, ethyl alcohol, FD&C blue #1, FD&C red #40, FD&C yellow # 6, gelatin, glycerin, isopropyl alcohol, lecithin, mineral oli, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide	ss: sodium 5 mg xcursions permitted 86°F)	ask a doctor	take 1 softgel daily	take 1-3 softgels daily	take only by mouth. Doses may gle daily dose or in divided doses.	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	ition. ive for more than 1 week	op use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be	ued)

EQUATE Stool Softener

STOOL SOFTENER LA	XATIVE				
docusate sodium capsule, liqu	uid filled				
Product Information					
Product Type	HUMAN OTC DRUG	ltem Code (So	urce)	NDC:490	35-526
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingre	edient Name		Basis of St	rength	Strength
DOCUSATE SODIUM (UNII: F05Q2	DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) DOCUSATE SODIUM				100 mg
Inactive Ingredients					
Ingredient Name					trength
D&C RED NO. 33 (UNII: 9DBA0SBE	30L)				_
FD&C BLUE NO. 1 (UNII: H3R47K3	TBD)				
FD&C RED NO. 40 (UNII: WZ B912	7XOA)				
FD&C YELLOW NO. 6 (UNII: H77V	EI93A8)				
GELATIN (UNII: 2G86QN327L)					
GLYCERIN (UNII: PDC6A3C0OX)					
POLYETHYLENE GLYCOL, UNSPE	CIFIED (UNII: 3WJQ0SDW1	۹)			
PROPYLENE GLYCOL (UNII: 6DC90	Q167V3)				

WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6092ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
AMMONIA (UNII: 5138Q19F1X)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MINERAL OIL (UNII: T5L8T28FGP)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
ALCOHOL (UNII: 3K9958V90M)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	

Product Characteristics

Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	PC18
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035- 526-60	60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2021	
2	NDC:49035- 526-40	400 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2021	
3	NDC:49035- 526-14	140 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2021	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M007	01/31/2021	

Labeler - EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC) (051957769)

Revised: 3/2024

EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)