

HYDROGEN PEROXIDE- hydrogen peroxide solution

7-Eleven, Inc.

Hydrogen Peroxide 3%

Drug Facts

Active Ingredient

Hydrogen Peroxide (stabilized) 3%

Purpose

First Aid Antiseptic/Oral Debriding Agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Oral Debriding Agent (oral rinse):

Adults and children 2 years of

First Aid Antiseptic

- clean the affected area
- apply a small amount of product on the area 1 to 3 times a day
- may be covered with a sterile bandage
- if bandaged, let dry first

age & over:

- mix with an equal amount of water
- swish around in the mouth over the affected area for at least 1 minute and then spit out
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

-
- children under 12 years of age should be supervised in the use of this product
 - children under 2 years of age: consult a dentist or doctor

Other Information

- Keep tightly closed in a cool dark place
- Do not shake bottle
- Hold away from face when opening

Inactive Ingredient

Purified Water

PRINCIPAL DISPLAY PANEL

Hydrogen Peroxide

3% USP topical solution

first aid antiseptic oral debriding agent

Tamper evident cap for your protection. If ring-band is detached from cap or missing do not use.

4 FL. OZ. (118 mL)



Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide (stabilized) 3% ...	First aid antiseptic; Oral debriding agent
Uses • first aid to help prevent the risk of infection in minor cuts, scrapes and burns • aids in the removal of plaque, mucus, or other secretions associated with sore throat	
Warnings For external use only	
Do not use • in the eyes or apply over large areas of the body • longer than 1 week	
Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns	
Stop use and ask a doctor if • the condition persists or gets worse	
• sore mouth symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
First aid antiseptic: • clean the affected area • apply a small amount of product on the area 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first	Oral debriding agent (oral rinse): adults and children 2 years of age and over: • mix with an equal amount of water • swish around in the mouth over the affected area for at least 1 minute and then spit out. • use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor • children under 12 years of age should be supervised in the use of this product • children under 2 years of age: consult a dentist or doctor
Other information Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.	
Inactive ingredient purified water	

DISTRIBUTED BY 7-ELEVEN, INC., 1722 SOUTH STREET, SUITE 1000 DALLAS, TX 75201
WWW.7-ELEVEN.COM Seraphette Guaranteed 1.800.255.0711

HYDROGEN PEROXIDE

hydrogen peroxide solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10202-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10202-001-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	02/23/2011	

Labeler - 7-Eleven, Inc. (007347602)

Revised: 11/2023

7-Eleven, Inc.