

TUSNEL SF- dextromethorphan hbr, guaifenesin liquid
Llorens Pharmaceutical International Division, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

In each 5 mL

Dextromethorphan HBr - 10 mg

Guaifenesin - 100 mg

Cough Suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before us if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions: Do not exceed more than 6 doses in any 24-hour period.

Age	Dose
Adults and children 12 years and over	2 teaspoonfuls (10 mL) every 4 hours
Children under 12 years	Ask a doctor

Inactive ingredients anhydrous citric acid, avor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate dihydrate, and sucralose.

Questions or comments? 1-866-595-5598

Drug Facts

Active ingredient (in each 5 mL)
 Dextromethorphan HBr, USP 10 mg.....Cough Suppressant
 Guaifenesin, USP 100 mg.....Expectorant

Uses • temporarily relieves cough due to minor throat and bronchial irritations as may occur with a cold • helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have •cough that occurs with too much phlegm (mucus) •cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Manufactured by:
LLORENS
 PHARMACEUTICAL
 INTERNATIONAL DIVISION
 MIAMI, FL 33147
 www.Llorenspharm.com
 MADE IN USA



NDC 54859-506-04

TUSNEL® - SF

• NO SUGAR • NO SACCHARINE
 • NO ALCOHOL • NO DYE
**Cough Suppressant/
 Expectorant**

**APPLE BANANA**

www.llorenspharm.com

4 FL OZ (118 ML)**Drug Facts (Continued)**

Directions: Do not exceed more than 6 doses in any 24-hour period.

Age	Dose
Adults and children 12 years and over	2 teaspoonfuls (10 mL) every 4 hours
Children under 12 years	Ask a doctor

Other information: • store at controlled room temperature 15-30°C (59-86°F) • Do not use if foil over bottle opening is torn, broken, or missing.

Inactive ingredients anhydrous citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate dihydrate, and sucralose.

Questions or comments? 1-866-595-5598

Code: L-122 Rev. 09/18

Lot No.:

Exp. Date:

TUSNEL SF

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54859-506
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54859-506-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/01/2019	

Labeler - Llorens Pharmaceutical International Division, Inc. (037342305)

Registrant - Llorens Pharmaceutical International Division, Inc. (037342305)

Revised: 6/2019

Llorens Pharmaceutical International Division, Inc.