#### CLARITIN-D 12 HOUR- loratadine and pseudoephedrine sulfate tablet, extended release REMEDYREPACK INC.

\_\_\_\_\_

Claritin-D<sup>®</sup>

#### 12 Hour

#### **Drug Facts**

Active ingredient (in each tablet)	Purpose
Loratadine 5 mg	Antihistamine
Pseudoephedrine sulfate 120 mg	Nasal decongestant

#### Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - itchy, watery eyes
  - runny nose
  - itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

#### Warnings

#### Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

#### When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

#### Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

• do not divide, crush, chew or dissolve the tablet

	1 tablet every 12 hours; not more than 2 tablets in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

#### Other information

- each tablet contains: calcium 30 mg
- safety sealed: do not use if the individual blister unit imprinted with Claritin-D  $^{\ensuremath{\mathbb{R}}}$  12 Hour is open or torn
- store between 20° to 25°C (68° to 77°F)
- keep in a dry place

#### Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium sterarate, pharmaceutical ink, povidone, titanium dioxide

#### **Questions or comments?**

#### 1-800-CLARITIN (1-800-252-7484) or www.claritin.com

DRUG: Claritin-D12 Hour 12 Hour GENERIC: Loratadine and pseudoephedrine sulfate DOSAGE: TABLET, EXTENDED RELEASE ADMINSTRATION: ORAL NDC: 70518-3566-0

COLOR: white

SHAPE: OVAL

SCORE: No score

SIZE: 12 mm

IMPRINT: Claritin;D;12

PACKAGING: 10 in 1 BLISTER PACK

OUTER PACKAGING: 2 in 1 CARTON

ACTIVE INGREDIENT(S):

- PSEUDOEPHEDRINE SULFATE 120mg in 1
- LORATADINE 5mg in 1

INACTIVE INGREDIENT(S):

- CROSCARMELLOSE SODIUM
- CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS
- HYPROMELLOSES
- LACTOSE MONOHYDRATE
- MAGNESIUM STEARATE
- POVIDONE
- TITANIUM DIOXIDE

# Claritin-D

Pseudoephedrine / Loratadine Extended - Release

120mg / 5 mg

Tablet QTY: 20 Tablets



NOT FOR RETAIL SALE
NDC #: 70518-3566-00
Expires:
LOT #:

Source NDC: 11523-7162-02



MFG: Bayer Healthcare, Whippany, NJ 07981 Keep this and all medication out of the reach of children

Directions For Use: See Package Insert Store at 20-25°C (68-77°F); excursions permitted to 15-30°C (59-86°F) [See USP]

Repackaged by: RemedyRepack Inc., Indiana, PA 15701, 724.465.8762

### **CLARITIN-D 12 HOUR**

loratadine and pseudoephedrine sulfate tablet, extended release

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70518-3566(NDC:12	1523-7162)
Route of Administration	ORAL			
Active Ingredient/Active	моюту			
Ingre	edient Name		<b>Basis of Strength</b>	Strength
LORATADINE (UNII: 7AJO3BO7QN)	(LORATADINE - UNII:7	AJO3BO7QN)	LORATADINE	5 mg

	Ingredient Nam	е		Strength	
CROSCARMELLO	SE SODIUM (UNII: M280L1HH48)	-		<b>_</b>	
	HATE, DIBASIC, ANHYDROUS (UNII: L11	.K75P92J)			
HYPROMELLOSE	<b>S</b> (UNII: 3NXW29V3WO)				
ACTOSE MONO	HYDRATE (UNII: EWQ57Q8I5X)				
MAGNESIUM STE	<b>ARATE</b> (UNII: 70097M6I30)				
POVIDONE (UNII:	FZ 989GH94E)				
ITANIUM DIOXI	DE (UNII: 15FIX9V2JP)				
Product Cha					
Color	white (white to off-white)	Sco	re	no score	
Shape	OVAL	Size	9	12mm	
		Imp	rint Code	Claritin;D;12	
Flavor Contains		Imp	rint Code	Claritin;D;12	
		Imp	rint Code	Claritin;D;12	
Contains		Imp	rint Code	Claritin;D;12	
Contains Packaging		Imp			
Contains Packaging	Package Description	Imp	rint Code Marketing Start Date	Claritin;D;12 Marketing End	
Packaging Item Code	Package Description 2 in 1 CARTON	Imp	Marketing Start	Marketing End	
Contains Packaging # Item Code 1 NDC:70518- 3566-0			Marketing Start Date	Marketing End	
Contains Packaging # Item Code 1 NDC:70518- 3566-0	2 in 1 CARTON 10 in 1 BLISTER PACK; Type 0: Not a Co		Marketing Start Date	Marketing End	
Contains Packaging # Item Code 1 NDC:70518-	2 in 1 CARTON 10 in 1 BLISTER PACK; Type 0: Not a Co		Marketing Start Date	Marketing End	
Contains Packaging # Item Code 1 NDC:70518- 3566-0	2 in 1 CARTON 10 in 1 BLISTER PACK; Type 0: Not a Co		Marketing Start Date	Marketing End	
Contains Packaging # Item Code 1 NDC:70518- 3566-0	2 in 1 CARTON 10 in 1 BLISTER PACK; Type 0: Not a Co Product	mbination	Marketing Start Date	Marketing End	

## Labeler - REMEDYREPACK INC. (829572556)

Revised: 11/2022

REMEDYREPACK INC.