

**LIMPIA PECHO- dextromethorphan hbr, guaifenesin liquid**  
**Llorens Pharmaceutical International Division, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

In each teaspoonful, 5 mL

Dextromethorphan HBr - 10 mg

Guaifenesin - 100 mg

**Purpose**

☐ Cough Suppressant

Expectorant

**Uses**

- temporarily relieves cough as may occur with the common cold
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus

☐ **Warnings**

Do not exceed recommended dosage

☐ **Do not use**

- if you are now taking a monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

☐ **Ask a doctor before use if you have**

- a cough that is accompanied by excessive phlegm (mucus)
- a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

☐ **Stop use and ask a doctor if**

- cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These may be signs of a serious condition

☐ **If pregnant or breast-feeding** ☐ ask a health professional before use.

**Keep out of reach of children.** ☐ In case of accidental overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- use dosage cup provided
- Do not exceed 6 doses in any 24 hour period or as directed by a doctor

---

Age	Dose
Adults and children over 12 years of age	10 mL (2 tsp) every 4 hours
Children 6 to under 12 years of age	5 mL (1 tsp) every 4 hours
Children under 6	Ask a doctor

---

**Inactive ingredients** □artificial and natural flavor, citric acid, methol, methylparaben, propylened glycol, propylparaben, purified water, sodium citrate, and sucralose.

**Questions or Comments? 1-866-595-5598**

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each teaspoonful, 5ml)</b> <span style="float: right;"><b>Purpose</b></span>  Dextromethorphan HBr, USP 10mg. . . . . Cough Suppressant  Guaifenesin, USP 100mg. . . . . Expectorant</p> <p><b>Uses</b> -temporarily relieves cough as may occur with the common cold-helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus</p> <p><b>Warnings</b> Do not exceed recommended dosage  <b>Do not use</b> -if you are now taking a monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p><b>Ask a doctor before use if you have</b> -a cough that is accompanied by excessive phlegm (mucus) -a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema.</p> <p><b>Stop use and ask a doctor if</b> -cough persist for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These may be signs of a serious condition. →</p>	<p>EST. 1985</p> <p>LLORENS</p> <p>NDC 54859-011-04</p> <p><b>Limpia Pecho</b></p> <p>COUGH SUPPRESSANT EXPECTORANT</p> <p>Sugar FREE   Alcohol FREE</p> <p><b>HONEY-MENTHOL FLAVOR</b></p> <p>Contents: 4 fl.oz (118 ml)</p>	<p><b>Drug Facts continued</b></p> <p><b>If pregnant or breast-feeding</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of accidental overdose, get medical help or contact a Poison Control Center right away</p> <p><b>Directions</b> -Use dosage cup provided -Do not exceed 6 doses in any 24 hour period or as directed by a doctor</p> <table border="1"> <thead> <tr> <th>Age</th> <th>Dose</th> </tr> </thead> <tbody> <tr> <td>Adults and children over 12 years of age</td> <td>10mL (2 tsp) every 4 hours</td> </tr> <tr> <td>Children 6 to under 12 years of age</td> <td>5mL (1 tsp) every 4 hours</td> </tr> <tr> <td>Children under 6</td> <td>Ask a doctor</td> </tr> </tbody> </table> <p><b>Other information</b> -dosage cup included -store at controlled room temperature 15°-30°C (59°-86°F)  Tampers-Evident-Do not use if aluminum foil over bottle opening is torn, broken, or missing.</p> <p><b>Inactive ingredients:</b> artificial and natural flavor, citric acid, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose.</p> <p><b>Questions or Comments?</b> 1-866-595-5598</p> <p>Code #: L-123 <span style="float: right;">Rev.: 01/19</span></p> <p>Lot. #</p> <p>Exp. Date:</p>	Age	Dose	Adults and children over 12 years of age	10mL (2 tsp) every 4 hours	Children 6 to under 12 years of age	5mL (1 tsp) every 4 hours	Children under 6	Ask a doctor
Age	Dose									
Adults and children over 12 years of age	10mL (2 tsp) every 4 hours									
Children 6 to under 12 years of age	5mL (1 tsp) every 4 hours									
Children under 6	Ask a doctor									

## LIMPIA PECHO

dextromethorphan hbr, guaifenesin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:54859-011
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54859-011-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/01/2019	

**Labeler** - Llorens Pharmaceutical International Division, Inc. (037342305)

Revised: 6/2019

Llorens Pharmaceutical International Division, Inc.