

**CHILDRENS COLD AND COUGH NIGHTTIME- diphenhydramine hcl,  
phenylephrine hcl liquid  
Safeway, Inc.**

-----

**Drug Facts**

**Active ingredients (in each 5 mL)**

Diphenhydramine HCl 6.25 mg

Phenylephrine HCl 2.5 mg

**Purposes**

Antihistamine/Cough suppressant

Nasal decongestant

**Uses**

- temporarily relieves
  - sneezing
  - runny nose
  - itchy nose or throat
  - itchy, watery eyes due to hay fever
  - nasal and sinus congestion
  - cough due to minor throat and bronchial irritations as may occur with a cold

**Warnings**

**Do not use**

- in a child under 4 years of age
- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.
- with any other product containing diphenhydramine, even one used on skin
- for the purpose of making your child sleepy

**Ask a doctor before use if the child has**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- cough that occurs with too much phlegm (mucus)

- chronic cough that lasts, or as occurs with asthma
- a breathing problem such as chronic bronchitis

**Ask a doctor or pharmacist before use if the child is**

taking sedative or tranquilizers.

**When using this product,**

- **do not exceed recommended dosage**
- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occurs
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back or occurs with fever, rash or persistent headache.

These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- Do not give more than 6 doses in 24 hours unless directed by a doctor.
- measure only with dosing cup provided Do not use any other dosing device
- keep dosing cup with product
- mL=milliliter
- shake well before using

Age	Dose
children 6 to under 12 years	10 mL every 4 hours
children 4 to under 6 years	do not use unless directed by a doctor
<b>children under 4 years of age</b>	<b>do not use</b>

**Other Information**

- **each 5 mL contains:** sodium 3 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

## **Inactive ingredients**

acesulfame potassium, anhydrous citric acid, EDTA disodium, FD&C blue #1, FD&C red #40, flavor, maltitol, propylene glycol, purified water, sodium benzoate, trisodium citrate dihydrate

## **Questions or comments?**

Call **1-888-723-3929** Monday-Friday 7AM-6PM PST

## **Principal Display Panel**

Compare to Children's Triaminic® NightTime Cold & Cough active ingredients\*

Children's Nighttime

### **Cold & Cough Relief**

FOR AGES 6-11 YEARS

Diphenhydramine HCl 6.25 mg - Antihistamine/Cough Suppressant

Phenylephrine HCl 2.5 mg - Nasal Decongestant

GRAPE FLAVOR

- Relief of: Cough, runny, stuffy nose itchy throat
- Alcohol-Free

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

\*This product is not manufactured or distributed by GSK Consumer Healthcare, distributors of Children's Triaminic® Night Time Cold & Cough.






DISTRIBUTED BY

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

[www.betterlivingbrandsLLC.com](http://www.betterlivingbrandsLLC.com)

## **Package Label**

<p><b>Drug Facts (continued)</b></p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>do not give more than 6 doses in 24 hours unless directed by a doctor</li> <li>measure only with dosing cup provided. Do not use any other dosing device.             <ul style="list-style-type: none"> <li>keep dosing cup with product</li> <li>shake well before using</li> </ul> </li> <li>mL = milliliter</li> </ul> <table border="1"> <tr> <th>Age</th> <th>Dose</th> </tr> <tr> <td>children 6 to under 12 years of age</td> <td>10 mL every 4 hours</td> </tr> <tr> <td>children 4 to under 6 years of age</td> <td>do not use unless directed by a doctor</td> </tr> <tr> <td>children under 4 years of age</td> <td>do not use</td> </tr> </table> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>each 5 mL contains: sodium 3 mg</li> <li>store between 20-25°C (68-77°F). Do not refrigerate.</li> <li>protect from light</li> </ul> <p><b>Inactive ingredients</b> acesulfame potassium, citric acid, EDTA disodium, FD&amp;C blue #1, FD&amp;C red #40, flavor, maltitol, propylene glycol, purified water, sodium benzoate, sodium citrate</p> <p><b>Questions or comments?</b> Call 1-877-753-3925 Monday-Friday 9AM-5PM EST</p>	Age	Dose	children 6 to under 12 years of age	10 mL every 4 hours	children 4 to under 6 years of age	do not use unless directed by a doctor	children under 4 years of age	do not use	<p>Compare to Children's Triaminic® Night Time Cold &amp; Cough active ingredients*</p> <p>NDC 21130-379-04</p> 	<p>Compare to Children's Triaminic® Night Time Cold &amp; Cough active ingredients*</p> <p>NDC 21130-379-04</p> 	<p><b>Drug Facts</b></p> <table border="1"> <tr> <th>Active ingredients (in each 5 mL)</th> <th>Purposes</th> </tr> <tr> <td>Diphenhydramine HCl 6.25 mg</td> <td>Antihistamine/Cough suppressant</td> </tr> <tr> <td>Phenylephrine HCl 2.5 mg</td> <td>Nasal decongestant</td> </tr> </table> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>temporarily relieves             <ul style="list-style-type: none"> <li>sneezing</li> <li>runny nose</li> <li>itchy nose or throat</li> <li>itchy, watery eyes due to hay fever</li> <li>nasal and sinus congestion</li> <li>cough due to minor throat and bronchial irritations as may occur with a cold</li> </ul> </li> </ul> <p><b>Warnings</b></p> <p>Do not use</p> <ul style="list-style-type: none"> <li>in a child under 4 years of age</li> <li>in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.</li> <li>with any other product containing diphenhydramine, even one used on skin</li> <li>for the purpose of making your child sleepy</li> </ul> <p><b>Ask a doctor before use if the child has</b></p> <ul style="list-style-type: none"> <li>heart disease</li> <li>high blood pressure</li> <li>thyroid disease</li> <li>diabetes</li> <li>glaucoma</li> <li>cough that occurs with too much phlegm (mucus)</li> <li>chronic cough that lasts, or as occurs with asthma</li> <li>a breathing problem such as chronic bronchitis</li> </ul> <p><b>Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.</b></p> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>do not exceed recommended dosage</li> <li>marked drowsiness may occur</li> <li>excitability may occur, especially in children</li> <li>sedatives and tranquilizers may increase drowsiness</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>nervousness, dizziness, or sleeplessness occurs</li> <li>symptoms do not improve within 7 days or occur with a fever</li> <li>cough persists for more than 7 days, comes back, or occurs with a fever, rash, or persistent headache. These could be signs of a serious condition.</li> </ul> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>	Active ingredients (in each 5 mL)	Purposes	Diphenhydramine HCl 6.25 mg	Antihistamine/Cough suppressant	Phenylephrine HCl 2.5 mg	Nasal decongestant
Age	Dose																
children 6 to under 12 years of age	10 mL every 4 hours																
children 4 to under 6 years of age	do not use unless directed by a doctor																
children under 4 years of age	do not use																
Active ingredients (in each 5 mL)	Purposes																
Diphenhydramine HCl 6.25 mg	Antihistamine/Cough suppressant																
Phenylephrine HCl 2.5 mg	Nasal decongestant																
<p>*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Children's Triaminic® Night Time Cold &amp; Cough.</p> <p><b>TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.</b></p>  <p>Dosing Cup Included</p> <p>DISTRIBUTED BY BETTER LIVING BRANDS LLC P.O. BOX 99, PLEASANTON, CA 94566-0099 1-888-723-3929 www.betterlivingbrandsLLC.com</p> <p><b>OUR PROMISE</b> QUALITY SATISFACTION <b>100% GUARANTEED</b> OR YOUR MONEY BACK.</p>  <p>Scan here for more information</p>	<h2>Children's Nighttime Cold &amp; Cough Relief</h2> <p>FOR AGES 6 to 11 YEARS</p> <p>Diphenhydramine HCl 6.25 mg - Antihistamine/Cough Suppressant Phenylephrine HCl 2.5 mg - Nasal Decongestant</p> <p><b>GRAPE FLAVOR</b></p> <ul style="list-style-type: none"> <li>Relief of: Cough, runny, stuffy nose, itchy throat</li> <li>Alcohol-Free</li> </ul> <p>4 FL OZ (118 mL)</p>	<h2>Children's Nighttime Cold &amp; Cough Relief</h2> <p>FOR AGES 6 to 11 YEARS</p> <p>Diphenhydramine HCl 6.25 mg - Antihistamine/Cough Suppressant Phenylephrine HCl 2.5 mg - Nasal Decongestant</p> <p><b>GRAPE FLAVOR</b></p> <ul style="list-style-type: none"> <li>Relief of: Cough, runny, stuffy nose, itchy throat</li> <li>Alcohol-Free</li> </ul> <p>4 FL OZ (118 mL)</p>															
<p>S5987 RD20048</p>  <p>3 21130 78884 3</p> <p>PLD-E320E FDC06602</p> <p>Lot No.: Exp. Date:</p>																	

**SIGNATURE CARE Children's Nighttime Cold and Cough Relief Grape Flavor**

<b>CHILDRENS COLD AND COUGH NIGHTTIME</b>			
diphenhydramine hcl, phenylephrine hcl liquid			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-379
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	<b>DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)</b>	DIPHENHYDRAMINE HYDROCHLORIDE	6.25 mg in 5 mL
	<b>PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)</b>	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
MALTITOL (UNII: D65DG142WK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

## Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-379-04	1 in 1 BOX	12/31/2015	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/31/2015	

**Labeler** - Safeway, Inc. (009137209)

Revised: 5/2024

Safeway, Inc.