#### DESPEC DM- dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride syrup International Ethical Laboratories, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

**Despec DM** 

## **Drug Facts**

## Active ingredients ( in each 5 mL teaspoonful)

Dextromethorphan Hydrobromide 10mg

Guaifenesin 100mg

Phenylephrine Hydrochloride 5mg

#### Purpose

Antitussive/ Expectroant/ Nasal Decongestant

#### Uses

Temporarily relieves these symptoms due to the common cold, hay fever (allergic rhinitis) or other upper respiratory allergies:

- cough due to minor throat and bronchial irritation
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- nasal congestion
- reduces swelling of nasal passages

## Warnings

Do not exceed recommended dosage

#### Do not use this product

 If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emtional conditions, or Parkinson's disease). or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

## Ask a doctor before use if you have

• a cough that lasts or is chronic such as occurs with smoking, asthma, chronic

bronchitis, or emphysema

- a cough that occurs with too much phlegm (mucus)
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

## Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness, occur
- cough or nasal congestion persists for more than 1 week, trends to recur, or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

## If pregnant or breast-feeding

ask a health professional before use.

#### Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

Do not exceed recommeneded dosage.

• Use with enclosed dosage cup.

Adults and children 12 years of age and over-----2 teaspoonfuls (2 TSP) every 4 hours, not to exceed 6 doses in 24 hours.

Children 6 to under 12 years of age.....1 teaspoonful (1 TSP) every 4 hours, not to exceed 6 doses in 24 hours.

Children under 6 years of age...... Consult a doctor

## Other information

Store at room temperature 59°-86°F (15°-30°C)


#### Inactive ingredients


Citric acid, glycerin, grape flavor, maltitol, propylene glycol, purified water, sodium citrate, sodium saccharin and sorbitol.


## **Questions? Comments?**

call 1-787-765-3510

## **Principal Display Panel-Label**







Principal Display Panel-120 mL Bottle Label

# DESPEC DM

dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride syrup

Product Infor	mation						
Product Type		HUMAN OTC DRUG	ltem Code (	tem Code (Source) NDC:11584		4-1046	
Route of Admini	stration	ORAL					
Active Ingredi	ent/Active	Moiety					
Ingredient Name			Basis of S		rength	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9 (DEXTROMETHORPHAN - UNII:7355X3ROTS)			LI9KYH) DEXTROMETHO HYDROBROMIDE		PHAN	10 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN -			II:495W7451VQ) GUAIFENESIN			100 mg in 5 mL	
PHENYLEPHRINE H UNII:1WS297W6MV)	IYDROCHLORII	<b>DE</b> (UNII: 04JA59TNSJ) (P	(UNII: 04JA59TNSJ) (PHENYLEPHRINE - F		E	5 mg in 5 mL	
Inactive Ingre	dients						
	Ingredient Name				Strength		
CITRIC ACID MON	OHYDRATE (UN	III: 2968PHW8QP)					
PROPYLENE GLYC	<b>OL</b> (UNII: 6DC90	Q167V3)					
WATER (UNII: 059QF0KO0R)							
MALTITOL (UNII: D65DG142WK)							
GLYCERIN (UNII: PDC6A3C0OX)							
SODIUM CITRATE (UNII: 1Q73Q2JULR)							
SODIUM CITRATE	(UNII: 1Q73Q2JU	ILR)					
	·	JLR)					
	·	JLR)					
SORBITOL (UNII: 50	06T60A25R)	JLR)					
SORBITOL (UNII: 50 Product Chara	06T60A25R)		Score				
SORBITOL (UNII: 50 Product Chara Color	06T60A25R)		Score				
SORBITOL (UNII: 50 Product Chara Color Shape	06T60A25R)		Size				
SORBITOL (UNII: 50 Product Chara Color Shape Flavor	06T60A25R)						
SORBITOL (UNII: 50 Product Chara Color Shape Flavor	06T60A25R)		Size				
SORBITOL (UNII: 50 Product Chara Color Shape Flavor Contains	06T60A25R)		Size				
SORBITOL (UNII: 50 Product Chara Color Shape Flavor Contains Packaging	acteristics		Size mprint Code	rketing Start Date		ting End	
SORBITOL (UNII: 50 Product Chara Color Shape Flavor Contains Packaging	D6T60A25R)	GRAPE	Size mprint Code Mai	Date		-	
SORBITOL (UNII: 50 Product Chara Color Shape Flavor Contains Packaging # Item Code 1 NDC:11584-	D6T60A25R)	GRAPE I	Size mprint Code Mar	Date		_	
SORBITOL (UNII: 50 Product Chara Color Shape Flavor Contains Packaging # Item Code 1 NDC:11584-	Acteristics Pace 120 mL in 1 BC Product	GRAPE I GRAPE I Ckage Description	Size mprint Code Mar	Date		-	
SORBITOL (UNII: 50)	Pace 120 mL in 1 BC Product	GRAPE I GRAPE I Ckage Description	Size mprint Code Man mbination 02/19/	Date	D	_	

Establishment								
Name	Address	ID/FEI	<b>Business Operations</b>					
Woodfield Pharmaceutical, LLC		079398730	manufacture(11584-1046)					
Woodfield Pharmaceutical, LLC		079398730	-					

Revised: 11/2021

International Ethical Laboratories, Inc