

**COPPERTONE KIDS SPF 50 SUNSCREEN- avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 5% aerosol, spray
Beiersdorf Inc**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Coppertone Kids Spray SPF 50

Drug Facts

Active ingredients

(To Deliver) Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%

Purpose

Sunscreen

Use

■ helps prevent sunburn

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

■ keep away from face to avoid breathing it

■ keep out of eyes. Rinse with water to remove.

■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (42.8% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance, ascorbyl palmitate

Questions?

1-866-288-3330

Principal Display Panel

Coppertone® Sunscreen Spray

#1 Pediatrician Recommended Brand

kids

Stays on Strong Evien in Water

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

Net Wt 5.0 oz (156 g)

Coppertone
SUNSCREEN SPRAY

PEDIATRICIAN RECOMMENDED
#1
SUNSCREEN BRAND

KIDs
50
**STAYS ON STRONG
EVEN IN WATER**

Free of Oxybenzone,
Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)
Broad Spectrum SPF 50

NET WT 5.5 OZ (156 g)

Broad Spectrum UVA/UVB protection in a durable formula that keeps up with active kids. #1 Pediatrician Recommended Sunscreen Brand

Drug Facts	
Active ingredients (To Deliver) Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 5%	Purpose Sunscreen
Use ■ helps prevent sunburn	
Warnings For external use only	
Flammable: Do not use near heat, flame, or while smoking	
Do not use on damaged or broken skin	
When using this product	
■ keep away from face to avoid breathing it	
■ keep out of eyes. Rinse with water to remove.	
■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.	
■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor	
Other information	
■ protect this product from excessive heat and direct sun	
■ store between 20° to 25°C (68° to 77°F)	
■ may stain or damage some fabrics or surfaces	
Inactive ingredients SD alcohol 40-B (42.8% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance, ascorbyl palmitate	
Questions? 1-866-288-3330 www.coppertone.com	

Empty Before Recycling
METAL CAN
how2recycle.info

0 72140 02766 7

20006699

Beiersdorf
Beiersdorf Inc. Stamford, CT 06901
©=reg. TM. of Beiersdorf AG, Germany

DOT-2P M5655

COPPERTONE KIDS SPF 50 SUNSCREEN

avobenzone 3%, homosalate 10%, octisalate 5%, octocrylene 5% aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-4353
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
ALCOHOL (UNII: 3K9958V90M)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
ISOBUTANE (UNII: BXR49TP611)	
POLYESTER-7 (UNII: 0841698D2F)	
ACRYLATES CROSSPOLYMER-6 (UNII: 4GXD0Q30S3)	
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	

Product Characteristics

Color	yellow (Clear to Pale Yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4353-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	
2	NDC:66800-4353-6	196 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	
3	NDC:66800-4353-7	208 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	
4	NDC:66800-4353-8	235 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2021	

