

COPPERTONE TANNING SUNSCREEN SPF 15- avobenzone 2%, octisalate 4.5%, octocrylene 7% aerosol
Beiersdorf Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Coppertone Tanning Spray SPF 15

Drug Facts

Active ingredients

Avobenzone 2%, Octisalate 4.5%, Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure

- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (84.1% v/v), neopentyl glycol diheptanoate, polyester-27, tocopherol, fragrance, ascorbyl palmitate

Questions?

1-866-288-3330

Coppertone® Sunscreen Spray

Tanning 15

Antioxidant-Enriched Light Formula

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)

Broad Spectrum SPF 15

Net Wt 5.5 OZ (156 g)



Tanning

Antioxidant-Enriched
Light Formula

15

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)
Broad Spectrum SPF 15

NET WT 5.5 OZ (156 g)

Coppertone® Tanning Continuous Spray provides broad spectrum UVA/UVB protection. Plus the lightweight mist provides quick and even coverage, and dries in seconds. All in a light, hypoallergenic dry oil spray that won't clog pores.

Drug Facts

Active ingredients	Purpose
Avobenzone 2%, Octisalate 4.5%, Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions


- apply liberally 15 minutes before sun exposure
- do not spray directly on face. Spray into hands and apply to face.
- use in well-ventilated areas
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
 - avoid long-term storage above 40°C (104°F)
 - may stain or damage some fabrics or surfaces

Inactive ingredients SD alcohol 40-B (84.1% v/v), neopentyl glycol diheptanoate, polyester-27, tocopherol, fragrance, ascorbyl palmitate

Questions? 1-866-288-3330



© 2020

Beiersdorf

Beiersdorf Inc. Wilton, CT 06897
©-reg. TM. of Beiersdorf AG, Germany



20006278

COPPERTONE TANNING SUNSCREEN SPF 15

avobenzone 2%, octisalate 4.5%, octocrylene 7% aerosol

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-4082
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
POLYESTER-7 (UNII: 0841698D2F)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	

Product Characteristics

Color	white (White to Pale Yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4082-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	
2	NDC:66800-4082-6	196 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	
3	NDC:66800-4082-7	208 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	
4	NDC:66800-4082-8	235 g in 1 CAN; Type 0: Not a Combination Product	11/02/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/02/2020	

Labeler - Beiersdorf Inc (001177906)