

**PAIN RELIEVER- acetaminophen tablet
WALGREEN CO.**

Drug Facts

Active ingredient (in each caplet)

Acetaminophen USP 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning:This product contains acetaminophen.

Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if carton is opened, or printed foil seal under cap is torn or missing.**

Inactive ingredients

povidone, pregelatinized starch (maize), stearic acid.

Questions or comments?

1-855-274-4122

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com ©2021 Walgreen Co.

MADE IN INDIA

Code: TS/DRUGS/16/2014

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (225 Caplets Bottle)

NDC 0363-9947-35

Walgreens

**Compare to the active ingredient in
Tylenol[®] Extra Strength Caplets #**

SEE NEW WARNINGS INFORMATION & DIRECTIONS

FOR ADULTS

Pain

Reliever

ACETAMINOPHEN 500 mg

PAIN RELIEVER / FEVER REDUCER

Extra Strength

225CAPLETS

500 mg EACH

NDC 0363-9947-35

Walgreens

Compare to the active ingredient in
Tylenol® Extra Strength Caplets*

SEE NEW WARNINGS INFORMATION & DIRECTIONS

FOR ADULTS

Pain Reliever

ACETAMINOPHEN 500 mg
PAIN RELIEVER / FEVER REDUCER

Extra Strength

225 CAPLETS
500 mg EACH

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

Drug Facts

Active ingredient (in each caplet)
Acetaminophen USP 500 mg..... Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to: ■ the common cold
■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches
■ premenstrual and menstrual cramps
■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product. **Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. **Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. **Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if** ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. **Directions** ■ do not take more than directed (see overdose warning) **adults and children 12 years and over:** ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor. **children under 12 years:** ask a doctor. **Other information** ■ store between 20° to 25°C (68° to 77°F) ■ do not use if printed foil seal under cap is torn or missing. **Inactive ingredients:** povidone, pregelatinized starch (maize), stearic acid.

Questions or comments? call 1-855-274-4122

DISTRIBUTED BY: WALGREEN CO.
200 WILLMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com ©2021 Walgreen Co. W5ORG1221-F
MADE IN INDIA P1428917 LM-4703

CONTAINS NO ASPIRIN

DO NOT USE IF PRINTED FOIL SEAL UNDER CAP IS TORN OR MISSING
Cook: TSDRUGS/162014
W00000-0000-0
Your pharmacist recommends the Walgreens brand. We invite you to compare to national brands.

*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Tylenol®.

NVZ

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (225 Caplets Carton Label)

NDC 0363-9947-35

Walgreens

**Compare to the active ingredient in
Tylenol® Extra strength Caplets #**

SEE NEW WARNINGS INFORMATION & DIRECTIONS

FOR ADULTS

Pain

Reliever

ACETAMINOPHEN 500MG

PAIN RELIEVER / FEVER REDUCER

Extra Strength

225

CAPLETS

500 mg EACH



PAIN RELIEVER

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9947
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, CORN (UNII: O8232NY3SJ)	
PALMITOSTEARIC ACID (UNII: Q8Y7S3B85M)	

Product Characteristics

Color	white (White to off White)	Score	no score
Shape	CAPSULE (Biconvex)	Size	18mm
Flavor		Imprint Code	N79
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9947-29	150 in 1 BOTTLE; Type 0: Not a Combination Product	11/02/2021	
2	NDC:0363-9947-35	1 in 1 CARTON	11/02/2021	
2		225 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:0363-9947-40	500 in 1 BOTTLE; Type 0: Not a Combination Product	11/02/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/02/2021	

Labeler - WALGREEN CO. (008965063)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	manufacture(0363-9947)

Revised: 12/2023

WALGREEN CO.