ZICAM ALLERGY RELIEF- galphimia glauca flowering top, histamine dihydrochloride, luffa operculata fruit, and sulfur spray Church & Dwight Co., Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Zicam ® Allergy Relief Nasal Spray

Active Ingredients

Galphimia glauca 12x, 30x

Histaminum hydrochloricum 12x, 30x, 200x

Luffa operculata 4x, 12x, 30x

Sulphur 12x, 30x, 200x

Purpose

Upper respiratory allergy symptom relief

Uses

- Effective Relief of Allergy Symptoms:
 - runny nose
 - itchy nose
 - watery eyes
 - sneezing

Warnings

For nasal use only.

Ask a doctor before use if you have

- ear, nose, or throat sensitivity
- susceptibility to nosebleeds
- breathing problems such as emphysema or chronic bronchitis

When using this product

- avoid contact with eyes. Rinse right away with water if it gets in eyes and seek medical help right away.
- the use of this container by more than one person may spread infection
- teamporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge may occur

Stop use and ask a doctor if symptoms persist or are accompanied by fever **If pregnant or breast-feeding,** ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and older:
 - remove cap and safety clip (also see illustrations on side of carton)
 - hold with thumb at bottom of bottle and nozzle between your fingers
 - before using the first time, prime pump by depressing several times
 - place tip of nozzle just past nasal opening (approximately 1/8")
 - while inside nasal opening, slightly angle nozzle outward
 - pump once into each nostril
 - o after application, press lightly on outside of each nostril for about 5 seconds
 - wait at least 30 seconds before blowing nose
- use once every 4 hours
- optimal results may not be seen for 1-2 weeks. After 1-2 weeks, you may need to use only 1-2 times daily. For best results, use up to 1 week before contact with known causes of your allergies.
- children under 12 years of age: ask a doctor

Other information

• store between 15-29°C (59-84°F)

Inactive ingredients

benzalkonium chloride, benzyl alcohol, edetate disodium, glycerin, hydroxyethylcellulose, potassium chloride, potassium phosphate, purified water, sodium chloride, sodium phosphate

Questions? Comments?

call 877-942-2626 toll free

www.zicam.com

PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton

ZICAM®

POWERFUL

ALLERGY

RELIEF

HOMEOPATHIC

ALLERGY BRAND*

No-Drip Liquid ®

NASAL SPRAY

Effective Relief of Allergy Symptoms:

- Runny Nose
- Watery Eyes
- Itchy Nose
- Sneezing

No Known Allergy Drug Interactions

0.50 FL OZ (15 mL)

HOMEOPATHIC



GY RELIEF

No-Drip Liquid

NASAL SPRAY

No Known Allergy Drug Interactions

Drug Facts

Purpose

Active ingredients Purpose Galphimia glauca 12x, 30x Histaminum hydrochloricum 12x, 30x, 200x Luffa operculata 4x, 12x, 30x Sulphur 12x, 30x, 200x Upper respiratory allergy symptom relief

- Effective Relief of Allergy Symptoms:
 runny nose watery eyes
 itchy nose sneezing

Warnings

For nasal use only.

Ask a doctor before use if you have ear, nose, or throat sensitivity

- susceptibility to nosebleeds
 breathing problem such as emphysema or chronic bronchitis

When using this product

- When using this product

 avoid contact with eyes. Rinse right away
 with water if it gets in eyes and seek
 medical help right away.

 the use of this container by more than one
 person may spread infection

 temporary discomfort such as burning.
- stinging, sneezing, or an increase in nasal discharge may occur

Stop use and ask a doctor if symptoms persist or are accompanied by fever

If pregnant or breast-feeding, ask a health

professional before use. Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and older:
- remove cap and safety clip (also see illustrations on side of carton)
 hold with thumb at bottom of bottle
- and nozzle between your fingers

Drug Facts (continued)

- before using the first time, prime pump by depressing several times
- place tip of nozzle just post nasel opening (approximately 1/8")
- while inside nasal opening.
- slightly angle nozzle outward
- pump once into each nostril
 after application, press lightly on outside of each nostril for about 5 seconds
- wait at least 30 seconds before blowing nose
- use once every 4 hours
 optimal results may not be seen for 1-2 weeks, After 1-2 weeks, you may need to use only 1-2 times daily. For best results, use up to 1 week before contact with known causes of your allergies.
- children under 12 years of age: ask a doctor

Other information

■ store between 15-29°C (59-84°F)

Inactive ingredients

benzalkonium chloride, benzyl alcohol, edetate disodium, glycerin, hydroxyethylcellulose, potassium chloride, potassium phosphate, purified water, sodium chloride, sodium phosphate

KEEP CARTON FOR COMPLETE Warnings and information

These statements are based on traditional homeopathic practic not accepted medical evidence. Not FDA evaluated.

DISTRIBUTED BY CHURCH & DWIGHT CO., INC. EWING, NJ 08628

HOMEOPATHIC

ZICAM ZICAM

DIRECTIONS











SATISFACTION GUARANTEED

Questions? call 877-942-2626 toll free

www.zicam.com



ZICAM ALLERGY RELIEF

galphimia glauca flowering top, histamine dihydrochloride, luffa operculata fruit, and sulfur spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:10237-463

Route of Administration NASAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength Strength

GALPHIMIA GLAUCA FLOWERING TOP (UNII: 93PH5Q8M7E) (GALPHIMIA GLAUCA FLOWERING TOP - UNII:93PH5Q8M7E)	GALPHIMIA GLAUCA FLOWERING TOP	30 [hp_X] in 1 mL
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	200 [hp_X] in 1 mL
LUFFA OPERCULATA FRUIT (UNII: C4MO6809HU) (LUFFA OPERCULATA FRUIT - UNII:C4MO6809HU)	LUFFA OPERCULATA FRUIT	30 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	200 [hp_X] in 1 mL

Inactive Ingredients				
Ingredient Name	Strength			
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
GLYCERIN (UNII: PDC6A3C0OX)				
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)				
POTASSIUM CHLORIDE (UNII: 660YQ98I10)				
POTASSIUM PHOSPHATE, UNSPECIFIED FORM (UNII: B7862WZ 632)				
WATER (UNII: 059QF0KO0R)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
SODIUM PHOSPHATE (UNII: SE337SVY37)				

F	Packaging						
#	tem Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:10237- 463-15	1 in 1 CARTON	10/01/2021				
1	L	15 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product					

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	10/01/2021				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

Labeler - Church & Dwight Co., Inc. (001211952)

Revised: 9/2021 Church & Dwight Co., Inc.