

**OXYGEN - oxygen gas**  
**Clinical 1 Home Medical, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Clinical 1 OXYGEN HP Label**

**OXYGEN, COMPRESSED USP UN 1072 OXYGEN 2**

**DANGER:**

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER

CONTAINS GAS UNDER PRESSURE;

MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

**DO NOT REMOVE THIS PRODUCT LABEL**

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

©Applied Home Healthcare Equipment 2014

CAS NO: 7782-44-7

---

Contents	Size
248 Liters	◇ C
415 Liters	◇ D
682 Liters	◇ E
3455 Liters	◇ M
6900 Liters	◇ H
_____ Liters	◇ Other

---

**Clinical 1 Home Medical**

65 Mathewson Drive Unit E

Weymouth, MA 02189

800-261-5737

# OXYGEN, COMPRESSED USP

UN 1072



**DANGER:**

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.  
CONTAINS GAS UNDER PRESSURE;  
MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAS NO: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. ©Applied Home Healthcare Equipment 2014

Contents	Size
248 Liters	<input type="checkbox"/> C
415 Liters	<input type="checkbox"/> D
682 Liters	<input type="checkbox"/> E
3455 Liters	<input type="checkbox"/> M
6900 Liters	<input type="checkbox"/> H
_____ Liters	<input type="checkbox"/> Other

**Clinical 1 Home Medical**  
65 Mathewson Drive Unit E  
Weymouth, MA 02189  
800-261-5737

## **Oxygen Liq Label**

OXYGEN REFRIGERATED LIQUID USP OXYGEN 2 UN 1073

CONTENTS: \_\_\_\_\_ LITERS

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS

EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE

VIGOROUSLY ACCELERATES COMBUSTION.

NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdraw, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Container temperature should not exceed 52 degrees C ( 125 degrees F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING:For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other

medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood,

may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who

have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

DO NOT REMOVE THIS LABEL.

Clinical 1 Home Medical

65 E Mathewson Drive

Weymouth, MA 02189

(800) 261-5737

CAS NO: 7782-44-7

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP**

**UN 1073**



**CONTENTS: \_\_\_\_\_ LITERS**

**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑**

**⚠ WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS  
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER  
PRESSURE  
VIGOROUSLY ACCELERATES COMBUSTION.  
NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT  
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY  
EXPLODE ON IGNITION OR IMPACT.  
CAN CAUSE SEVERE FROSTBITE.  
Keep oil, grease, and combustibles away.**



Use only with equipment cleaned for oxygen service.  
Store and use with adequate ventilation.  
Do not get liquid in eyes, on skin or clothing.  
For liquid withdrawal, wear face shield and gloves.  
Do not drop. Use suitable hand truck for container movement.  
Avoid spills. Do not walk on or roll equipment over spills.  
Container temperature should not exceed 52°C (125°F).  
Close valve after each use and when empty.

**Use a back flow preventive device in the piping.**

Use in accordance with the Material Safety Data Sheet (MSDS).

△ **FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately.

△ **WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

**DO NOT REMOVE THIS PRODUCT LABEL.**

**Clinical 1 Home Medical**

65E Mathewson Drive

Weymouth, MA 02189

(800) 261-5737

CAS NO: 7782-44-7

**OXYGEN**

oxygen gas

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:65919-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:65919-001-01	170 L in 1 CYLINDER; Type 0: Not a Combination Product		
2	NDC:65919-001-02	248 L in 1 CYLINDER; Type 0: Not a Combination Product		
3	NDC:65919-001-03	415 L in 1 CYLINDER; Type 0: Not a Combination Product		
4	NDC:65919-001-04	682 L in 1 CYLINDER; Type 0: Not a Combination Product		
5	NDC:65919-001-05	3455 L in 1 CYLINDER; Type 0: Not a Combination Product		
6	NDC:65919-001-06	6900 L in 1 CYLINDER; Type 0: Not a Combination Product		
7	NDC:65919-001-07	31 L in 1 DEWAR; Type 0: Not a Combination Product		
8	NDC:65919-001-08	41 L in 1 DEWAR; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		06/01/2000	

**Labeler** - Clinical 1 Home Medical, Inc. (110832404)**Registrant** - Clinical 1 Home Medical, Inc. (110832404)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Clinical 1 Home Medical, Inc.		110832404	repack(65919-001)

Revised: 8/2015

Clinical 1 Home Medical, Inc.