

**ELIZABETH ARDEN PREVAGE CITY SMART BROAD SPECTRUM SPF 50 HYDRATING SHIELD- titanium dioxide, zinc oxide lotion**

**ELIZABETH ARDEN, INC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredient**

TITANIUM DIOXIDE 6.2% W/W

ZINC OXIDE 5.6% W/W

**Purpose**

Sunscreen

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use on** damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:**

- Apply liberally 15 minutes before sun exposure
- Reapply:
  - at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

**Inactive Ingredients**

CYCLOPENTASILOXANE, WATER/AQUA/EAU, ISODODECANE, DIMETHICONE, C12-15 ALKYL BENZOATE, ISOPROPYL MYRISTATE, PENTYLENE GLYCOL, BUTYLENE GLYCOL, SILICA DIMETHYL SILYLATE, CAPRYLYL METHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ACRYLATES/POLYTRIMETHYLSILOXYMETHACRYLATE COPOLYMER, GLYCERIN, ALUMINUM HYDROXIDE, STEARIC ACID, PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CARNOSINE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, ARABIDOPSIS THALIANA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, CAPRYLYL GLYCOL, DISODIUM EDTA, ERGOTHIONEINE, FERULIC ACID, HYDROGEN DIMETHICONE, HYDROXYDECYL UBIQUINOYL DIPALMITOYL GLYCERATE, LECITHIN, MICA, MICROCOCCUS LYSATE, PARFUM/FRAGRANCE, PEG/PPG-18/18 DIMETHICONE, PLANKTON EXTRACT, SODIUM PCA, TIN OXIDE, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, ALPHA-ISOMETHYL IONONE, LINALOOL, CHLORPHENESIN, PHENOXYETHANOL, IRON OXIDES (CI 77491, CI 77492, CI 77499), TITANIUM DIOXIDE (CI 77891).

#### **Other Information**

- Protect this product from excessive heat and direct sun
- Store at room temperature

#### **Questions or Comments?**

Call toll free 1-800 326-7337

#### **Principal Display Panel - Prevage City Smart Broad Spectrum SPF 50 Hydrating Shield**

**prevage®**

**city smart**

+ DNA enzyme complex™

+ anti-pollution

+ antioxidants

broad spectrum SPF 50

hydrating shield

1.34 FL. OZ. 40 ml

## Drug Facts

Active Ingredient	Purpose
TITANIUM DIOXIDE 6.2% W/W	Sunscreen
ZINC OXIDE 5.6% W/W	Sunscreen

### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

- **For external use only**
- **Do not use on damaged or broken skin**
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure
- Reapply:
  - at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses
  - Children under 6 months: Ask a doctor

### Inactive Ingredients

CYCLOPENTASILOXANE, WATER/AQUA/EAU, ISODODECANE, DIMETHICONE, C12-15 ALKYL BENZOATE, ISOPROPYL MYRISTATE, PENTYLENE GLYCOL, BUTYLENE GLYCOL, SILICA DIMETHYL SILYLATE, CAPRYLYL METHICONE, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ACRYLATES/POLYTRIMETHYLSILOXYMETHACRYLATE COPOLYMER, GLYCERIN, ALUMINUM HYDROXIDE, STEARIC ACID, PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CARNOSINE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, ARABIDOPSIS THALIANA EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, CAPRYLYL GLYCOL, DISODIUM EDTA, ERGOTHIONEINE, FERULIC ACID, HYDROGEN DIMETHICONE, HYDROXYDECYL LUBIQUINOYL DIPALMITOYL GLYCERATE, LECITHIN, MICA, MICROCCOCUS LYSATE, PARFUM/FRAGRANCE, PEG/PPG-18/18 DIMETHICONE, PLANKTON EXTRACT, SODIUM PCA, TIN OXIDE, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, ALPHA-ISOMETHYL IONONE, LINALOOL, CHLORPHENESIN, PHENOXYETHANOL, IRON OXIDES (CI 77491, CI 77492, CI 77499), TITANIUM DIOXIDE (CI 77891).

### Other Information

- Protect this product from excessive heat and direct sun
- Store at room temperature

This sheer, oil-free, multi-active skin defender delivers advanced protection against today's environmental aggressors including pollution, UV rays and free radicals to keep skin looking younger and brighter. An Anti-Pollution Complex and Broad Spectrum SPF 50 physical sunscreen form an invisible protective shield to screen out pollutants and 98% of harmful UVB rays. Powerful antioxidants fight free radicals while a DNA Enzyme Complex™ supports skin's natural repair system. Essential daily care to keep skin hydrated, protected and youthful, now and over time.

Clinically, dermatologist and allergy tested. Paraben Free. Non-Comedogenic. Safe for sensitive skin. Universal Tint. For all skin types.

To use: Apply evenly to face and neck as the last step in your skincare regimen. See insert or [elizabetharden.com](http://elizabetharden.com) for complete directions prior to first use.

prevage™



### city smart

- + DNA enzyme complex™
  - + anti-pollution
  - + antioxidants
- broad spectrum SPF 50  
hydrating shield

### Drug Facts (continued)

### Questions or Comments?

Call toll free 1-800-326-7337

1.34 FL.OZ. 40 ml

©Elizabeth Arden, Inc. Dist.  
New York, NY 10003  
[elizabetharden.com](http://elizabetharden.com)

Made in U.S.A.

U.S. Patent 6,756,045 and other pending/  
issued U.S. and international patents.  
No. A0100498



269145

# ELIZABETH ARDEN PREVAGE CITY SMART BROAD SPECTRUM SPF 50 HYDRATING SHIELD

titanium dioxide, zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67938-3050
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	.062 g in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	.056 g in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
CARNOSINE (UNII: 8HO6PVN24W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MICA (UNII: V8A1AW0880)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
FERULIC ACID (UNII: AVM951ZWST)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
ARABIDOPSIS THALIANA (UNII: AI3L60HQ81)	
HYDROXYDECYL UBIQUINOL DIPHOSPHATE (UNII: OV1BT2N8RC)	
ERGOTHIONEINE (UNII: BDZ3DQM98W)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67938-3050-1	1 in 1 CARTON	08/01/2017	
1		5 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:67938-3050-2	1 in 1 CARTON	08/01/2017	
2		40 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:67938-3050-3	1 in 1 CARTON	08/01/2017	
3		15 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/01/2017	

**Labeler** - ELIZABETH ARDEN, INC (849222187)

Revised: 8/2017

ELIZABETH ARDEN, INC