

**ASPIRIN 81 MG- aspirin tablet, coated**  
**Bryant Ranch Prepack**

-----  
**Aspirin 81mg EC**

***Active ingredient (in each tablet)***

Aspirin 81 mg (NSAID\*)

\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever

***Uses***

temporarily relieves minor aches and pains

**Because of its delayed action, this product will not produce fast relief of headaches or other symptoms needing immediate relief.**

ask your doctor about other uses for enteric-coated 81 mg Aspirin

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be early sign of Reye's syndrome, a rare but serious illness.

**Allergy Alert:** Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product

- take more or for longer time than directed

**Do not use:** if you are allergic to aspirin or any other pain reliver/fever reducer

**Ask a doctor or pharmacist before use if you are**

- taking a prescription drug for diabetes, gout, or arthritis
- taking any other drug
- under a doctor's care for any serious condition

**Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you are experiance any of the following signs of stomach bleeding: feel faint, have bloody or black stools, vomit blood, have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- new symptoms occur
- ringing in the ears or a loss of hearing occurs.

these could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor becwause it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- Drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

### ***Other information***

- store at 25°C (77°F) excursions premitted between 15°-30°C (59°-86°F)
- Use by expiration date on package

### ***Inactive ingredients***

corn starch, pregelatinized starch, povidone. microcrystalline cellulose, colloidal silicon dioxide, stearic acid, methacrylic acid and ethyl acrylate copolymer, talc, titanium dioxide, triethyl citrate, colloidal anhydrous silica, sodium bicarbonate, sodium lauryl sulfate, d&c

yellow #10

## Ask a doctor before use if

stomach bleeding warning applies to you

you have a history of stomach problems, such as heartburn

you have high blood pressure, heart disease, liver cirrhosis, or kidney disease

you are taking a diuretic

you have asthma

you have not been drinking fluids

you have lost a lot of fluid due to vomiting or diarrhea

## Drug Facts

### HOW SUPPLIED

NDC: 71335-1774-8: 15 Tablets in a BOTTLE

NDC: 71335-1774-1: 120 Tablets in a BOTTLE

NDC: 71335-1774-2: 30 Tablets in a BOTTLE

NDC: 71335-1774-3: 100 Tablets in a BOTTLE

NDC: 71335-1774-4: 20 Tablets in a BOTTLE

NDC: 71335-1774-5: 90 Tablets in a BOTTLE

NDC: 71335-1774-6: 60 Tablets in a BOTTLE

NDC: 71335-1774-7: 36 Tablets in a BOTTLE

Aspirin 81 mg EC Tablet



GTIN 00371335177416  
Lot 208620  
Exp 1/5/2026  
SN 0123456789

Drug Facts	
Active ingredient (in each tablet)	Purpose
Aspirin 81 mg (NSAID)*	Pain reliever
*nonsteroidal anti-inflammatory drug	
Uses	
Temporarily relieves minor aches and pains. Because of its delayed action, this product will not produce fast relief of headaches or other symptoms needing immediate relief. Ask your doctor about other uses for enteric-coated 81 mg Aspirin.	
Warnings	
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be early sign of Reye's syndrome, a rare but serious illness. Allergy Alert: Aspirin may cause a severe allergic reaction which may include -shives -facial swelling -shock -asthma (wheezing). Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you -are age 60 or older -have had stomach ulcers or bleeding problems -take a blood thinning (anticoagulant) or steroid drug -take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) -have 3 or more alcoholic drinks every day while using this product -take more or for longer time than directed. Do not use -if you are allergic to aspirin or any other pain reliever/fever reducer. Ask a doctor or pharmacist before use if you are -taking a prescription drug for diabetes, gout, or arthritis -taking any other drug -under a doctor's care for any serious condition. Stop use and ask a doctor if an allergic reaction occurs. Seek medical help right away. -you are experience any of the following signs of stomach bleeding: feel faint, have bloody or black stools, vomit blood, have stomach pain that does not get better -pain gets worse or lasts more than 10 days -redness or swelling is present -new symptoms occur -ringing in the ears or a loss of hearing occurs. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Other Information	
-store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F) -Use by expiration date on package	
Directions	
-Drink a full glass of water with each dose -adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor -children under 12 years: consult a doctor	

NDC 71335-1774-1

Aspirin USP

81 mg

120 Tablets



Repackaged by:  
Bryant Ranch Prepack, Inc.  
Burbank, CA 91504 USA

Manufactured by:  
Reliable 1  
Laboratories LLC



**ASPIRIN 81 MG**

aspirin tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71335-1774(NDC:69618-066)
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A</b> (UNII: NX76LV5T8J)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

## Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	5mm
<b>Flavor</b>		<b>Imprint Code</b>	17;S
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:71335-1774-8	15 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/25/2021	
2	NDC:71335-1774-1	120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/25/2021	
3	NDC:71335-1774-2	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/25/2021	
4	NDC:71335-1774-3	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/25/2021	
5	NDC:71335-1774-4	20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/25/2021	
6	NDC:71335-1774-5	90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/25/2021	

7	NDC:71335-1774-6	60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/25/2021	
8	NDC:71335-1774-7	36 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/25/2021	
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug		M013	10/01/2020	

**Labeler -** Bryant Ranch Prepack (171714327)

**Registrant -** Bryant Ranch Prepack (171714327)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Bryant Ranch Prepack		171714327	REPACK(71335-1774) , RELABEL(71335-1774)