

BACTOSHIELD CHG- chlorhexidine gluconate solution
STERIS Corporation

Bactoshield CHG®
Chlorhexidine Gluconate Solution

Drug Facts

Active ingredient

chlorhexidine gluconate 4% solution

Purposes

surgical hand scrub
healthcare personnel handwash
patient preoperative skin preparation
skin wound and general skin cleansing

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** preparation of the patient's skin prior to surgery
- **skin wound and general skin cleansing**

Warnings

For external use only

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredients
- in contact with meninges
- in the genital area
- as a preoperative skin preparation of the head or face

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when the underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Warning: This product contains a chemical known to the State of California to cause cancer.

Directions

- Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 ml of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 ml of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 ml of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Patient preoperative skin preparation:

- apply product liberally to surgical site and swab for at least 2 minutes
- dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F)
- void excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance POFL 147, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

Questions or comments?

Call 1-800-548-4873 Monday through Friday 8:00 AM to 4:30 PM EST

PRINCIPAL DISPLAY PANEL - 473mL Bottle Label

Bactoshield®

CHG 4%

Chlorhexidine Gluconate
4% Solution Antiseptic

NDC 0519-1344-34

Surgical Scrub

Surgical Scrub

4% CHG

Antimicrobial

REORDER #

1344-33

STERIS®

For Hospital and Professional Use Only.

Net Contents: 473mL (16 fl oz) (1 pt)

61340

1344-31F(613)

4BACT16BTLLBLC

Peel Open

Here

Bactoshield®
CHG 4%

Chlorhexidine Gluconate
4% Solution Antiseptic

NDC 0519-1344-34

Surgical Scrub



Surgical Scrub



4% CHG



Antimicrobial

REORDER #
1344-33

STERIS®

For Hospital and Professional Use Only.

Net Contents: 473mL (16 fl oz) (1 pt)

61340
1344-31F(613)
4BACT16BTLLBLC



(01)00724995040857

Peel Open
Here ▶

HINGE AREA

RESEAL AREA

LIFT HERE

RESEAL AREA

Drug Facts

Active ingredient

chlorhexidine gluconate 4% solution surgical hand scrub
healthcare personnel handwash
patient preoperative skin preparation
skin wound and general skin cleansing

Purposes

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** preparation of the patient's skin prior to surgery
- **skin wound and general skin cleansing**

Warnings

RESEAL AREA

HINGE AREA

For external use only**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredients
- in contact with meninges
- in the genital area
- as a preoperative skin preparation of the head or face

**Drug Facts (continued)****When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when the underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Warning: This product contains a chemical known to the State of California to cause cancer.

Directions

- Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water

**Drug Facts (continued)**

- scrub for 3 minutes with about 5 ml of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 ml of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water

- dispense about 5 ml of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Patient preoperative skin preparation:

- apply product liberally to surgical site and swab for at least 2 minutes
- dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Drug Facts (continued)

Other information

- store at 20-25°C (68-77°F)
- void excessive heat above 40°C (104°F)

Inactive ingredients cocamide DEA, fragrance POFL 147, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

Questions or comments?

Call 1-800-548-4873 Monday through Friday 8:00 AM to 4:30 PM EST

4BACT16BTLBLC

Label Patent #6,413,604

Manufactured for: STERIS Corporation
7501 Page Avenue ■ St. Louis, MO 63133 ■ USA
800-548-4873 ■ www.steris.com
Product Made in U.S.A.

BACTOSHIELD CHG

chlorhexidine gluconate solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0519-1344
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	40 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
HYDROXYETHYL CELLULOSE (5000 MPAS AT 1%) (UNII: X70SE62ZAR)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
LAURAMINE OXIDE (UNII: 4F6FC4M18W)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
WATER (UNII: 059QF0KO0R)	
TRIDECYL ALCOHOL (UNII: 8I9428H868)	

Product Characteristics

Color	YELLOW	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0519-1344-06	4 in 1 CASE		
1	NDC:0519-1344-08	3780 mL in 1 BOTTLE		
2	NDC:0519-1344-21	12 in 1 CASE		
2	NDC:0519-1344-24	946 mL in 1 BOTTLE		
3	NDC:0519-1344-33	12 in 1 CASE		
3	NDC:0519-1344-34	473 mL in 1 BOTTLE		
4	NDC:0519-1344-39	48 in 1 CASE		
4	NDC:0519-1344-03	118 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019125	10/04/1999	

Labeler - STERIS Corporation (139424188)

Establishment

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	MANUFACTURE(0519-1344)

Revised: 8/2013

STERIS Corporation