LIL DRUG STORE MULTI-SYMPTOM SINUS SEVERE CONGESTIONacetaminophen, guaifenesin, and phenylephrine hydrochloride tablet Lil Drug Store Products, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Lil' Drug Store ® Multi-Symptom Sinus

Severe Congestion

Drug Facts

Active ingredients (in each tablet)	Purpose
Acetaminophen 325 mg	Pain reliever
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- For the temporary relief of:
 - sinus congestion and pressure
 - nasal congestion
 - headache
 - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily relieves nasal congestion due to the common cold, hay fever and other upper respiratory allergies

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- diabetes
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or is accompanied by a fever, rash or persistent headache
- nervousness, dizziness or sleeplessness occur.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

adults and children 12 years and over	hours as needed do not take more than 12 tablets in 24 hours, or as directed by a doctor
children under 12 years of age	• consult a doctor

Other information

- store at room temperature 59-86°F (15-30°C)
- avoid excessive heat and humidity

Inactive ingredients

FD&C red #40, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide 1 , sodium starch glycolate, starch, stearic acid

1 may contain

Questions or comments?

call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

PRINCIPAL DISPLAY PANEL - 16 Tablet Pouch Carton

QUALITY GUARANTEED

Compare to the Active Ingredients in Tylenol® Sinus Severe †

Sinus

Relief

on

the

Go

PACKS

Multi-Symptom

Sinus

Acetaminophen, Guaifenesin, Phenylephrine HCl Pain Reliever, Expectorant, Nasal Decongestant

Non-Drowsy Relief of

- Chest Congestion
- Nasal Congestion
- Sinus Pressure

SEVERE CONGESTION

16 Tablets 8 POUCHES, 2 TABLETS PER POUCH

Lil'


DrugStore ®

Multi-Symptom

Acetaminophen, Guaifenesin, Phenylephrine HCI Pain Reliever, Expectorant, Nasal Decongestant

16 Tablets





Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

adults and children 12 years and over

- take 1-2 tablets every 4 hours as needed
- do not take more than 12 tablets in 24 hours, or as directed by a doctor

12 years of age

children under ■ consult a doctor

Other information

- store at room temperature 59-86°F (15-30°C)
- avoid excessive heat and humidity

Inactive ingredients

FD&C red #40, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide*, sodium starch glycolate, starch, stearic acid *may contain

Questions or comments?

call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

[†]This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol® Sinus Severe.



Compare to the Active Ingredients in Tylenol® Sinus Severe†

Sinus Relief

Multi-Symptom

Acetaminophen, Guaifenesin, Phenylephrine HCl Pain Reliever, Expectorant, Nasal Decongestant

Non-Drowsy Relief of

- Chest Congestion
- Nasal Congestion
- Sinus Pressure

SEVERE CONGESTION

Tablets 8 POUCHES, 2 TABLETS PER POUCH



Product manufactured for: Lil' Drug Store Products, Inc. 9300 Earhart Lane SW Cedar Rapids, IA 52404



LOT

EXP

DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED!

Drug Facts

Active ingredients (in each tablet)

Purpose

etaminophen 325 mg. Guaifenesin 200 mg.....Expectorant

Pain reliever

Phenylephrine HCl 5 mg.....Nasal decongestant

Uses

- For the temporary relief of:
 - sinus congestion and pressure
 - nasal congestion
 - headache
- minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily relieves nasal congestion due to the common cold, hav fever and other upper respiratory allergies

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Drug Facts (continued)

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may skin reddening include:

blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to an enlarged prostate gland

Drug Facts (continued)

- cough that occurs with too much phleam (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are ■ taking the blood thinning drug warfarin

When using this product ■ do not exceed recommended dosage

Stop use and ask a doctor if

- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or is accompanied by a fever, rash or persistent headache
- nervousness, dizziness or sleeplessness occur. These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

68448C-US-10-18

LIL DRUG STORE MULTI-SYMPTOM SINUS SEVERE CONGESTION

acetaminophen, quaifenesin, and phenylephrine hydrochloride tablet

Product Information HUMAN OTC DRUG NDC:66715-6844 **Product Type** Item Code (Source) **Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	325 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients			
Ingredient Name	Strength		
FD&C RED NO. 40 (UNII: WZB9127XOA)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)			
STARCH, CORN (UNII: O8232NY3SJ)			
STEARIC ACID (UNII: 4ELV7Z65AP)			

Product Characteristics			
Color	pink	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	FR14
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:66715- 6844-8	8 in 1 CARTON	03/15/2018	06/10/2025		
1		2 in 1 POUCH; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/15/2014	06/10/2025

Labeler - Lil Drug Store Products, Inc (093103646)