

METZ 0.5% IODINE 5% GLYCERINE TEAT DIP- iodine solution
Surpass Chemical. Company, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Metz 0.5% Iodine 5% Glycerine Teat Dip

METZ 0.5% IODINE 5% GLYCERINE TEAT DIP

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS
PRODUCT #: 630800

DIRECTIONS:

Before milking, dip or spray the entire teat with this product. Wipe teats dry after application using a single service towel to avoid milk contamination. Immediately after milking, submerge entire teat up to the base of the udder in an UNDIUTED solution of 0.5% Iodine 5% Glycerine Teat Dip. Allow to air dry. Do not wipe.

CAUTION:

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Discard solution if it becomes faded or noticeably dirty. Do not use to sanitize milking equipment or utensils.

INGREDIENTS:

ACTIVE: Iodine complex (Provides 0.5% titratable iodine. Equivalent to 5,000 ppm).

5% Emollients

FIRST AID:

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs.

IF ON SKIN (or hair): Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if symptoms occur.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

KEEP OUT OF REACH OF CHILDREN!

Surpass Chemical Company, Inc. Phone: (518) 434-8101
24 HOUR EMERGENCY SERVICE

www.surpasschemical.com
2798

Email: (518) 434-
CHEMTREC 1-800-424-9300

1254 Broadway Albany NY 12204 Email:
customerservice@surpasschemical.com
CHILDREN

KEEP OUT OF REACH OF



0.5% IODINE 5% GLYCERINE TEAT DIP

KEEP OUT OF
REACH
OF CHILDREN!
PNUM: 630800

**AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS**



CAUTION

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize milking equipment or utensils.

INGREDIENTS

ACTIVE: Iodine complex (Provides 0.5% titratable iodine. Equivalent to 5,000 ppm).
5% Emollients

DIRECTIONS

Before milking, dip or spray the entire teat with this product. Wipe teats dry after application using a single service towel to avoid milk contamination. Immediately after milking, submerge entire teat up to the base of the udder in an UNDILUTED solution of Metz 0.5% Iodine 5% Glycerine Teat Dip. Allow to air dry. Do not wipe.

FIRST AID

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs.

IF ON SKIN (or hair): Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

**NPE
FREE**

LOT NUMBER

NET CONTENTS



Surpass Chemical Company, Inc.
www.surpasschemical.com

1254 Broadway Albany NY, 12204

Phone: (518) 434-8101

Email: customerservice@surpasschemical.com

Fax: (518) 434-2798

**BEFORE USING THIS MATERIAL, READ
AND UNDERSTAND THE CURRENT
SAFETY DATA SHEET.**

**24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300**



0.5% IODINE 5% GLYCERINE TEAT DIP

**AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS**

CAUTION

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize milking equipment or utensils.

INGREDIENTS

ACTIVE: Iodine complex (Provides 0.5% titratable iodine. Equivalent to 5,000 ppm).
5% Emollients

DIRECTIONS

Before milking, dip or spray the entire teat with this product. Wipe teats dry after application using a single service towel to avoid milk contamination. Immediately after milking, submerge entire teat up to the base of the udder in an UNDILUTED solution of Metz 0.5% Iodine 5% Glycerine Teat Dip. Allow to air dry. Do not wipe.

FIRST AID

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs.

IF ON SKIN (or hair): Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

LOT
NUMBER:

NET
CONTENTS:

KEEP OUT OF
REACH
OF CHILDREN!

**NPE
FREE**

PRODUCT #: 630800



Surpass Chemical Company, Inc.
www.surpasschemical.com

1254 Broadway Albany NY, 12204

Phone: (518) 434-8101

Email: customerservice@surpasschemical.com

Fax: (518) 434-2798

**24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300**

**BEFORE USING THIS MATERIAL, READ
AND UNDERSTAND THE CURRENT
SAFETY DATA SHEET.**



0.5% IODINE 5% GLYCERINE TEAT DIP

KEEP OUT OF
REACH
OF CHILDREN!

NPE
FREE

PRODUCT #: 630800

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS

CAUTION

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Always use full strength Teat Dip. Discard solution if it becomes faded or noticeably dirty. Do not use this dip to sanitize milking equipment or utensils.

INGREDIENTS

ACTIVE: Iodine complex (Provides 0.5% titratable iodine. Equivalent to 5,000 ppm).
5% Emollients

DIRECTIONS

Before milking, dip or spray the entire teat with this product. Wipe teats dry after application using a single service towel to avoid milk contamination. Immediately after milking, submerge entire teat up to the base of the udder in an UNDILUTED solution of Metz 0.5% Iodine 5% Glycerine Teat Dip. Allow to air dry. Do not wipe.

FIRST AID

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs.

IF ON SKIN (or hair): Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.



Surpass Chemical Company, Inc.

www.surpasschemical.com

1254 Broadway Albany NY, 12204

Phone: (518)434-8101

Email: customerservice@surpasschemical.com

Fax: (518) 434-2798

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300

BEFORE USING THIS MATERIAL, READ
AND UNDERSTAND THE CURRENT
SAFETY DATA SHEET.

LOT

NUMBER:

NET

CONTENTS:

METZ 0.5% IODINE 5% GLYCERINE TEAT DIP

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86067-0105
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	Iodine	0.0232 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	0.8941 kg in 1 kg
C9-11 PARETH-3 (UNII: 8O4974OMUO)	0.03 kg in 1 kg
GLYCERIN (UNII: PDC6A3C0OX)	0.0487 kg in 1 kg
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	0.004 kg in 1 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86067-0105-2	4 in 1 BOX		
1	NDC:86067-0105-1	3.88 kg in 1 JUG		
2	NDC:86067-0105-3	19.05 kg in 1 PAIL		
3	NDC:86067-0105-4	58.06 kg in 1 DRUM		
4	NDC:86067-0105-5	121.11 kg in 1 DRUM		
5	NDC:86067-0105-6	213.19 kg in 1 PACKAGE		
6	NDC:86067-0105-7	1241.03 kg in 1 CONTAINER		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
unapproved drug other		05/15/2023	

Labeler - Surpass Chemical. Company, Inc. (002075133)

Establishment

Name	Address	ID/FEI	Business Operations
Surpass Chemical. Company, Inc.		002075133	manufacture, api manufacture

Revised: 5/2024

Surpass Chemical. Company, Inc.