

**PARASITOL- pyrantel pamoate suspension**  
**Menper Distributors Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ACTIVE INGREDIENTS**

PYRANTEL PAMOATE 144 MG (equivalent to 50 mg pyrantel base)

**PURPOSE**

Pinworm treatment

**USES**

FOR THE TREATMENT OF PINWORMS.

**WARNINGS**

Do not Exceed recommended usage

When using this product abdominal cramps, nausea, vomiting, diarrhea, headache, or dizziness sometimes occur after taking this drug. If any of these conditions persist consult a doctor.

Ask a doctor before use if you have liver disease

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. In case of accidental overdose, seek medical attention or contact a Poison Control Center Immediately.

**Directions**

Read package insert carefully before taking this medication. Take only according to directions and do not exceed the recommended dosage unless direct by a doctor. Medication should only be taken one time as a single dose; do not repeat treatment unless direct by a doctor. When one individual in a household has pinworms, the entire household should be treated unless otherwise advised. See Warnings. If any worms other than pinworms are present before or after treatment, consult a doctor. If any symptoms or pinworms are still present after treatment, consult a doctor.

---

Weight	Single Dose
Less than 25 pounds or under 2 years of age	Do not use unless directed by a doctor
25 to 37 pounds	1/2 teaspoonful (2.5 mL)
38 to 62 pounds	1 teaspoonful (5 mL)
63 to 87 pounds	1 1/2 teaspoonfuls (7.5 mL)
88 to 112 pounds	2 teaspoonfuls (10 mL)
113 to 137 pounds	2 1/2 teaspoonfuls (12.5 mL)
138 to 162 pounds	3 teaspoonfuls (15 mL)
163 to 187 pounds	3 1/2 teaspoonfuls (17.5 mL)

Shake well before use. This product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during, or after medication.

INACTIVE INGREDIENTS

acesulfame potassium, cherry flavor, citric acid, glycerin, methylparaben, polysorbate 80, potassium sorbate, propylene glycol, propylparaben, sodium benzoate, sodium carboxymethylcellulose, sodium citrate, sorbitol, water, xanthan gum

**THE SMART CHOICE**

- For the Treatment of Pinworms •
- Para el Tratamiento de los Oxiuros •

**PARASITOL**

**PYRANTEL PAMOATE SUSPENSION/  
SUSPENSIÓN PAMOATO DE PIRANTEL**  
(Pyrantel Base/  
Base de Pirantel 50 mg/mL)

Shake Well/ Agitar Bien  
Measuring Cup Included/  
Vaso Dosificador Incluido

**PARASITOL**

Contents/Contenido 1 FL Oz (30 mL)

**Drug Facts (Continued)**

**Other Information** • protect from excessive heat and freezing • store at room temperature. **Tamper-Evident Feature:** Do not use if printed seal around bottle neck is torn, broken, or missing.

**Inactive ingredients** acesulfame potassium, cherry flavor, citric acid, glycerin, methylparaben, polysorbate 80, potassium sorbate, propylene glycol, propylparaben, sodium benzoate, sodium carboxymethylcellulose, sodium citrate, sorbitol, water, xanthan gum

**Questions? 1-800-560-5223 M-F 9 AM to 4 PM Eastern**

**Inactivos** acesulfamo de potasio, sabor a cereza, ácido cítrico, glicerina, metilparabeno, polisorbato 80, sorbato de potasio, propilparabeno, propilparabeno, benzoato de sodio, sorbitol, agua, goma de xantano, citrato de sodio, celulosa carboximetilcelulosa.


**Preguntas? 1-800-560-5223 L-V 9 AM a 4 PM Este**

**Agitar bien antes de usar.** Este producto se puede tomar a cualquier hora del día, con o sin comidas. Se puede tomar solo con leche o jugo de frutas. El uso de un laxante no es necesario antes de, durante, o después de la medicación.

**Shake well before use.** This product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during, or after medication.

188 libras o más, 4 cucharaditas (20 mL)

N  
1142  
WM



# PARASITOL

pyrantel pamoate suspension

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53145-101
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PYRANTEL PAMOATE</b> (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)	PYRANTEL	144 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ACESULFAME POTASSIUM</b> (UNII: 23OV73Q5G9)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-101-11	1 in 1 BOX	01/01/2013	
1	NDC:53145-101-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part357B	01/01/2013	

**Labeler** - Menper Distributors Inc. (101947166)

Revised: 8/2021

Menper Distributors Inc.