

EUCERIN ADVANCED HYDRATION SUNSCREEN SPF 50- avobenzone, homosalate, octisalate, octocrylene aerosol, spray
Beiersdorf Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Eucerin Advanced Hydration Spray Lotion Sunscreen SPF 50

Drug Facts

Active ingredients

(To Deliver) Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

Water, Dimethyl Ether, C12-15 Alkyl Benzoate, Neopentyl Glycol Diheptanoate, Styrene/Acrylates Copolymer, Butylene Glycol, Sodium Hyaluronate, Glycyrrhiza Inflata Root Extract, Glycyrrhetic Acid, Aloe Barbadensis Leaf Juice, Tocopherol, Hydroxyacetophenone, Diethylhexyl Syringyldenemalonate, VP/Eicosene Copolymer, 1,2-Hexandiol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Potassium Hydroxide, Disodium EDTA, Sodium Ascorbyl Phosphate

Questions?

1-866-277-4703

Eucerin®

Advanced Hydration

+Hyaluronic Acid & Humectants

Lightweight Sunscreen Lotion Spray

50 Broad Spectrum SPF 50

Hypoallergenic|Fragrance & Alcohol Free


No Oxybenzone & Octinoxate

5 AOX SHIELD Antioxidant Defense

Developed with Dermatologists

Water Resistant (80 Minutes)

Net Wt 6 oz (170 g)



UVA/UVB sun protection plus an Advanced Antioxidant Complex, 5 AOX Shield™, that goes beyond neutralizing to also guard from free radicals and helps support skin health.

Drug Facts	
Active Ingredients	Purpose
(To Color) Avobenzone 3%, Homosalate 0%, Octisalate 4.5%, Octocrylene 0%	Sunscreen
Use - helps prevent sunburn	
Warnings	
For external use only	
Flammable: Do not use near heat, flame, or while smoking	
Do not use on damaged or broken skin	
When using this product:	
- keep away from face to avoid breathing it	- keep out of eyes. Flush with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and holding the contents can be harmful or fatal.	- do not puncture or fire bottle.
Contents under pressure. Do not store at temperatures above 130°F.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
- shake well before each use	- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply	- do not spray directly into face. Spray on hands then apply to face.
- do not apply to windy conditions	- use in a well-ventilated area
- do not use if you are pregnant or nursing	- use at least every 2 hours
- use liberally after towel drying	- use at least every 2 hours
- use Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m.	- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor	
Other information	
- protect this product from excessive heat and direct sun	- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces	
Inactive Ingredients Water, Dimethyl Ether, C12-15 Alkyl Benzoate, Nonyl Alcohol, Ethylhexyl Salicylate, Stearoyl Dimethylammonium Copolymer, Butyl Acrylate, Ethylhexyl Methacrylate, Glyceryl Stearate, PEG-10 Dimethylsiloxane, Carbonyl Diurethane, PEG-18 Methyl Methacrylate, 1,2-Hexanediol, Acrylate/C10-30 Alkyl Acrylate Crosspolymer, Potassium Hydroxide, Tocopherol, BHT, Ethylhexyl Acrylate, Phospholipids	
Questions? 1-800-227-4793	
Learn more at Eucerin.US.com	
Beierdorf	
Cosm. Div. of Beierdorf AG, Germany	
Distributed by: Beierdorf Inc. Sun Care Div. CT 06801	
D01-SP 015625	
20080728	
MART # 98374	
Recycling symbol: Simply Before Recycling METAL CAN	

EUCERIN ADVANCED HYDRATION SUNSCREEN SPF 50

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-0000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	9 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHYL ETHER (UNII: AM13FS69BX)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
WATER (UNII: 059QF0KO0R)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
GLYCYRRHIZA INFLATA ROOT (UNII: 1MV1Z7MKVQ)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ENOXOLONE (UNII: P540XA09DR)	
TOCOPHEROL (UNII: R0ZB2556P8)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	

Product Characteristics

Color	white (Off-white to yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-0000-1	170 g in 1 CAN; Type 0: Not a Combination Product	12/01/2021	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC monograph not final	part352	12/01/2021	

Labeler - Beiersdorf Inc (001177906)

Revised: 2/2023

Beiersdorf Inc