

**EUCERIN AGE DEFENSE SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion**  
Beiersdorf Inc

-----  
**Eucerin Age Defense SPF 50 Sunscreen Face Lotion**

***Drug Facts***

***Active ingredients***

Avobenzone, Homosalate, Octisalate, Octocrylene

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if** rash occurs

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces
- store this product in upright position

### ***Inactive ingredients***

Water, Alcohol Denat., Butyloctyl Salicylate, Silica, C12-15 Alkyl Benzoate, Polyglyceryl-6 Stearate, Sodium Stearoyl Glutamate, Diisostearoyl Polyglyceryl-3 Dimer Dilinoleate, Behenyl Alcohol, Butylene Glycol Dicaprylate/Dicaprate, Cetearyl Alcohol, Copernicia Cerifera (Carnauba) Wax, Dibutyl Adipate, Sodium Hyaluronate, Glycyrrhiza Inflata Root Extract, Glycyrrhetic Acid, Tocopherol, Dimethicone, Silica Dimethyl Silylate, Diethylhexyl Syringylidenemalonate, Ethylcellulose, Glyceryl Behenate, L-Carnitine, Polyglyceryl-6 Octastearate, Phenoxyethanol, Glycerin, Xanthan Gum, Ethylhexylglycerin, Disodium EDTA, Hydroxyacetophenone, Polyglyceryl-6 Behenate, Cetyl Alcohol, Sodium Ascorbyl Phosphate

### ***Questions?***

1-800-227-4703

**Eucerin**®

Age Defense

+Hyaluronic Acid

Lightweight Sunscreen Lotion For Face

50 Broad Spectrum SPF 50

Helps Reduce The Signs of Aging\*

Hypoallergenic | Fragrance Free

No Oxybenzone & Octinoxate

5 AOX Shield

Antioxidant Defense

Developed with Dermatologists

2.5 FL OZ (75 mL)

NEW

**Eucerin**

**AGE DEFENSE**

+ HYALURONIC ACID

LIGHTWEIGHT SUNSCREEN LOTION FOR FACE

**50**


BROAD SPECTRUM SPF 50

HELPS REDUCE THE SIGNS OF AGING\*  
HYPOALLERGENIC | FRAGRANCE FREE  
NO OXYBENZONE & OCTINOXATE

**5 AOX SHIELD™**  
A HYALURONIC ACID DEFENSE

DEVELOPED WITH DERMATOLOGISTS

2.5 FL OZ (75 mL)



Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%	Sunscreen
<b>Uses</b>	
to help prevent sunburn	
to help protect against skin cancer and early skin aging caused by the sun	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
to apply liberally 15 minutes before sun exposure	
to reapply at least every 2 hours	
to use a water resistant sunscreen if swimming or sweating	
to Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.	
To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. – 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
• children under 6 months: Ask a doctor	
<b>Other Information</b>	
to protect this product from excessive heat and direct sun to help retain its fragrance some fabrics or surfaces may absorb this product in upright position	
<b>Inactive Ingredients</b>	
Water, Alcohol Denat., Butylhexyl Salicylate, Silica, C12-15 Alkyl Benzene, Polyglyceryl-6 Stearate, Sodium Stearoyl Glucoside, Dimethylsiloxane, Polyglyceryl-3 Dimethyl Sebacate, Behenyl Alcohol, Butylene Glycol, Octopylate/Octoprate, Cetaryl Alcohol, Copernicia Caribaea (Carnauba) Wax, Dibutyl Adipate, Sodium Hydroxide, Glycerol Stearate SE, Ethylhexyl Stearate, Triethyl Citrate, Dimethyl Siloxane, Silica Dimethyl Silylate, Octyltrimethyl Silyl Dimethylsiloxane, Ethylhexyl Stearate, Glyceryl Stearate, L-Carbitol, Polyglyceryl-6 Octanoate, Pentaerythritol, Glycerin, Xanthan Gum, Ethylhexylglycerin, Decylum EDTA, Hydroxyacetophenone, Polyglyceryl-6 Behenate, Cetyl Alcohol, Sodium Acetyl Phosphate	
<b>Questions?</b> 1-800-227-4709	

**Eucerin**

- Suitable for daily use under makeup
- Developed with Dermatologists
- Sensitive Skin Experts
- Invisible Finish
- Ophthalmologist Tested

- Oil Free
- Hypoallergenic
- Non-comedogenic (does not clog pores)
- Does not run into eyes and sting
- No Octinoxate & Oxybenzone
- Free of fragrance, dyes, parabens, PABA & phthalates

Learn more at [EucerinUS.com](http://EucerinUS.com)  
**Beiersdorf**  
 Made in Mexico  
 Distributed by:  
 Beiersdorf Inc.  
 Stamford, CT 06901  
 PART # 98370  
 ©reg. TM of  
 Beiersdorf AG, Germany

**EUCERIN AGE DEFENSE SPF 50 SUNSCREEN**

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-5000
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
	<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
	<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
	<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
<b>GLYCINE PROPIONYL-L-CARNITINE</b> (UNII: 8KVN59D5FL)	
<b>POLYGLYCERYL-6 DISTEARATE</b> (UNII: Z35I17EQOP)	
<b>GLYCERIN</b> (UNII: PDC6A3COOX)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	

<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>ETHYLCELLULOSES</b> (UNII: 7Z8S9VYZ4B)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ENOXOLONE</b> (UNII: P540XA09DR)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)
<b>GLYCYRRHIZA INFLATA ROOT</b> (UNII: 1MV1Z7MKVQ)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYGLYCERYL-6 STEARATE</b> (UNII: ETY9Q81E2T)
<b>DIISOSTEAROYL POLYGLYCERYL-3 DIMER DILINOLEATE</b> (UNII: G3232Z5S2O)
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)
<b>POLYGLYCERYL-6 BEHENATE</b> (UNII: 4T2L7QI313)
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>COPERNICIA PRUNIFERA WHOLE</b> (UNII: 6EKZ38572S)
<b>DIBUTYL ADIPATE</b> (UNII: F4K100DXP3)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)

### Product Characteristics

<b>Color</b>	white (Off-White to Yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-5000-4	75 g in 1 TUBE; Type 0: Not a Combination Product	11/03/2021	
2	NDC:66800-5000-3	10 g in 1 POUCH; Type 0: Not a Combination Product	11/07/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/03/2021	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 6/2024

Beiersdorf Inc