

**EUCERIN OIL-CONTROL SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion**  
**Beiersdorf Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Eucerin Oil-Control [Sheer Skiin] SPF 50 Face Lotion Sunscreen**

***Drug Facts***

***Active ingredients***

Avobenzone, Homosalate, Octisalate, Octocrylene

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces
- store this product in upright position

### ***Inactive ingredients***

Water, Alcohol Denat., Butyloctyl Salicylate, Silica, C12-15 Alkyl Benzoate, Polyglyceryl-6 Stearate, Sodium Stearoyl Glutamate, Diisostearoyl Polyglyceryl-3 Dimer Dilinoleate, Behenyl Alcohol, Butylene Glycol Dicaprylate/Dicaprate, Cetearyl Alcohol, Copernicia Cerifera (Carnauba) Wax, Dibutyl Adipate, L-Carnitine, Glycyrrhiza Inflata Root Extract, Glycyrrhetic Acid, Tocopherol, Dimethicone, Silica Dimethyl Silylate, Diethylhexyl Syringylidenemalonate, Ethylcellulose, Glyceryl Behenate, Polyglyceryl-6 Octastearate, Phenoxyethanol, Glycerin, Xanthan Gum, Ethylhexylglycerin, Disodium EDTA, Hydroxyacetophenone, Polyglyceryl-6 Behenate, Cetyl Alcohol, Sodium Ascorbyl Phosphate

### ***Questions?***

1-800-227-4703

**Eucerin**®

Oil Control

+Oil Absorbing Minerals

Lightweight Sunscreen Lotion For Face

50 Broad Spectrum SPF 50

Won't Clog Pores

Hypoallergenic | Fragrance Free

No Oxybenzone & Octinoxate

**5 AOX SHIELD**

Antioxidant Defense

Developed With Dermatologists

2.5 FL OZ (75 mL)

NEW

**Eucerin**

**OIL CONTROL**

+ OIL ABSORBING MINERALS

LIGHTWEIGHT SUNSCREEN LOTION FOR FACE

**50**

BROAD SPECTRUM SPF 50

WON'T CLOG PORES  
HYPOALLERGENIC | FRAGRANCE FREE  
NO OXYBENZONE & OCTINOXATE

**5 AOX SHIELD™**  
ANTIOXIDANT DEFENSE

DEVELOPED WITH DERMATOLOGISTS

2.5 FL. OZ. (75 mL)



**5 AOX SHIELD™**

UVA/UVB sun protection plus an Advanced Antioxidant Complex, **5 AOX Shield™**, that goes beyond neutralizing to also guard from free radicals and helps support skin health.

The formula with **Oil Absorbing Minerals** has clinically proven efficacy. Suitable for use on oily and acne-prone skin.



ACTUAL SIZE

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>helps prevent sunburn</li> <li>if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
<p>For external use only</p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs</p> <p>Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p>	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>apply liberally 15 minutes before sun exposure</li> <li>reapply at least every 2 hours</li> <li>use as water resistant as directed if swimming or sweating</li> <li>Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> <li>limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>wear long-sleeved shirts, pants, hats, and sunglasses</li> <li>children under 6 months. Ask a doctor.</li> </ul> </li> </ul>	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>protect this product from excessive heat and direct sun</li> <li>may stain or damage some fabrics or surfaces</li> <li>store this product in upright position</li> </ul>	
<b>Inactive Ingredients</b>	
Methyl Alcohol Denat., Butylsteryl Galleylate, Silica, C12-15 Alkyl Benzoate, Polyglyceryl-4 Stearate, Sulfuric Stearoyl Glutamate, Diacetarsanyl Polyglyceryl-3 Dimethyl Sebacate, Behenyl Alcohol, Butylse Glycol Diisopropylsebacate, Cetearyl Alcohol, Coparates Carthago (Carumab) Wax, Diethyl Avid pal, L-Glutathione, Glycyrrhiza Iridalis Root Extract, Glycyrrhizic Acid, Tocopherol, Dimethicone, Silica Dimethyl Silicate, Dimethyl Benzyl Silyltrimethylsiloxane, Ethylhexyl Stearate, Polyglyceryl-4 Octanoate, Phenoxyethanol, Glycerin, Xanthan Gum, Ethylhexylglycolate, Disodium EDTA, Hydroxyacetophenone, Polyglyceryl-4 Sebacate, Cetyl Alcohol, Sodium Ascorbyl Phosphate	
<b>Questions?</b> 1-800-227-4708	

Learn more at [Eucerin.US.com](http://Eucerin.US.com)

Beiersdorf

Made in Mexico NART # 98371

Distributed by: ©-reg. TM of Beiersdorf AG, Germany  
Beiersdorf Inc. Stamford, CT 06901



**Eucerin**

Suitable for daily use under make up

Developed with Dermatologists

See a Live Skin Expert

Invisible Finish

Opinion by Dermatologists Tested

- Oil Free
- Hypoallergenic
- Non-comedogenic (does not clog pores)
- Does not run into eyes and sting
- No Octinoxate & Oxybenzone
- Free of fragrances, dyes, parabens, PABA & phthalates

## EUCERIN OIL-CONTROL SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-6000
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	
<b>LEVOCARNITINE</b> (UNII: 0G389FZZ9M)	
<b>GLYCYRRHIZA ECHINATA ROOT</b> (UNII: V6E722P1VB)	
<b>ENOXOLONE</b> (UNII: P540XA09DR)	

<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)
<b>COPERNICIA PRUNIFERA WHOLE</b> (UNII: 6EKZ38572S)
<b>ETHYLCELLULOSES</b> (UNII: 7Z8S9VYZ4B)
<b>POLYGLYCERYL-6 BEHENATE</b> (UNII: 4T2L7QI313)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>DIBUTYL ADIPATE</b> (UNII: F4K100DXP3)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>POLYGLYCERYL-6 STEARATE</b> (UNII: ETY9Q81E2T)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>ETHYLHEXYLGLYCERYL BEHENATE</b> (UNII: JRY34LRD7B)
<b>DIISOSTEAROYL POLYGLYCERYL-3 DIMER DILINOLEATE</b> (UNII: G323Z25S2O)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)

### Product Characteristics

<b>Color</b>	white (off-white to yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-6000-1	75 g in 1 TUBE; Type 0: Not a Combination Product	11/02/2021	
2	NDC:66800-6000-2	10 g in 1 TUBE; Type 0: Not a Combination Product	03/27/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/02/2021	

---

**Labeler** - Beiersdorf Inc (001177906)

Revised: 3/2023

Beiersdorf Inc