

EUCERIN OIL-CONTROL SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion
Beiersdorf Inc

Eucerin Oil-Control SPF 50 Face Lotion Sunscreen

Drug Facts

Active ingredients

Avobenzone, Homosalate, Octisalate, Octocrylene

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces
- store this product in upright position

Inactive ingredients

Water, Alcohol Denat., Butyloctyl Salicylate, Silica, C12-15 Alkyl Benzoate, Polyglyceryl-6 Stearate, Sodium Stearoyl Glutamate, Diisostearoyl Polyglyceryl-3 Dimer Dilinoleate, Behenyl Alcohol, Butylene Glycol Dicaprylate/Dicaprate, Cetearyl Alcohol, Copernicia Cerifera (Carnauba) Wax, Dibutyl Adipate, L-Carnitine, Glycyrrhiza Inflata Root Extract, Glycyrrhetic Acid, Tocopherol, Dimethicone, Silica Dimethyl Silylate, Diethylhexyl Syringylidenemalonate, Ethylcellulose, Glyceryl Behenate, Polyglyceryl-6 Octastearate, Phenoxyethanol, Glycerin, Xanthan Gum, Ethylhexylglycerin, Disodium EDTA, Hydroxyacetophenone, Polyglyceryl-6 Behenate, Cetyl Alcohol, Sodium Ascorbyl Phosphate

Questions?

1-800-227-4703

Eucerin®

Oil Control

+Oil Absorbing Minerals

Lightweight Sunscreen Lotion For Face

50 Broad Spectrum SPF 50

Won't Clog Pores

Hypoallergenic | Fragrance Free

No Oxybenzone & Octinoxate

5 AOX SHIELD

Antioxidant Defense

Developed With Dermatologists

2.5 FL OZ (75 mL)

NEW

Eucerin

OIL CONTROL

+ OIL ABSORBING MINERALS

LIGHTWEIGHT SUNSCREEN LOTION FOR FACE

50

BROAD SPECTRUM SPF 50

WON'T CLOG PORES
HYPOALLERGENIC | FRAGRANCE FREE
NO OXYBENZONE & OCTINOXATE

5 AOX SHIELD™
ANTIOXIDANT DEFENSE

DEVELOPED WITH DERMATOLOGISTS

2.5 FL OZ (75 mL)



Drug Facts	
Active Ingredients	Purpose
Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 10%	Sunscreen
Uses	
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
<p>For external use only</p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stay out of sun if rash occurs</p> <p>Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p>	
Directions	
<ul style="list-style-type: none"> apply liberally 15 minutes before sun exposure reapply at least every 2 hours use as water resistant as necessary if swimming or sweating Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses children under 6 months. Ask a doctor. 	
Other information	
<ul style="list-style-type: none"> protect this product from excessive heat and direct sun may stain or damage some fabrics or surfaces store this product in upright position 	
Inactive Ingredients	
Methyl Alcohol Denat., Butylsteryl Galleylate, Silica, C12-15 Alkyl Benzoate, Polyglyceryl-4 Stearate, Sulfuric Stearoyl Glutamate, Diacetarsanyl Polyglyceryl-3 Dimethyl Sebacate, Behenyl Alcohol, Butylse Glycol Diacrylate/Diacrylate, Cetearyl Alcohol, Coparinate, Carthagen (Carumab) Wax, Diethyl Avidipate, L-Glutathione, Glycyrrhiza Iridoid Root Extract, Glycyrrhizic Acid, Tocopherol, Dimethicone, Silica Dimethyl Silicate, Dimethyl Benzyl Silyltrimethylsiloxane, Ethylhexyl Stearate, Polyglyceryl-4 Octanoate, Phenoxyethanol, Glycerin, Xanthan Gum, Ethylhexylglycidyl Ether, Disodium EDTA, Hydroxyacetophenone, Polyglyceryl-4 Stearate, Cetyl Alcohol, Sodium Ascorbyl Phosphate	
Questions? 1-800-227-4708	

Learn more at Eucerin.US.com

Beiersdorf

Made in Mexico
Distributed by:
Beiersdorf Inc.
Stamford, CT 06901

NWRT # 98371
©-reg. TM of
Beiersdorf AG, Germany



Eucerin

- Suitable for daily use under make up
- Developed with Dermatologists
- See a Live Skin Expert
- Invisible Finish
- Opinion Investigated: Tested

- Oil Free
- Hypoallergenic
- Non-comedogenic (does not clog pores)
- Does not run into eyes and sting
- No Octinoxate & Oxybenzone
- Free of fragrances, dyes, parabens, PABA & phthalates

EUCERIN OIL-CONTROL SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-6000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
LEVOCARNITINE (UNII: 0G389FZZ9M)	
ENOXOLONE (UNII: P540XA09DR)	
GLYCYRRHIZA ECHINATA ROOT (UNII: V6E722P1VB)	

SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)
POLYGLYCERYL-6 BEHENATE (UNII: 4T2L7QI313)
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)
COPERNICIA PRUNIFERA WHOLE (UNII: 6EKZ38572S)
ETHYLCELLULOSES (UNII: 7Z8S9VYZ4B)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCERIN (UNII: PDC6A3C0OX)
WATER (UNII: 059QF0KO0R)
DIBUTYL ADIPATE (UNII: F4K100DXP3)
TOCOPHEROL (UNII: R0ZB2556P8)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE SODIUM (UNII: MP1J8420LU)
ALCOHOL (UNII: 3K9958V90M)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
XANTHAN GUM (UNII: TTV12P4NEE)
POLYGLYCERYL-6 STEARATE (UNII: ETY9Q81E2T)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
DOCOSANOL (UNII: 9G1OE216XY)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
ETHYLHEXYLGLYCERYL BEHENATE (UNII: JRY34LRD7B)
CETYL ALCOHOL (UNII: 936JST6JCN)
DIISOSTEAROYL POLYGLYCERYL-3 DIMER DILINOLEATE (UNII: G3232Z5S2O)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)

Product Characteristics

Color	white (off-white to yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-6000-1	75 g in 1 TUBE; Type 0: Not a Combination Product	11/03/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/03/2021	

