

**SOMNAPURE CLINICAL STRENGTH- diphenhydramine hydrochloride tablet, coated**  
**NutraClick, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Somnapure Clinical Strength**

**Drug Facts**

**Active ingredient (in each caplet)**

Diphenhydramine HCl 50 mg

**Purpose**

Nighttime sleep aid

**Use** for relief of occasional sleeplessness

**Warnings**

**Do not use**

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor before use if you are** taking sedatives, tranquilizers, or any other sleep aid.

**When using this product,** avoid alcoholic drinks.

**Stop use and ask a doctor** if sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a poison control center right away.

**Directions**

- adults and children 12 years of age and older: 1 caplet (50 mg) at bedtime if needed, or as directed by a doctor

**Other information**

- store at 15°-30°C (59°-86°F)

**Inactive ingredients** croscarmellose sodium, dicalcium phosphate, FD&C blue no. 1 lake, FD&C blue no. 2 lake, fractionated coconut oil, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polydextrose, silicon dioxide, starch, stearic acid, talc titanium dioxide

**Questions or comments?** Call 1-877-869-3304

**Peak Life**

**Somnapure® Clinical Strength**





# Somnapure®

## Clinical Strength

Nighttime Sleep Aid / Diphenhydramine HCl

**30**  
Caplets



Fall Asleep Quickly  
Wake Up Energized  
Non-Habit-Forming

**Active ingredient (in each caplet)**

Diphenhydramine HCl 50 mg.....Nighttime sleep aid

**Purpose**

**Use**  
■ for relief of occasional sleeplessness

**Warnings**

**Do not use**

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor before use if you are** taking sedatives, tranquilizers, or any other sleep aid.

**When using this product, avoid** alcoholic drinks.

**Stop use and ask a doctor** if sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breastfeeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a poison control center right away.

**Directions**

■ adults and children 12 years of age and older: 1 caplet (50 mg) at bedtime if needed, or as directed by a doctor

**Other information**

■ store at 15°-30°C (59°-86°F)

**Inactive ingredients:** croscarmellose sodium, dicalcium phosphate, FD&C blue no. 1 lake, FD&C blue no. 2 lake, fractionated coconut oil, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polydextrose, silicon dioxide, starch, stearic acid, talc, titanium dioxide

**Questions or comments?** Call 1-877-869-3304



Distributed by Peak Life, LLC,  
a subsidiary of NutraClick, LLC  
www.PeakLife.com  
Boston, MA 02108



Lot # and Best By:

## SOMNAPURE CLINICAL STRENGTH

diphenhydramine hydrochloride tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69721-001
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	blue	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	15mm
<b>Flavor</b>		<b>Imprint Code</b>	SPCS
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69721-001-30	1 in 1 BOX		
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part338	04/09/2015	

**Labeler** - NutraClick, LLC (831011809)

Revised: 4/2015

NutraClick, LLC