

DAILY MOISTURIZING ANTIOXIDANT SPF 50- avobenzone, homosalate, octinoxate, octisalate cream
Goodier Cosmetics LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Daily Moisturizing Antioxidant SPF 50

Revision Multi-Protection Broad-Spectrum SPF 50

**Multi-Protection
Broad-Spectrum
SPF 50**

daily oil-free anti-aging
moisturizer with sunscreen

NET WT 1.7 OZ | 48 g

Active ingredient Purpose

Avobenzone 3% Sunscreen
Homosalate 3% Sunscreen
Octinoxate 7.5% Sunscreen
Octisalate 4% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients Water (Aqua), C12-15 Alkyl Ethylhexanoate, Cyclopentasiloxane, Cetearyl Alcohol, Polyglyceryl-3-Methylglucose Distearate, Boron Nitride, Hydrogenated Starch Hydrolysate, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Butylene Glycol, Tetrahexyldecyl Ascorbate, Yeast Extract (Faex), Camellia Sinensis (Green Tea) Leaf Extract, Epigallocatechin Gallate, Betula Alba (White Birch) Bark Extract, Biosaccharide Gum-1, Ubiquinone, Cetyl Dimethicone, Palmitoyl Tripeptide-5, Squalane, Sodium Hyaluronate, Palmitoyl Dipeptide-5 Diaminobutyroyl Hydroxythreonine, Punica Granatum (Pomegranate) Extract, Plankton Extract, Steareth-20, Tocopheryl Acetate, Allantoin, Lecithin, Tetradecyl Aminobutyroylvalylaminobutyric Urea Trifluoroacetate, Glyceryl Caprylate, Carbomer, Leuconostoc/Radish Root Ferment Filtrate, Tocopherol, Steareth-10, Jojoba Bean Meal, Disodium EDTA, Magnesium Chloride, Potassium Sorbate, Fragrance (Parfum).

Other information

- protect this product from excessive heat and direct sun

Dist. by Revision, LP
Irving, TX 75063 Made in U.S.A.

Revercel AM Moisturizing Sunscreen Broad Spectrum SPF 50

am
moisturizing
sunscreen

broad spectrum
spf 50

net wt. 1.7oz. | 48g

Active ingredient	Purpose
Avobenzone 3%	Sunscreen
Homosalate 3%	Sunscreen
Octinoxate 7.5%	Sunscreen
Octisalate 4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water (Aqua), C12-15 Alkyl Ethylhexanoate, Cyclopentasiloxane, Cetearyl Alcohol, Polyglyceryl-3-Methylglucose Distearate, Boron Nitride, Sorbitol, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Butylene Glycol, Tetrahexyldecyl Ascorbate, Palmitoyl Tripeptide-5, Glyceryl Caprylate, Leuconostoc/Radish Root Ferment Filtrate, Cetyl Dimethicone, Tocopherol, Squalane, Steareth-20, Jojoba Bean Meal, Allantoin, Plankton Extract, Palmitoyl Dipeptide-5 Diaminobutyroyl Hydroxythreonine, Lecithin, Sodium Hyaluronate, Betula Alba (White Birch) Bark Extract, Punica Granatum (Pomegranate) Extract, Yeast Extract (Faex), Biosaccharide Gum-1, Tocopheryl Acetate, Tetradecyl Aminobutyroylvalylaminobutyric Urea Trifluoroacetate, Epigallocatechin Gallate, Camellia Sinensis (Green Tea) Leaf Extract, Ubiquinone, Magnesium Chloride, Carbomer, Disodium EDTA, Steareth-10, Potassium Sorbate, Fragrance (Parfum)

Other information

- protect this product from excessive heat and direct sun

Made in the USA

Distributed by Revercel LLC

Campbel, CA 95008

advanced skincare
recommended by physicians

Drug Facts

Active ingredient Purpose

Azobenzene 3% Sunscreen
Homosalate 3% Sunscreen
Octinoxate 7.5% Sunscreen
Octisalate 4% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure

• reapply at least every 2 hours

• use a water resistant sunscreen if swimming or sweating

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water (Aqua), C12-15 Alkyl Ethylhexanoate, Cyclopentasiloxane, Cetearyl Alcohol, Polyglyceryl-3-Methylglucose Distearate, Boron Nitride, Hydrogenated Starch Hydrolysate, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Butylene Glycol, Tetrahexyldecyl Ascorbate, Yeast Extract (Fasx), Camellia Sinensis (Green Tea) Leaf Extract. ▶

Drug Facts (continued)

Epigallocatechin Gallate, Betula Alba (White Birch) Bark Extract, Biosaccharide Gum-1, Ubiquinone, Cetyl Dimethicone, Palmityl Tripeptide-5, Squalane, Sodium Hyaluronate, Palmitoyl Dipeptide-5 Diaminobutyroyl Hydroxythreonine, Punica Granatum (Pomegranate) Extract, Plankton Extract, Steareth-20, Tocopheryl Acetate, Allantoin, Lecithin, Tetradecyl

Am inobutyrylvalylaminobutyric Urea Trifluoroacetate, Glyceryl Caprylate, Carbomer, Leuconostoc/Radish Root Ferment Filtrate, Tocopherol, Steareth-10, Jojoba Bean Meal, Disodium EDTA, Magnesium Chloride, Potassium Sorbate, Fragrance (Parfum).

Other information

- protect this product from excessive heat and direct sun

REVISION.
SKINCARE

Multi-Protection Broad-Spectrum SPF 50

daily oil-free anti-aging
moisturizer with sunscreen

Multi-Protection Broad-Spectrum SPF 50

daily moisture with sunscreen
for all skin types

This oil-free lightweight
anti-aging moisturizer hydrates
and protects skin from harmful
UVA/UVB rays.

- Reduces the appearance of fine lines and wrinkles
- Provides broad-spectrum UVA and UVB protection
- Contains a strong blend of antioxidants
- Moisturizes the skin with Squalane and Sodium Hyaluronate

NET WT 1.7 OZ | 48 g

52-10638-1



Dist. by Revision, LLC - MPC4
Irving, TX 75063 Made in U.S.A.

1.7oz MPC



PROFESSIONAL

Multi-Protection Broad-Spectrum SPF 50

daily oil-free
anti-aging moisturizer
with sunscreen

NET WT 8 OZ | 227 g

8oz MPC

Drug Facts	
Active ingredient	Purpose
Avobenzone 3%	Sunscreen
Homosalate 3%	Sunscreen
Octinoxate 7.5%	Sunscreen
Octisalate 4%	Sunscreen
Uses	
<ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor 	
Inactive ingredients	
Water (Aqua), C12-15 Alkyl Ethylhexanoate, Cyclopentasiloxane, Cetearyl Alcohol, Polyglyceryl-3-Methylglucose Distearate, Boron Nitride, Hydrogenated Starch Hydrolysate, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Butylene Glycol, Tetrahexyldecyl Ascorbate, Yeast Extract (Faex), Camellia Sinensis (Green Tea) Leaf Extract, Epigallocatechin Gallate, Betula Alba (White Birch) Bark Extract, Biosaccharide Gum-1, Ubiquinone, Cetyl Dimethicone, Palmitoyl Tripeptide-5, Squalane, Sodium Hyaluronate, Palmitoyl Dipeptide-5 Diaminobutyryl Hydroxythreonine, Punica Granatum (Pomegranate) Extract, Plankton Extract, Steareth-20, Tocopheryl Acetate, Allantoin, Lecithin, Tetradecyl Aminobutyrylvalylaminobutyric Urea Trifluoroacetate, Glyceryl Caprylate, Carbomer, Leuconostoc/Radish Root Ferment Filtrate, Tocopherol, Steareth-10, Jojoba Bean Meal, Disodium EDTA, Magnesium Chloride, Potassium Sorbate, Fragrance (Parfum).	
Other information	
• protect this product from excessive heat and direct sun	

Professional use only. Not for resale.
For questions, call 800.385.6652.
Dist. by Revision, LLC – MPP3 Irving, TX 75063 Made in U.S.A.

REVISION.

Multi-
Protection
Broad-
Spectrum
SPF 50

Oil-free, anti-aging
moisturizer
with sunscreen.
Apply evenly to face.

Not for resale
Dist. by Revision, LP
Irving, TX 75063
MPS1



1.7oz AM

DAILY MOISTURIZING ANTIOXIDANT SPF 50

avobenzone, homosalate, octinoxate, octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10477-7720
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	3 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
YEAST (UNII: 3NY3SM6B8U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
EPIGALLOCATECHIN GALLATE (UNII: BQM438CTEL)	
BETULA PUBESCENS BARK (UNII: 3R504894L9)	
BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H)	
UBIDECARENONE (UNII: EJ27X76M46)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
PALMITOYL TRIPEPTIDE-5 (UNII: 2A3916MQHO)	
SQUALANE (UNII: GW89575KF9)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PALMITOYLLYSYLVALYLDIAMINO BUTYROYLTHREONINE (UNII: 1615WE9073)	
POMEGRANATE (UNII: 56687D1Z4D)	
STEARETH-20 (UNII: L0Q8IK9E08)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
TOCOPHEROL (UNII: R0ZB2556P8)	
STEARETH-10 (UNII: FD0913P475)	
SIMMONDSIA CHINENSIS SEED (UNII: D24K2Q1F6H)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10477-7720-1	1 in 1 CARTON	06/26/2013	
1		48 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:10477-7720-2	227 g in 1 TUBE; Type 0: Not a Combination Product	06/26/2013	
3	NDC:10477-7720-3	3 g in 1 TUBE; Type 0: Not a Combination Product	06/26/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/26/2013	

Labeler - Goodier Cosmetics LLC (007317209)

Registrant - Goodier Cosmetics LLC (007317209)

Establishment

Name	Address	ID/FEI	Business Operations
Goodier Cosmetics LLC		007317209	manufacture(10477-7720)

Revised: 10/2021

Goodier Cosmetics LLC