

# **WALGREENS COOL N HEAT- lidocaine 4% menthol 1% aerosol, spray**

## **Walgreens**

-----

### **Walgreens cool n heat Dry Spray**

Lidocaine 4%

Menthol 1%

Topical Anesthetic

Topical Analgesic

Temporarily relieves minor pain

### **For External Use Only**

#### **Do not use:**

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

#### **Extremely Flammable:**

- Do not use near heat or flame or while smoking
- Avoid long term storage above 104° F (40°C)
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F (49°C)

#### **When using this product:**

- use only as directed. Read and follow all directions and warnings on this label
- do not allow contact with the eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- avoid spraying on face
- avoid inhalation of spray
- do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use
- do not use the same time as other topical analgesics
- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds

#### **Stop use and ask a doctor if:**

- conditions worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If Pregnant or breast feeding, ask a health professional before use.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a poison Control Center right away

**Adults and Children over 12 years:**

- Spray affected area every 6 to 8 hours, not to exceed 3 applications in a 24-hour period
- Product will dry quickly on its own, and does not need to be rubbed in

**Children 12 years and younger:** Ask a doctor

caprylic/capric triglyceride, isobutane, propylene glycol, SD alcohol 40B (30%)

**1-800-925-4733**

NDC 0383-3033-04



Compare to the active ingredients in  
**Icy Hot® Lidocaine Plus Menthol  
Pain Relieving Spray\***

# Cool 'n Heat Dry Spray + Lidocaine

LIDOCAINE HCl 4% / TOPICAL ANESTHETIC  
MENTHOL 1% / TOPICAL ANALGESIC  
PAIN RELIEVING SPRAY

Maximum Strength

Continuous Spray

Non-Greasy

- Temporarily relieves minor pain
- Dries instantly

NET WT 4 OZ (113 g)

Drug Facts	
<b>Active ingredients</b>	<b>Purposes</b>
Lidocaine 4%	Topical anesthetic
Menthol 1%	Topical analgesic
<b>Use</b> temporarily relieves minor pain	
<b>Warnings</b>	
For external use only	
Do not use <input type="checkbox"/> on large areas of the body or on cut, irritated or swollen skin	
<input type="checkbox"/> on puncture wounds <input type="checkbox"/> for more than one week without consulting a doctor	
When using this product	
<input type="checkbox"/> use only as directed. Read and follow all directions and warnings on this label.	
<input type="checkbox"/> do not allow contact with the eyes and mucous membranes	
<input type="checkbox"/> rare cases of serious burns have been reported with products of this type	
<input type="checkbox"/> do not apply to wounds or damaged, broken or irritated skin	
<input type="checkbox"/> avoid spraying on face <input type="checkbox"/> avoid inhalation of spray	
<input type="checkbox"/> do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use	
<input type="checkbox"/> do not use at the same time as other topical analgesics	
<input type="checkbox"/> a transient burning sensation may occur upon application but generally disappears in several days	
<input type="checkbox"/> avoid applying into skin folds	
Stop use and ask a doctor if <input type="checkbox"/> condition worsens <input type="checkbox"/> redness is present <input type="checkbox"/> irritation develops	
<input type="checkbox"/> symptoms persist for more than 7 days or clear up and occur again within a few days	
<input type="checkbox"/> you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied	
Extremely Flammable <input type="checkbox"/> do not use near heat or flame or while smoking	
<input type="checkbox"/> avoid long term storage above 104°F (40°C) <input type="checkbox"/> do not puncture or incinerate. Contents under pressure.	
<input type="checkbox"/> do not store at temperatures above 120°F (49°C)	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center right away.	

**Directions**

**Adults and children over 12 years:**

- spray affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- product will dry quickly on its own, and does not need to be rubbed in

**Children 12 years or younger:** ask a doctor

**Inactive Ingredients** caprylic/capric triglyceride, isobutane, propylene glycol, SD alcohol 40B

**Questions or comments?** 1-800-925-4733

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co. MADE IN U.S.A.  
2100714 (01)  
DOT 2Q H6665

ITEM 886415 W10176-0522-0  
3 11917 01096 0  
W30RC6322-F



**WALGREENS COOL N HEAT**  
lidocaine 4% menthol 1% aerosol, spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-3033
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>DEHYDRATED ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-3033-04	113 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	07/19/2022	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	07/19/2022	

**Labeler** - Walgreens (008965063)

Revised: 10/2023

Walgreens